

Appendix 13

Common and Scientific Plant Names and Codes

The following list of plants gives standardized codes for the Weed Science Society of America (WSSA-ID), Natural Resource Conservation Service (NRCS-ID), and the US Forest Service (USFS-ID).

These codes can be used in database programs adopted by the WMA. The NRCS Plants list is the preferred list to use. This list is alphabetical by scientific name. An alphabetical listing by common name follows this list.

| Scientific Name | | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-------------------|---------------------|-----------------------------|------------------|-------------------------|------------------|--------------|
| Genus | Species/ Authority | | | | | |
| <i>Abutilon</i> | <i>theophrasti</i> | velvetleaf | ABUTH | ABTH | ABUTHE | VF |
| <i>Acalypha</i> | <i>rhomboidea</i> | copperleaf, rhombic | ACCRH | ACRH | ACARHO | VF |
| <i>Acalypha</i> | <i>virginica</i> | copperleaf, Virginia | ACCVI | ACVI | ACAVIR | VF |
| <i>Acer</i> | <i>macrophyllum</i> | maple, bigleaf | ACRMA | ACMA3 | ACEMAC | VT |
| <i>Acer</i> | <i>rubrum</i> | maple, red | ACRRB | ACRU | ACERUB | VT |
| <i>Acer</i> | <i>saccharum</i> | maple, sugar | ACRSC | ACSA3 | ACESAC | VT |
| <i>Achillea</i> | <i>ptarmica</i> | sneezeweed | ACHPT | ACPT | ACHPTA | VF |
| <i>Achillea</i> | <i>millefolium</i> | yarrow, common | ACHLA | ACMIL3 | ACHMIL | VF |
| <i>Achillea</i> | <i>millefolium</i> | yarrow, common | ACHMI | ACMI2 | ACHMIL | VF |
| <i>Achillea</i> | <i>lanulosa</i> | yarrow, western | ACHLA | ACLA5 | ACHMIL | VF |
| <i>Acorus</i> | <i>calamus</i> | sweetflag | ACSCA | ACCA4 | ACOCAL | VF |
| <i>Acroptilon</i> | <i>repens</i> | knapweed, Russian | CENRE | ACRE3 | CENREP | VF |
| <i>Actaea</i> | <i>spicata</i> | baneberry | AATSR | ACSPR3 | ACTRUB | VF |
| <i>Actaea</i> | <i>rubra</i> | baneberry, red | AATSR | ACRU2 | ACTRUB | VF |
| <i>Adonis</i> | <i>annua</i> | adonis, annual | ADOAN | ADAN | ADOANN | VF |
| <i>Adonis</i> | <i>annua</i> | adonis, pheasanteye | ADOAN | ADAN | ADOANN | VF |
| <i>Aegilops</i> | <i>triuncialis</i> | goatgrass, barb | AEGTR | AETR | AEGTRI | VG |
| <i>Aegilops</i> | <i>cylindrica</i> | goatgrass, jointed | AEGCY | AECY | AEGCYL | VG |
| <i>Aegopodium</i> | <i>podagraria</i> | goutweed, bishop's | AEOPO | AEPO | AEGPOD | VF |
| <i>Ageratina</i> | <i>adenophora</i> | thoroughwort, gland-bearing | EUPAD | AGAD2 | AGEADE | VF |
| <i>Agrimonia</i> | <i>striata</i> | agrimony, roadside | AGIST | AGST | AGRSTR | VF |
| <i>Agropyron</i> | <i>repens</i> | quackgrass | AGRRE | AGRE2 | AGRREP | VG |
| <i>Agropyron</i> | <i>pauciflorum</i> | wheatgrass | AGRTR | AGPA15 | AGRPAU | VG |
| <i>Agropyron</i> | <i>trachycaulum</i> | wheatgrass, slender | AGRTR | AGTR | AGRCAN | VG |
| <i>Agropyron</i> | <i>elongatum</i> | wheatgrass, tall | AGREL | AGEL3 | AGRELO | VG |
| <i>Agrostemma</i> | <i>githago</i> | cockle, corn | AGOGI | AGGI | AGRGIT | VF |
| <i>Agrostis</i> | <i>perennans</i> | bentgrass, autumn | AGSPE | AGPE | AGRPER | VG |
| <i>Agrostis</i> | <i>tenuis</i> | bentgrass, colonial | AGSTE | AGTE | AGRTEI | VG |
| <i>Agrostis</i> | <i>palustris</i> | bentgrass, creeping | AGSPL | AGPA17 | AGRSTO | VG |
| <i>Agrostis</i> | <i>stolonifera</i> | bentgrass, creeping | AGSST | AGST2 | AGRSTO | VG |
| <i>Agrostis</i> | <i>hyemalis</i> | bentgrass, winter | AGSHI | AGHY | AGRHYE | VG |
| <i>Agrostis</i> | <i>alba</i> | redtop | AGSGI | AGAL3 | AGRSTO | VG |
| <i>Agrostis</i> | <i>gigantea</i> | redtop | AGSGI | AGGI2 | AGRSTO | VG |
| <i>Ailanthus</i> | <i>altissima</i> | heaven, tree of | AILAL | AIAL | AILALT | VT |
| <i>Aira</i> | <i>caryophyllea</i> | hairgrass, silver | AIRCA | AICA | AIRCAR | VG |
| <i>Ajuga</i> | <i>reptans</i> | bugle, carpet | AIURE | AJRE | AJUREP | VF |
| <i>Alcea</i> | <i>rosea</i> | hollyhock | ALGRO | ALRO3 | ALTROS | VF |
| <i>Alchemilla</i> | <i>vulgaris</i> | lady's mantle | ALCVU | ALVU2 | ALCVUL | VF |
| <i>Alchemilla</i> | <i>xanthochlora</i> | lady's mantle | ALCVU | ALXA | ALCVUL | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------|--|---------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Alhagi</i> | <i>camelorum</i> | camelthorn | ALHPS | ALCA | ALHCAM | VS |
| <i>Alhagi</i> | <i>pseudalhagi</i> | camelthorn | ALHPS | ALPS3 | ALHPSE | VF |
| <i>Alisma</i> | <i>plantago-aquatica</i> | waterplantain, common | ALSPA | ALPL | ALIPLA | VF |
| <i>Alisma</i> | <i>triviale</i> | waterplantain, common | ALSPA | ALTR7 | ALIPLA | VF |
| <i>Alisma</i> | <i>gramineum</i> | waterplantain, narrowleaf | ALSGR | ALGR | ALIGRA | VF |
| <i>Alliaria</i> | <i>petiolata</i> | mustard, garlic | ALAPE | ALPE4 | ALLPET | VF |
| <i>Alliaria</i> | <i>officinalis</i> | | ALAPE | ALOF3 | ALLPET | VF |
| <i>Allium</i> | <i>canadense</i> | onion, wild | ALLCA | ALCA3 | ALLCAN | VF |
| <i>Allium</i> | <i>columbianum</i> | | ALCO2 | | ALLDOU | VF |
| <i>Alnus</i> | <i>rubra</i> | alder, red | ALURB | ALRU2 | ALNRUB | VT |
| <i>Alnus</i> | <i>rugosa</i> | alder, speckled | ALURG | ALRU3 | ALNINC | VS |
| <i>Alopecurus</i> | <i>carolinianus</i> | foxtail, Carolina | ALOCA | ALCA4 | ALOCAR | VG |
| <i>Alopecurus</i> | <i>pratensis</i> | foxtail, meadow | ALOPR | ALPR3 | ALOPRA | VG |
| <i>Alopecurus</i> | <i>geniculatus</i> | foxtail, water | ALOGE | ALGE2 | ALOGEN | VG |
| <i>Alopecurus</i> | <i>mysuroides</i> | twitch, black | ALOMY | ALMY | ALOMYS | VG |
| <i>Alternanthera</i> | <i>sessilis</i> | copperleaf, dwarf | ALRSE | ALSE4 | ALTSES | VF |
| <i>Alternanthera</i> | <i>pungens</i> | khakiweed | ALRRE | ALPU3 | ALTPUN | VF |
| <i>Alternanthera</i> | <i>repens</i> | khakiweed | ALRRE | ALRE2 | ALTREP | VF |
| <i>Althaea</i> | <i>rosea</i> | hollyhock | ALGRO | ALRO4 | ALTROS | VF |
| <i>Alyssum</i> | <i>desertorum</i> | alyssum, dwarf | AYSDE | ALDE | ALYDES | VF |
| <i>Alyssum</i> | <i>alyssoides</i> | alyssum, yellow | AYSAL | ALAL3 | ALYALY | VF |
| <i>Amaranthus</i> | <i>palmeri</i> | amaranth, Palmer | AMAPA | AMPA | AMAPAL | VF |
| <i>Amaranthus</i> | <i>powellii</i> | amaranth, Powell | AMAPO | AMPO2 | AMAPOW | VF |
| <i>Amaranthus</i> | <i>arenicola</i> | amaranth, sandhills | AMAAR | AMAR | AMAARE | VF |
| <i>Amaranthus</i> | <i>blitoides</i> | pigweed, prostrate | AMABL | AMBL | AMAGRA | VF |
| <i>Amaranthus</i> | <i>graecizans</i> | pigweed, prostrate | AMABL | AMGR | AMAGRA | VF |
| <i>Amaranthus</i> | <i>retroflexus</i> | pigweed, redroot | AMARE | AMRE | AMARET | VF |
| <i>Amaranthus</i> | <i>hybridus</i> | pigweed, smooth | AMACH | AMHY | AMAHYB | VF |
| <i>Amaranthus</i> | <i>albus</i> | pigweed, tumble | AMAAL | AMAL | AMAALB | VF |
| <i>Amaranthus</i> | <i>rudis</i> | waterhemp, common | AMATA | AMRU | AMARUD | VF |
| <i>Amaranthus</i> | <i>tuberculatus</i> | waterhemp, tall | AMATU | AMTU | AMATUB | VF |
| <i>Ambrosia</i> | <i>acanthicarpa</i> | bursage, annual | FRSAC | AMAC2 | AMBACA | VF |
| <i>Ambrosia</i> | <i>tomentosa</i> | bursage, skeletonleaf | FRSTO | AMTO3 | AMBTOM | VF |
| <i>Ambrosia</i> | <i>artemisiifolia</i> | ragweed, common | AMBEL | AMAR2 | AMBART | VF |
| <i>Ambrosia</i> | <i>trifida</i> | ragweed, giant | AMBTR | AMTR | AMBTRI | VF |
| <i>Ambrosia</i> | <i>coronopifolia</i> | ragweed, perennial | AMBPC | AMCO5 | AMBPSI | VF |
| <i>Ambrosia</i> | <i>psilostachya</i> | ragweed, western | AMBPS | AMPS | AMBPSI | VF |
| <i>Ambrosia</i> | <i>grayi</i> | | AMBGR | AMGR5 | AMBGRA | VF |
| <i>Ammannia</i> | <i>coccinea</i> | ammannia, purple | AMMCO | AMCO | AMMCOG | VF |
| <i>Ammannia</i> | <i>auriculata</i> | redstem | AMMAU | AMAU2 | AMMAUR | VF |
| <i>Amorpha</i> | <i>fruticosa</i> | indigobush | AMHFR | AMFR | AMOFRU | VS |
| <i>Amorpha</i> | <i>canescens</i> | leadplant | AMHCN | AMCA6 | AMOCAN | VS |
| <i>Amsinckia</i> | <i>intermedia</i> | fiddleneck, coast | AMSIN | AMIN3 | AMSINT | VF |
| <i>Amsinckia</i> | <i>lycopoides</i> | fiddleneck, tarweed | AMSLY | AMLY | AMSLYC | VF |
| <i>Amsinckia</i> | <i>tessellata</i> | fiddleneck, western | AMSTE | AMTE3 | AMSTES | VF |
| <i>Amsinckia</i> | <i>retrorsa</i> | tarweed, palouse | AMSRE | AMRE2 | AMSRET | VF |
| <i>Anacharis</i> | <i>densa</i> | elodea, Brazilianian | ELDDE | | EGEDEN | VF |
| <i>Anacharis</i> | <i>canadensis</i> | waterweed, western | ELDCA | | ELOCAN | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------|--|-------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Anagallis</i> | <i>arvensis</i> | pimpernel, scarlet | ANGAR | | ANAARV | VF |
| <i>Anaphalis</i> | <i>margaritacea</i> | everlasting, pearly | ANPMA | GNMA2 | ANAMAR | VF |
| <i>Anchusa</i> | <i>officinalis</i> | bugloss, common | ANCOF | | ANCOFF | VF |
| <i>Anchusa</i> | <i>azurea</i> | bugloss, Italian | ANCIT | | ANCAZU | VF |
| <i>Anchusa</i> | <i>italica</i> | bugloss, Italian | ANCIT | | ANCAZU | VF |
| <i>Anchusa</i> | <i>arvensis</i> | bugloss, small | LYCAR | LYAR | ANCARV | VF |
| <i>Andropogon</i> | <i>scoparius</i> | bluestem, little | ANOSC | | ANDSCO | VG |
| <i>Anethum</i> | <i>graveolens</i> | dill | AFEGR | | ANEGRA | VF |
| <i>Anoda</i> | <i>cristata</i> | anoda, spurred | ANVCR | SICR2 | ANOCRI | VF |
| <i>Antennaria</i> | <i>neglecta</i> | pussytoes, field | ANXNE | | ANTNEG | VF |
| <i>Antennaria</i> | <i>plantaginifolia</i> | pussytoes, plantainleaf | ANXPL | GNPL | ANTPAL | VF |
| <i>Anthemis</i> | <i>arvensis</i> | chamomile, corn | ANTAR | | ANTARV | VF |
| <i>Anthemis</i> | <i>cotula</i> | chamomile, mayweed | ANTCO | MACO22 | ANTCOT | VF |
| <i>Anthemis</i> | <i>tinctoria</i> | chamomile, yellow | ANTTI | COTI4 | ANTTIN | VF |
| <i>Anthoxanthum</i> | <i>odoratum</i> | vernalgrass, sweet | AOXOD | | ANTODO | VG |
| <i>Anthriscus</i> | <i>cerefolium</i> | chervil | ANRCE | CECE3 | ANTCER | VF |
| <i>Anthriscus</i> | <i>sylvestris</i> | parsely, cow | ANRSY | CHSY | ANTSYL | VF |
| <i>Anthriscus</i> | <i>caucalis</i> | | ANRCA | | ANTCAU | VF |
| <i>Anthriscus</i> | <i>scandicina</i> | | ANRCA | | ANTCAU | VF |
| <i>Apocynum</i> | <i>cannabinum</i> | dogbane, hemp | APCCA | APCA | APOCAN | VF |
| <i>Apocynum</i> | <i>sibiricum</i> | dogbane, prairie | APCVE | APSI | APOSIB | VF |
| <i>Apocynum</i> | <i>androsaemifolium</i> | dogbane, spreading | APCAN | APAN2 | APOAND | VF |
| <i>Arabidopsis</i> | <i>thaliana</i> | cress, mouseear | ARBTH | ARTH | ARATHA | VF |
| <i>Arabis</i> | <i>glabra</i> | mustard, tower | ARCGL | ARGL | ARAGLA | VF |
| <i>Arctium</i> | <i>minus</i> | burdock, common | ARFMI | ARMI2 | ARCMIN | VF |
| <i>Arctium</i> | <i>lappa</i> | burdock, great | ARFLA | ARLA3 | ARCLAP | VF |
| <i>Arctium</i> | <i>tomentosum</i> | burdock, woolly | ARFTO | ARTO | ARCTOM | VF |
| <i>Arctoa</i> | <i>starkei</i> | Stark | ARST12 | | KIATA | KI |
| <i>Arenaria</i> | <i>lateriflora</i> | sandwort, grove | MGJLA | ARLA15 | ARELAT | VF |
| <i>Arenaria</i> | <i>serpyllifolia</i> | sandwort, thymeleaf | ARISE | ARSE2 | ARESER | VF |
| <i>Argemone</i> | <i>intermedia</i> | pricklepoppy, annual | ARGPL | ARIN7 | ARGPOL | VF |
| <i>Argemone</i> | <i>polyanthemus</i> | pricklepoppy, annual | ARGPL | ARPO2 | ARGPOL | VF |
| <i>Aristida</i> | <i>oligantha</i> | grass, Triple-awned | ARKOL | AROL | ARIOLI | VG |
| <i>Aristida</i> | <i>longiseta</i> | threeawn, red | ARKLS | ARLO3 | ARILON | VG |
| <i>Armoracia</i> | <i>rusticana</i> | horseradish | ARRU4 | | ARMRUS | VF |
| <i>Armoracia</i> | <i>lapathifolia</i> | | ARLA23 | | ARMRUS | VF |
| <i>Arrhenatherum</i> | <i>elatius</i> | oatgrass, tall | ARREL | AREL3 | AREELA | VG |
| <i>Artemisia</i> | <i>vulgaris</i> | mugwort | ARTVU | ARVU | ARTVUL | VF |
| <i>Artemisia</i> | <i>douglasiana</i> | mugwort, California | ARTDO | ARDO3 | ARTDOU | VF |
| <i>Artemisia</i> | <i>tridentata</i> | sagebrush, big | ARTTR | ARTR2 | ARTTRI | VS |
| <i>Artemisia</i> | <i>frigida</i> | sagebrush, fringed | ARTFR | ARFR4 | ARTFRI | VS |
| <i>Artemisia</i> | <i>filifolia</i> | sagebrush, sand | ARTFI | ARFI2 | ARTFIL | VS |
| <i>Artemisia</i> | <i>campestris</i> | sagewort, common | ARTCM | ARCA12 | ARTCAM | VF |
| <i>Artemisia</i> | <i>campestris</i> | sagewort, field | ARTCC | ARCAC | ARTCAM | VF |
| <i>Artemisia</i> | <i>caudata</i> | sagewort, field | ARTCC | ARCA24 | ARTCAM | VF |
| <i>Artemisia</i> | <i>dracuncululus</i> | tarragon | ARTDR | ARDR4 | ARTDRA | VF |
| <i>Artemisia</i> | <i>absinthium</i> | wormwood, absinth | ARTAB | ARAB3 | ARTABS | VF |
| <i>Artemisia</i> | <i>annua</i> | wormwood, annual | ARTAN | ARAN3 | ARTANN | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-------------------|--|---------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Artemisia</i> | <i>biennis</i> | wormwood, biennia | ARTBI | ARBI2 | ARTBIE | VF |
| <i>Artemisia</i> | <i>ludoviciana</i> | wormwood, Louisiana | ARTLU | ARLU | ARTLUD | VF |
| <i>Artemisia</i> | <i>abrotanum</i> | wormwood, southern | ARTAT | ARAB2 | ARTABR | VS |
| <i>Asclepias</i> | <i>labriformis</i> | labriform | ASCLA | ASLA | ASCLAB | VF |
| <i>Asclepias</i> | <i>tuberosa</i> | milkweed, butterfly | ASCTU | ASTU | ASCTUB | VF |
| <i>Asclepias</i> | <i>syriaca</i> | milkweed, common | ASCSY | ASSY | ASCSYR | VF |
| <i>Asclepias</i> | <i>verticillata</i> | milkweed, eastern whorled | ASCVE | ASVE | ASCVER | VF |
| <i>Asclepias</i> | <i>viridiflora</i> | milkweed, green | ASCVI | ASVI | ASCVIR | VF |
| <i>Asclepias</i> | <i>fascicularis</i> | milkweed, Mexican whorled | ASCFA | ASFA | ASCFAS | VF |
| <i>Asclepias</i> | <i>speciosa</i> | milkweed, showy | ASCSP | ASSP | ASCSPE | VF |
| <i>Asclepias</i> | <i>incarnata</i> | milkweed, swamp | ASCIN | ASIN | ASCINC | VF |
| <i>Asclepias</i> | <i>subverticillata</i> | milkweed, western whorled | ASCSU | ASSU2 | ASCSUB | VF |
| <i>Asperugo</i> | <i>procumbens</i> | catchweed | ASGPR | ASPR | ASPPRO | VF |
| <i>Asphodelus</i> | <i>fistulosus</i> | onionweed | ASHFI | ASFI2 | ASPFIS | VF |
| <i>Aster</i> | <i>lateriflorus</i> | aster, calico | ASTLF | ASLA6 | ASTLAT | VF |
| <i>Aster</i> | <i>ericoides</i> | aster, heath | ASTER | ASER3 | ASTERI | VF |
| <i>Aster</i> | <i>novae-angliae</i> | aster, New England | ASTNA | ASNO | ASTNOV | VF |
| <i>Aster</i> | <i>pilosus</i> | aster, white heath | ASTPI | ASPI2 | ASTPIL | VF |
| <i>Astragalus</i> | <i>lentiginosus</i> | loco, spotted | ASALE | ASLE8 | ASTLEN | VF |
| <i>Astragalus</i> | <i>miser</i> | milkvetch, Columbia | ASAMS | ASMIS | ASTMIS | VF |
| <i>Astragalus</i> | <i>miser</i> | milkvetch, timber | ASAMI | ASMI9 | ASTMIS | VF |
| <i>Astragalus</i> | <i>bisulcatus</i> | milkvetch, twogrooved | ASABI | ASBI2 | ASTBIS | VF |
| <i>Astragalus</i> | <i>miser</i> | milkvetch, Yellowstone | ASAMH | ASMIH | ASTMIS | VF |
| <i>Astragalus</i> | <i>robbinsii</i> | milkvetch, Robbins | ASROM | | ASTROB | VF |
| <i>Atriplex</i> | <i>hortensis</i> | orach, garden | ATXHO | ATHO | ATRHOR | VF |
| <i>Atriplex</i> | <i>hastata</i> | orach, halberdleaf | ATXHA | ATHA | ATRPAT | VF |
| <i>Atriplex</i> | <i>patula</i> | orach, halberdleaf | ATXHA | ATPAH2 | ATRPAT | VF |
| <i>Atriplex</i> | <i>rosea</i> | orach, red | ATXRO | ATRO | ATRROS | VF |
| <i>Atriplex</i> | <i>patula</i> | orach, spreading | ATXPA | ATPA4 | ATRPAT | VF |
| <i>Atriplex</i> | <i>semibaccata</i> | saltbrush, Australian | ATXSE | ATSE | ATRSEM | VF |
| <i>Atriplex</i> | <i>canescens</i> | saltbush, fourwing | ATXCA | ATCA2 | ATRCAN | VS |
| <i>Atriplex</i> | <i>argentea</i> | saltbush, silverscale | ATXAR | ATAR2 | ATRARG | VF |
| <i>Atriplex</i> | <i>confertifolia</i> | shadscale | ATXCO | ATCO | ATRCON | VS |
| <i>Avena</i> | <i>sterilis</i> | oat, animated | AVEST | AVST | AVESTE | VG |
| <i>Avena</i> | <i>barbata</i> | oat, slender | AVEBA | AVBA | AVEBAR | VG |
| <i>Avena</i> | <i>fatua</i> | oat, wild | AVEFA | AVFA | AVEFAT | VG |
| <i>Avena</i> | <i>sativa</i> | oats | AVESA | AVSA | AVESAT | VG |
| <i>Axyris</i> | <i>amaranthoides</i> | pigweed, Russian | AXYAM | AXAM | AXYAMA | VF |
| <i>Azolla</i> | <i>pinnata</i> | waterfern, feathered | AZOPI | AZPI | AZOPIN | VE |
| <i>Baccharis</i> | <i>pilularis</i> | baccharis | BACPI | BAPI | BACPIL | VF |
| <i>Bacopa</i> | <i>rotundifolia</i> | waterhyssop, disc | BAORO | BARO | BACROT | VF |
| <i>Barbarea</i> | <i>vulgaris</i> | rocket, yellow | BARVU | BAVU | BARVUL | VF |
| <i>Barbarea</i> | <i>verna</i> | wintercress, early | BARVE | BAVE | BARVER | VF |
| <i>Bassia</i> | <i>hyssopifolia</i> | bassia, fivehook | BAFHY | BAHY | BASHYS | VF |
| <i>Bellis</i> | <i>perennis</i> | daisy, English | BELPE | BEPE2 | BELPER | VF |
| <i>Berberis</i> | <i>vulgaris</i> | barberry, European | BEBVU | BEVU | BERVUL | VS |
| <i>Berberis</i> | <i>thunbergii</i> | barberry, Japanese | BEBTH | BETH | BERTHU | VS |
| <i>Berteroa</i> | <i>incana</i> | alysium, hoary | BEFIN | BEIN2 | BERINC | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------|--|-------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Bidens</i> | <i>comosa</i> | beggarticks, bur | BIDTR | BICO3 | BIDTRI | VF |
| <i>Bidens</i> | <i>tripartita</i> | beggarticks, bur | BIDTR | BITR | BIDTRI | VF |
| <i>Bidens</i> | <i>connata</i> | beggarticks, connate | BIDCN | BICO5 | BIDTRI | VF |
| <i>Bidens</i> | <i>frondosa</i> | beggarticks, devils | BIDFR | BIFR | BIDFRO | VF |
| <i>Bidens</i> | <i>pilosa</i> | beggarticks, hairy | BIDPI | BIPI | BIDPIL | VF |
| <i>Bidens</i> | <i>cernua</i> | beggarticks, nodding | BIDCE | BICE | BIDCER | VF |
| <i>Bidens</i> | <i>vulgata</i> | beggarticks, tall | BIDVU | BIVU | BIDVUL | VF |
| <i>Borreria</i> | <i>alata</i> | borreria, winged | BOILF | BOAL4 | BORALA | VF |
| <i>Botrychium</i> | <i>ascendens</i> | | BOAS2 | | BOTASC | VE |
| <i>Bouteloua</i> | <i>barbata</i> | grama, sixweeks | BOBBA | BOBA2 | BOUBAR | VG |
| <i>Brasenia</i> | <i>schreberi</i> | watershield | BRESC | BRSC | BRASCH | VF |
| <i>Brassica</i> | <i>campestris</i> | mustard, birdsrape | BRARA | BRCA2 | BRACAM | VF |
| <i>Brassica</i> | <i>rapa</i> | mustard, birdsrape | BRARA | BRRR | BRACAM | VF |
| <i>Brassica</i> | <i>nigra</i> | mustard, black | BRANI | BRNI | BRANIG | VF |
| <i>Brassica</i> | <i>juncea</i> | mustard, Indian | BRASJ | BRJU | BRAJUN | VF |
| <i>Brassica</i> | <i>alba</i> | mustard, white | SINAL | | BRAHIR | VF |
| <i>Brassica</i> | <i>hirta</i> | mustard, white | SINAL | BRH12 | BRAHIR | VF |
| <i>Brassica</i> | <i>arvensis</i> | mustard, wild | SINAR | BRAR11 | BRAKAB | VF |
| <i>Brassica</i> | <i>kaber</i> | mustard, wild | SINAR | BRKA | BRAKAB | VF |
| <i>Brickellia</i> | <i>eupatorioides</i> | boneset, false | KUHEU | BREU | KUHEUP | VF |
| <i>Bromus</i> | <i>carinatus</i> | brome, California | BROCN | BRCA5 | BROCAR | VG |
| <i>Bromus</i> | <i>tectorum</i> | brome, downy | BROTE | BRTE | BROTEC | VG |
| <i>Bromus</i> | <i>arvensis</i> | brome, field | BROAV | BRAR5 | BROARV | VG |
| <i>Bromus</i> | <i>rubens</i> | brome, foxtail | BRORU | BRRU2 | BRORUB | VG |
| <i>Bromus</i> | <i>japonicus</i> | brome, Japanese | BROJA | BRJA | BROJAP | VG |
| <i>Bromus</i> | <i>erectus</i> | brome, meadow | BROER | BRER3 | BROERE | VG |
| <i>Bromus</i> | <i>marginatus</i> | brome, mountain | BROMG | BRMA4 | BROCAR | VG |
| <i>Bromus</i> | <i>sterilis</i> | brome, poverty | BROST | BRST2 | BROSTE | VG |
| <i>Bromus</i> | <i>brizaeformis</i> | brome, rattlesnake | BROBR | BRBR7 | BROBRI | VG |
| <i>Bromus</i> | <i>rigidus</i> | brome, ripgut | BRODI | BRR18 | BRORIG | VG |
| <i>Bromus</i> | <i>inermis</i> | brome, smooth | BROIN | BRIN2 | BROINE | VG |
| <i>Bromus</i> | <i>hordeaceus</i> | brome, soft | BROMO | BRHO2 | BROMOL | VG |
| <i>Bromus</i> | <i>mollis</i> | brome, soft | BROMO | BRMO2 | BROMOL | VG |
| <i>Bromus</i> | <i>secalinus</i> | cheat | BROSE | BRSE | BROSEC | VG |
| <i>Bromus</i> | <i>commutatus</i> | chess, hairy | BROCO | BRCO4 | BROCOM | VG |
| <i>Bromus</i> | <i>catharticus</i> | rescuegrass | BROCA | BRCA6 | BROCAT | VG |
| <i>Bryonia</i> | <i>alba</i> | bryony, white | BYOAL | BRAL4 | BRYALB | VF |
| <i>Bryum</i> | <i>pseudotriquetrum</i> | | BRPS70 | | BRYPSE | NM |
| <i>Buchloe</i> | <i>dactyloides</i> | buffalograss | BUCDA | BUDA | BUCDAC | VG |
| <i>Buglossoides</i> | <i>arvense</i> | gromwell, corn | LITAR | BUAR3 | LITARV | VF |
| <i>Butomus</i> | <i>umbellatus</i> | rush, flowering | BUTUM | BUUM | BUTUMB | VF |
| <i>Cakile</i> | <i>maritima</i> | sea-rocket | CAKMA | CAMA | CAKMAR | VF |
| <i>Callirhoe</i> | <i>involucrata</i> | poppymallow, purple | COEIN | CAIN2 | CALINV | VF |
| <i>Callitriche</i> | <i>palustris</i> | waterstarwort | CLTPA | CAPA52 | CALVER | VF |
| <i>Callitriche</i> | <i>verna</i> | waterstarwort | CLTPA | CAVE2 | CALVER | VF |
| <i>Callitriche</i> | <i>stagnalis</i> | waterstarwort, European | CLTST | CAST | CALSTA | VF |
| <i>Calystegia</i> | <i>sepium</i> | bindweed, hedge | CAGSE | CASE13 | CALSEP | VF |
| <i>Calystegia</i> | <i>pubescens</i> | bindweed, Japanese | CAGHE | CAPU17 | CONJAP | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------|--|---------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Camelina</i> | <i>sativa</i> | falseflax, largeseed | CMASA | CASA2 | CAMSAT | VF |
| <i>Camelina</i> | <i>microcarpa</i> | flax, false smallseed | CMAMI | CAMI2 | CAMMIC | VF |
| <i>Campanula</i> | <i>glomerata</i> | bellflower, clustered | CMPGL | CAGL2 | CAMGLO | VF |
| <i>Campanula</i> | <i>rapunculoides</i> | bellflower, creeping | CMPRA | CARA | CAMRAP | VF |
| <i>Campsis</i> | <i>radicans</i> | trumpetcreeper | CMIRA | CARA2 | CAMRAD | VS |
| <i>Cannabis</i> | <i>sativa</i> | marijuana | CNISA | CASA3 | CANSAT | VF |
| <i>Capsella</i> | <i>bursa-pastoris</i> | shepherd's-purse | CAPBP | CABU2 | CAPBUR | VF |
| <i>Cardamine</i> | <i>pensylvanica</i> | bittercress, Pennsylvania | CARPE | CAPE3 | CARPES | VF |
| <i>Cardaria</i> | <i>draba</i> | cress, hoary | CADDR | CADR | CARDRA | VF |
| <i>Cardaria</i> | <i>pubescens</i> | whitetop, hairy | CADPU | CAPU6 | CARPUB | VF |
| <i>Carduus</i> | <i>pycnocephalus</i> | thistle, Italian | CRUPY | CAPY2 | CARPYC | VF |
| <i>Carduus</i> | <i>nutans</i> | thistle, musk | CRUNU | CANU4 | CARNUT | VF |
| <i>Carduus</i> | <i>acanthoides</i> | thistle, plumeless | CRUAC | CAAC | CARACA | VF |
| <i>Carduus</i> | <i>tenuiflorus</i> | thistle, slenderflowered | CRUTE | CATE2 | CARTEU | VF |
| <i>Carduus</i> | <i>crispus</i> | thistle, welted | CRUCR | CACR2 | CARCRS | VF |
| <i>Carex</i> | <i>rostrata</i> | sedge, beaked | CRXRO | CARO6 | CARROT | VG |
| <i>Carex</i> | <i>nebraskensis</i> | sedge, Nebraska | CRXNB | CANE2 | CARNEB | VG |
| <i>Carex</i> | <i>lacustris</i> | sedge, ripgut | CRXLA | CALA16 | CARLAC | VG |
| <i>Carex</i> | <i>atherodes</i> | sedge, sugargrass | CRXAT | CAAT2 | CARATH | VG |
| <i>Carex</i> | <i>aquatilis</i> | sedge, water | CRXAQ | CAAQ | CARAQU | VG |
| <i>Carex</i> | <i>eurycarpa</i> | sedge, widefruit | CRXEU | CAEU2 | CAREUR | VG |
| <i>Carex</i> | <i>lasiocarpa</i> | sedge, woolfruit | CRXLC | CALA11 | CARLAS | VG |
| <i>Carthamus</i> | <i>lanatus</i> | thistle, distaff | CAULA | CALA20 | CARLAN | VF |
| <i>Carum</i> | <i>carvi</i> | caraway, common | CRYCA | CACA19 | CARCAR | VF |
| <i>Cenchrus</i> | <i>longispinus</i> | sandbur, longspine | CCHPA | CELO3 | CENLON | VG |
| <i>Centaurea</i> | <i>cyanus</i> | cornflower | CENCY | CECY2 | CENCYA | VF |
| <i>Centaurea</i> | <i>macrocephala</i> | knawweed, bighead | CENMC | CEMA9 | CENMAR | VF |
| <i>Centaurea</i> | <i>nigra</i> | knawweed, black | CENNI | CENI2 | CENNIG | VF |
| <i>Centaurea</i> | <i>jacea</i> | knawweed, brown | CENJA | CEJA | CENJAC | VF |
| <i>Centaurea</i> | <i>diffusa</i> | knawweed, diffuse | CENDI | CEDI3 | CENDIF | VF |
| <i>Centaurea</i> | <i>repens</i> | knawweed, Russian | CENRE | CERE6 | CENREP | VF |
| <i>Centaurea</i> | <i>maculosa</i> | knawweed, spotted | CENMA | CEMA4 | CENMAC | VF |
| <i>Centaurea</i> | <i>squarrosa</i> | knawweed, squarrose | CENSQ | CESQ | CENVIR | VF |
| <i>Centaurea</i> | <i>virgata</i> | knawweed, squarrose | CENSQ | CEVI | CENVIR | VF |
| <i>Centaurea</i> | <i>virgata</i> | knawweed, squarrose | CENSQ | CEVIS | CENVIR | VF |
| <i>Centaurea</i> | <i>nigrescens</i> | knawweed, Vochin | CENVO | CENI3 | CENNIR | VF |
| <i>Centaurea</i> | <i>iberica</i> | starthistle, Iberian | CENIB | CEIB | CENIBE | VF |
| <i>Centaurea</i> | <i>calcitrapa</i> | starthistle, purple | CENCA | CECA2 | CENCAL | VF |
| <i>Centaurea</i> | <i>solstitialis</i> | starthistle, yellow | CENSO | CESO3 | CENSOL | VF |
| <i>Centaurea</i> | <i>melitensis</i> | thistle, Napa | CENME | CEME2 | CENMEL | VF |
| <i>Centaurea</i> | <i>trichocephala</i> | | CENTC | CETR12 | CENTRC | VF |
| <i>Cerastium</i> | <i>arvense</i> | chickweed, field | CERAR | CEAR4 | CERARV | VF |
| <i>Cerastium</i> | <i>vulgatum</i> | chickweed, mouseear | CERVU | CEVU | CERVUL | VF |
| <i>Cerastium</i> | <i>brachypodium</i> | chickweed, nodding | CERNU | CEBR3 | CERNUT | VF |
| <i>Cerastium</i> | <i>nutans</i> | chickweed, nodding | CERNU | CENU2 | CERNUT | VF |
| <i>Cerastium</i> | <i>glomeratum</i> | chickweed, sticky | CERGL | CEGL2 | CERVIS | VF |
| <i>Cerastium</i> | <i>viscosum</i> | chickweed, sticky | CERGL | CEVI3 | CERVIS | VF |
| <i>Ceratophyllum</i> | <i>demersum</i> | coontail | CEYDE | CEDE4 | CERDEM | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------|--|---------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Chaenorrhinum</i> | <i>minus</i> | snapdragon, dwarf | CHNMI | CHMI | CHAMIN | VF |
| <i>Chamaesyce</i> | <i>serpens</i> | spurge, creeping | EPHSN | CHSE4 | EUPSEP | VF |
| <i>Chamaesyce</i> | <i>nutans</i> | spurge, nodding | EPHNU | CHNU9 | EUPNUT | VF |
| <i>Chamaesyce</i> | <i>glyptosperma</i> | spurge, ridgeseed | EPHGL | CHGL13 | EUPGLY | VF |
| <i>Chamaesyce</i> | <i>maculata</i> | spurge, spotted | EPHMA | CHMA15 | EUPMAU | VF |
| <i>Chelidonium</i> | <i>majus</i> | celandine, greater | CHQMA | CHMA2 | CHEMAJ | VF |
| <i>Chenopodium</i> | <i>capitatum</i> | goosefoot, blite | CHECA | CHCA4 | CHECAP | VF |
| <i>Chenopodium</i> | <i>botrys</i> | goosefoot, Jerusalem oak | CHEBO | CHBO2 | CHEBOT | VF |
| <i>Chenopodium</i> | <i>gigantospermum</i> | goosefoot, maple leaf | CHEHQ | CHGI2 | CHEGIG | VF |
| <i>Chenopodium</i> | <i>incanum</i> | goosefoot, mealy | CHEIN | CHIN2 | CHEFRE | VF |
| <i>Chenopodium</i> | <i>murale</i> | goosefoot, nettle leaf | CHEMU | CHMU2 | CHEMUR | VF |
| <i>Chenopodium</i> | <i>glaucum</i> | goosefoot, oakleaf | CHEGL | CHGL3 | CHEGLA | VF |
| <i>Chenopodium</i> | <i>rubrum</i> | goosefoot, red | CHERU | CHRU | CHERUB | VF |
| <i>Chenopodium</i> | <i>album</i> | lambquarters, common | CHEAL | CHAL7 | CHEALB | VF |
| <i>Chenopodium</i> | <i>desiccatum</i> | lambquarters, narrow leaf | CHEPR | CHDE | CHELEP | VF |
| <i>Chenopodium</i> | <i>berlandieri</i> | lambquarters, netseed | CHEBE | CHBE4 | CHEALB | VF |
| <i>Chenopodium</i> | <i>leptophyllum</i> | lambquarters, slimleaf | CHELE | CHLE4 | CHELEP | VF |
| <i>Chenopodium</i> | <i>ambrosioides</i> | tea, Mexican | CHEAM | CHAM | CHEAMB | VF |
| <i>Chloris</i> | <i>virgata</i> | fingergrass, feather | CHRVI | CHVI4 | CHLVIR | VG |
| <i>Chloris</i> | <i>verticillata</i> | windmillgrass, tumble | CHRVE | CHVE2 | CHLVER | VG |
| <i>Chondrilla</i> | <i>juncea</i> | skeletonweed, rush | CHOJU | CHJU | CHOJUN | VF |
| <i>Chorisporea</i> | <i>tenella</i> | mustard, blue | COBTE | CHTE2 | CHOTEN | VF |
| <i>Chrysanthemum</i> | <i>balsamita</i> | chrysanthemum, costmary | CHYBA | CHBA6 | CHRBAL | VF |
| <i>Chrysanthemum</i> | <i>leucanthemum</i> | daisy, oxeye | CHYLE | CHLE80 | CHRLEU | VF |
| <i>Chrysanthemum</i> | <i>parthenium</i> | feverfew | CHYPA | CHPA33 | CHRPAR | VF |
| <i>Chrysopogon</i> | <i>aciculatus</i> | goldbeard, small needled | CYSAC | CHAC | CHRACI | VG |
| <i>Chrysothamnus</i> | <i>nauseosus</i> | rabbitbrush, common | CYTNG | CHNAG5 | CHRNAU | VS |
| <i>Chrysothamnus</i> | <i>viscidiflorus</i> | rabbitbrush, Douglas | CYTVI | CHVI8 | CHRVIS | VS |
| <i>Chrysothamnus</i> | <i>nauseosus</i> | rabbitbrush, gray | CYTNA | CHNA2 | CHRNAU | VS |
| <i>Chrysothamnus</i> | <i>graveolens</i> | rabbitbrush, greenplume | CYTNG | CHGR12 | CHRNAU | VS |
| <i>Chrysothamnus</i> | <i>parryi</i> | rabbitbrush, Parry | CYTPA | CHPA13 | CHRPAR | VS |
| <i>Cichorium</i> | <i>intybus</i> | chicory | CICIN | CIIN | CICINT | VF |
| <i>Cicuta</i> | <i>maculata</i> | waterhemlock, spotted | CIUMC | CIMA2 | CICMAC | VF |
| <i>Cicuta</i> | <i>douglasii</i> | waterhemlock, western | CIUDO | CIDO | CICDOU | VF |
| <i>Cimicifuga</i> | <i>racemosa</i> | cohosh, black | CIMRA | CIRA | CIMRAC | VF |
| <i>Cirsium</i> | <i>vulgare</i> | thistle, bull | CIRVU | CIVU | CIRVUL | VF |
| <i>Cirsium</i> | <i>arvense</i> | thistle, Canada | CIRAR | CIAR4 | CIRARV | VF |
| <i>Cirsium</i> | <i>flodmanii</i> | thistle, Flodman | CIRFL | CIFL | CIRFLO | VF |
| <i>Cirsium</i> | <i>edule</i> | thistle, Indian | CIREC | CIED | CIREDU | VF |
| <i>Cirsium</i> | <i>foliosum</i> | thistle, leafy | CIRFO | CIFO | CIRFOL | VF |
| <i>Cirsium</i> | <i>altissimum</i> | thistle, tall | CIRAL | CIAL2 | CIRALT | VF |
| <i>Cirsium</i> | <i>undulatum</i> | thistle, wavyleaf | CIRUN | CIUN | CIRUND | VF |
| <i>Cirsium</i> | <i>ochrocentrum</i> | thistle, yellowspine | CIROH | CIOC2 | CIROCH | VF |
| <i>Cleome</i> | <i>serrulata</i> | beeplant, Rocky Mountain | CLESE | CLSE | CLESER | VF |
| <i>Cnicus</i> | <i>benedictus</i> | thistle, blessed | CXDBE | CNBE | CNIBEN | VF |
| <i>Commelina</i> | <i>communis</i> | dayflower, Asiatic | COMCO | COCO3 | COMCOM | VF |
| <i>Commelina</i> | <i>benghalensis</i> | spiderwort, tropical | COMBE | COBE2 | COMBEN | VF |
| <i>Conium</i> | <i>maculatum</i> | hemlock, poison | COIMA | COMA2 | CONMAC | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|--------------------|--|------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Conringia</i> | <i>orientalis</i> | mustard, haresear | CNHOR | COOR | CONORI | VF |
| <i>Convolvulus</i> | <i>arvensis</i> | bindweed, field | CONAR | COAR4 | CONARV | VF |
| <i>Convolvulus</i> | <i>sepium</i> | bindweed, hedge | CAGSE | COSE14 | CALSEP | VF |
| <i>Convolvulus</i> | <i>japonicus</i> | bindweed, Japanese | CAGHE | COJA2 | CONJAP | VF |
| <i>Conyza</i> | <i>ramosissima</i> | fleabane, dwarf | ERIDI | CORA4 | CONRAM | VF |
| <i>Conyza</i> | <i>bonariensis</i> | fleabane, hairy | ERIBO | COBO | CONBON | VF |
| <i>Conyza</i> | <i>canadensis</i> | horseweed | ERICA | COCA5 | CONCAN | VF |
| <i>Coreopsis</i> | <i>tinctoria</i> | coreopsis, plains | CRLTI | COTI3 | CORTIN | VF |
| <i>Coriandrum</i> | <i>sativum</i> | coriander | CORSA | COSA | CORSAT | VF |
| <i>Corispermum</i> | <i>hyssopifolium</i> | tickseed, hyssopleaf | CRQHY | COHY | CORHYS | VF |
| <i>Cornus</i> | <i>canadensis</i> | bunchberry | CRWCA | COCA13 | CORCAN | VS |
| <i>Coronilla</i> | <i>varia</i> | crownvetch, trailing | CZRVA | COVA2 | CORVAR | VF |
| <i>Corydalis</i> | <i>aurea</i> | corydalis, golden | COYAU | COAU2 | CORAUR | VF |
| <i>Corydalis</i> | <i>sempervirens</i> | corydalis, pale | COYSE | COSE5 | CORSEM | VF |
| <i>Crataegus</i> | <i>douglasii</i> | hawthorn, black | CSCDO | CRDO2 | CRADOU | VS |
| <i>Crataegus</i> | <i>succulenta</i> | hawthorn, fleshy | CSCSC | CRSU5 | CRASUC | VS |
| <i>Crataegus</i> | <i>rivularis</i> | hawthorn, river | CSCRV | CRRI | CRADOU | VS |
| <i>Crepis</i> | <i>setosa</i> | hawksbeard, bristly | CVPSE | CRSE2 | CRESET | VF |
| <i>Crepis</i> | <i>tectorum</i> | hawksbeard, narrowleaf | CVPTE | CRTE3 | CRETEC | VF |
| <i>Crepis</i> | <i>tectorum</i> | hawksbeard, rooftop | CVPTE | CRTE3 | CRETEC | VF |
| <i>Crepis</i> | <i>capillaris</i> | hawksbeard, smooth | CVPCA | CRCA3 | CRECAP | VF |
| <i>Crepis</i> | <i>occidentalis</i> | hawksbeard, western | CVPOC | CROC | CREOCC | VF |
| <i>Croton</i> | <i>texensis</i> | croton, Texas | CVNTE | CRTE4 | CROTEX | VF |
| <i>Croton</i> | <i>capitatus</i> | croton, woolly | CVNCP | CRCA6 | CROCAP | VF |
| <i>Crupina</i> | <i>vulgaris</i> | crupina, common | CJNVU | CRVU2 | CRUVUL | VF |
| <i>Cucumis</i> | <i>anguria</i> | gherkin, west Indian | CUMAN | CUAN | CUCANG | VF |
| <i>Cuscuta</i> | <i>epithymum</i> | dodder, clover | CUCEY | CUPE | CUSEPI | VF |
| <i>Cuscuta</i> | <i>campestris</i> | dodder, field | CVCCA | CUCA2 | CUSPEN | VF |
| <i>Cuscuta</i> | <i>umbrosa</i> | dodder, largefruit | CVCUB | CUUM2 | CUSGRO | VF |
| <i>Cuscuta</i> | <i>indecora</i> | dodder, largeseed | CVCIN | CUIN | CUSIND | VF |
| <i>Cuscuta</i> | <i>pentagona</i> | dodder, lespedeza | CVCPE | CUPE3 | CUSPEN | VF |
| <i>Cuscuta</i> | <i>polygonorum</i> | dodder, polygonum | CVCPO | CUPO | CUSPOL | VF |
| <i>Cuscuta</i> | <i>planiflora</i> | dodder, smallseed | CVCPL | CUPL2 | CUSPLA | VF |
| <i>Cuscuta</i> | <i>gronovii</i> | dodder, swamp | CVCGR | CUGR | CUSGRO | VF |
| <i>Cycloloma</i> | <i>atriplicifolium</i> | pigweed, winged | CYMAT | CYAT | CYCATR | VF |
| <i>Cymbalaria</i> | <i>muralis</i> | ivy, Kenilworth | CBYMU | CYMU | CYMMUL | VF |
| <i>Cynodon</i> | <i>dactylon</i> | bermudagrass | CYNDA | CYDA | CYNDAC | VG |
| <i>Cynoglossum</i> | <i>officinale</i> | houndstongue | CYWOF | CYOF | CYNOFF | VF |
| <i>Cynosurus</i> | <i>cristatus</i> | dogtailgrass, crested | CYXCR | CYCR | CYNCRI | VG |
| <i>Cynosurus</i> | <i>echinatus</i> | dogtailgrass, hedgehog | CYXEC | CYEC | CYNECH | VG |
| <i>Cyperus</i> | <i>odoratus</i> | flatsedge | CYPFE | CYOD | CYPODO | VG |
| <i>Cyperus</i> | <i>erythrorhizos</i> | flatsedge, redroot | CYPET | CYER2 | CYPERY | VG |
| <i>Cyperus</i> | <i>strigosus</i> | nutsedge, false | CYPST | CYST | CYPSTR | VG |
| <i>Cyperus</i> | <i>rotundus</i> | nutsedge, purple | CYPRO | CYRO | CYPROT | VG |
| <i>Cyperus</i> | <i>esculentus</i> | nutsedge, yellow | CYPES | CYES | CYPESC | VG |
| <i>Cytisus</i> | <i>monspessulanus</i> | broom, French | TLNMO | CYMO5 | CYTMON | VS |
| <i>Cytisus</i> | <i>scoparius</i> | broom, scotch | SAOSC | CYSC4 | CYTSCO | VS |
| <i>Dactylis</i> | <i>glomerata</i> | orchardgrass | DACGL | DAGL | DACGLO | VG |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------|--|--------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Danthonia</i> | <i>spicata</i> | oatgrass, poverty | DANSP | DASP2 | DANSPI | VG |
| <i>Daphne</i> | <i>mezereum</i> | daphne, February | DAPME | DAME3 | DAPMEZ | VS |
| <i>Datura</i> | <i>meteloides</i> | datura, sacred | DATIN | DAME2 | DATINO | VF |
| <i>Datura</i> | <i>stramonium</i> | jimsonweed | DATST | DAST | DATSTR | VF |
| <i>Daucus</i> | <i>pusillus</i> | carrot, southwestern | DAUPU | DAPU3 | DAUPUS | VF |
| <i>Daucus</i> | <i>carota</i> | carrot, wild | DAUCA | DACA6 | DAUCAR | VF |
| <i>Delphinium</i> | <i>occidentale</i> | larkspur, duncceap | DELOC | DEOC | DELOCC | VF |
| <i>Delphinium</i> | <i>geyeri</i> | larkspur, Geyer | DELGE | DEGE2 | DELGEY | VF |
| <i>Delphinium</i> | <i>nuttallianum</i> | larkspur, low | DELNU | DENU2 | DELNUT | VF |
| <i>Delphinium</i> | <i>nuttallianum</i> | nuttall | DENUF | C. L. Hitchc. | DELNUT | VF |
| <i>Descurainia</i> | <i>sophia</i> | flixweed | DESSO | DESO2 | DESSOP | VF |
| <i>Descurainia</i> | <i>pinnata</i> | tansymustard, pinnate | DESPI | DEPI | DESPIN | VF |
| <i>Descurainia</i> | <i>pinnata</i> | tansymustard, pinnate | DESRB | DEPIB2 | DESPIN | VF |
| <i>Descurainia</i> | <i>richardsonii</i> | tansymustard, Richardson | DESRI | DERI2 | DESRIC | VF |
| <i>Desmanthus</i> | <i>illinoensis</i> | bundleflower, Illinois | DEMIL | DEIL | DESILL | VF |
| <i>Dianthus</i> | <i>armeria</i> | pink, Deptford | DINAR | DIAR | DIAARM | VF |
| <i>Diervilla</i> | <i>lonicera</i> | honeysuckle, bush | DIVLO | DILO | DIELON | VS |
| <i>Digitalis</i> | <i>purpurea</i> | foxglove | DIKPU | DIPU | DIGPUR | VF |
| <i>Digitaria</i> | <i>scalarum</i> | crabgrass, ladder | DIGSC | DISC5 | DIGSCA | VG |
| <i>Digitaria</i> | <i>sanguinalis</i> | crabgrass, large | DIGSA | DISA | DIGSAN | VG |
| <i>Digitaria</i> | <i>ischaemum</i> | crabgrass, smooth | DIGIS | DIIS | DIGISC | VG |
| <i>Digitaria</i> | <i>velutina</i> | crabgrass, velvety | DIGVE | DIVE2 | DIGVEL | VG |
| <i>Diplachne</i> | <i>fascicularis</i> | sprangletop, bearded | LEFFA | DIFA4 | LEPFAS | VG |
| <i>Diploxaxis</i> | <i>muralis</i> | rocket, sand | DIPMU | DIMU2 | DIPMUR | VF |
| <i>Diploxaxis</i> | <i>tenuifolia</i> | rocket, wall | DIPTI | DITE4 | DIPTEN | VF |
| <i>Dipsacus</i> | <i>fullonum</i> | teasel, common | DIWSI | DIFU2 | DIPFUL | VF |
| <i>Dipsacus</i> | <i>sylvestris</i> | teasel, common | DIWSI | DISY | DIPFUL | VF |
| <i>Distichlis</i> | <i>spicata</i> | saltgrass | DISSP | DISP | DISSPI | VG |
| <i>Draba</i> | <i>verna</i> | whitlowgrass, spring | ERPVE | DRVE2 | DRAVER | VF |
| <i>Draba</i> | <i>nemorosa</i> | whitlowgrass, wood | DRBNE | DRNE | DRANEM | VF |
| <i>Dracocephalum</i> | <i>parviflorum</i> | dragonhead, American | DRAPA | DRPA2 | DRAPAR | VF |
| <i>Drymaria</i> | <i>arenarioides</i> | drymaria, sandy | DRYAR | DRAR7 | DRYARE | VF |
| <i>Dugaldia</i> | <i>hoopesii</i> | sneezeweed, orange | HENHO | DUHO | HELHOP | VF |
| <i>Dyssodia</i> | <i>papposa</i> | marigold, fetid | DYSPA | DYPA | DYSPAP | VF |
| <i>Echinacea</i> | <i>pallida</i> | echinacea, pale | ECEPA | ECPA | ECHANG | VF |
| <i>Echinochloa</i> | <i>colona</i> | grass, small barnyard | ECHCO | ECCO2 | ECHCOL | VG |
| <i>Echinocystis</i> | <i>oregana</i> | bigroot | ECNOR | ECOR3 | MARORE | VF |
| <i>Echinocystis</i> | <i>lobata</i> | cucumber, wild | ECNLO | ECLO | ECHLOB | VF |
| <i>Echinops</i> | <i>sphaerocephalus</i> | globethistle, great | ECPSP | ECSP | ECHSPH | VF |
| <i>Echium</i> | <i>vulgare</i> | blueweed | EHIVU | ECVU | ECHVUL | VF |
| <i>Egeria</i> | <i>densa</i> | elodea, Brazillian | ELDDE | EGDE | EGEDEN | VF |
| <i>Eichhornia</i> | <i>crassipes</i> | waterhyacinth | EICCR | EICR | EICCRA | VF |
| <i>Eichhornia</i> | <i>azurea</i> | waterhyacinth, anchored | EICAZ | EIAZ2 | EICAZU | VF |
| <i>Eichhornia</i> | <i>azurea</i> | waterhyacinth, peacock | EICAZ | EIAZ2 | EICAZU | VF |
| <i>Elaeagnus</i> | <i>umbellata</i> | olive, autumn | ELGUM | ELUM | ELAUMB | VT |
| <i>Elaeagnus</i> | <i>angustifolia</i> | olive, Russian | ELGAN | ELAN | ELAANG | VT |
| <i>Elatine</i> | <i>triandra</i> | waterwort | ELTTR | ELTR | ELATRI | VF |
| <i>Eleocharis</i> | <i>rostellata</i> | spikerush, beaked | ELORO | ELRO2 | ELEROS | VG |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|--------------------|--|------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Eleocharis</i> | <i>obtus</i> | spikerush, blunt | ELOOB | ELOB2 | ELEOBT | VG |
| <i>Eleocharis</i> | <i>palustris</i> | spikerush, creeping | ELOPA | ELPA3 | ELEPAL | VG |
| <i>Eleocharis</i> | <i>parvula</i> | spikerush, dwarf | ELPA5 | | ELEPAR | VG |
| <i>Eleocharis</i> | <i>acicularis</i> | spikerush, needle | ELOAC | ELAC | ELEACI | VG |
| <i>Eleocharis</i> | <i>obtus</i> | spikerush, ovoid | ELOOB | ELOB2 | ELEOBT | VG |
| <i>Eleusine</i> | <i>indica</i> | goosegrass | ELEIN | ELIN3 | ELEIND | VG |
| <i>Ellisia</i> | <i>nyctelea</i> | waterpod | ELSNY | ELNY | ELLNYC | VF |
| <i>Elodea</i> | <i>densa</i> | elodea, Brazillian | ELDDE | ELDE3 | EGEDEN | VF |
| <i>Elodea</i> | <i>canadensis</i> | elodea, common | ELDCA | ELCA7 | ELOCAN | VF |
| <i>Elodea</i> | <i>nuttallii</i> | elodea, western | ELDNU | ELNU2 | ELONUT | VF |
| <i>Elodea</i> | <i>longivaginata</i> | waterweed, longsheat | ELDLO | ELLO2 | ELOBIF | VF |
| <i>Elymus</i> | <i>caput-medusae</i> | medusahead | ELYCM | ELCA13 | TAECAP | TA |
| <i>Elymus</i> | <i>elymoides</i> | squirreltail | SITHY | ELEL5 | SITHYS | VG |
| <i>Elymus</i> | <i>trachycaulus</i> | wheatgrass, slender | AGRTR | ELTR7 | AGRCAN | VG |
| <i>Elymus</i> | <i>virginicus</i> | wildrye, Virginia | ELYVI | ELVI3 | ELYVIR | VG |
| <i>Elytrigia</i> | <i>repens</i> | quackgrass | AGRRE | ELRE3 | AGRREP | VG |
| <i>Emex</i> | <i>australis</i> | dock, southern | EMEAU | EMAU | EMEAUS | VF |
| <i>Emex</i> | <i>spinosa</i> | dock, spined | EMESP | EMSP | EMESPI | VS |
| <i>Epilobium</i> | <i>hirsutum</i> | fiddle-grass | EPIHI | EPHI | EPIHIR | VF |
| <i>Epilobium</i> | <i>angustifolium</i> | fireweed | CHAAN | EPAN2 | EPIANG | VF |
| <i>Epilobium</i> | <i>adenocaulon</i> | willowweed, American | EPIAC | EPAD | EPIPAN | VF |
| <i>Epilobium</i> | <i>paniculatum</i> | willowweed, panicle | EPIPC | EPPA2 | EPIPAN | VF |
| <i>Equisetum</i> | <i>arvense</i> | horsetail, field | EQUAR | EQAR | EQUARV | VE |
| <i>Equisetum</i> | <i>telmateia</i> | horsetail, giant | EQUTE | EQTE | EQUTEL | VE |
| <i>Equisetum</i> | <i>palustre</i> | horsetail, marsh | EQUPA | EQPA | EQUPAL | VE |
| <i>Equisetum</i> | <i>sylvaticum</i> | horsetail, sylvan | EQUSY | EQSY | EQUSYL | VE |
| <i>Equisetum</i> | <i>fluviatile</i> | horsetail, water | EQUFL | EQFL | EQUFLU | VE |
| <i>Equisetum</i> | <i>hyemale</i> | scouringrush | EQUHY | EQHY | EQUHYE | VE |
| <i>Eragrostis</i> | <i>pilosa</i> | lovegrass, India | ERAPI | ERPI2 | ERAPIL | VG |
| <i>Eragrostis</i> | <i>spectabilis</i> | lovegrass, purple | ERASP | ERSP | ERASPE | VG |
| <i>Eragrostis</i> | <i>pectinacea</i> | lovegrass, tufted | ERAPE | ERPE | ERAPEC | VG |
| <i>Eragrostis</i> | <i>cilianensis</i> | stinkgrass | ERACN | ERCI | ERACIL | VG |
| <i>Erechtites</i> | <i>minima</i> | burnweed, Australian | EREPR | ERMI6 | EREMIN | VF |
| <i>Eremocarpus</i> | <i>setigerus</i> | mullein, turkey | ERMSE | ERSE3 | ERESET | VF |
| <i>Erigeron</i> | <i>annuus</i> | fleabane, annual | ERIAN | ERAN | ERIAN | VF |
| <i>Erigeron</i> | <i>divaricatus</i> | fleabane, dwarf | ERIDI | ERDI12 | CONRAM | VF |
| <i>Erigeron</i> | <i>speciosus</i> | fleabane, Oregon | ERISP | ERSP4 | ERISPE | VF |
| <i>Erigeron</i> | <i>philadelphicus</i> | fleabane, Philadelphia | ERIPH | ERPH | ERIPHI | VF |
| <i>Erigeron</i> | <i>strigosus</i> | fleabane, rough | ERIST | ERST3 | ERISTR | VF |
| <i>Erigeron</i> | <i>canadensis</i> | horseweed | ERICA | ERCA20 | CONCAN | VF |
| <i>Eriochloa</i> | <i>gracilis</i> | cupgrass, southwestern | ERBGR | ERGR4 | ERIGRA | VG |
| <i>Erodium</i> | <i>cicutarium</i> | filaree, redstem | EROCI | ERIC6 | EROCIC | VF |
| <i>Erodium</i> | <i>moschatum</i> | filaree, whitestem | EROMO | ERMO7 | EROMOS | VF |
| <i>Erophila</i> | <i>verna</i> | whitlowgrass, spring | ERPVE | ERVE8 | DRAVER | VF |
| <i>Eruca</i> | <i>sativa</i> | rocket, garden | ERUVE | ERSA7 | ERUSAT | VF |
| <i>Erucastrum</i> | <i>gallicum</i> | mustard, dog | ERWGA | ERGA | ERUGAL | VF |
| <i>Erysimum</i> | <i>cheiranthoides</i> | mustard, wallflower | ERYCH | ERCH9 | ERYCHE | VF |
| <i>Erysimum</i> | <i>repandum</i> | wallflower, bushy | ERYRE | ERRE4 | ERYREP | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|--------------------|--|-----------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Erysimum</i> | <i>asperum</i> | wallflower, western | ERYAS | ERAS2 | ERYASP | VF |
| <i>Euclidium</i> | <i>syriacum</i> | mustard, Syrian | EUISY | EUSY | EUCSYR | VF |
| <i>Euonymus</i> | <i>atropurpureus</i> | wahoo, eastern | EUOAT | EUAT3 | EUOATR | VS |
| <i>Eupatorium</i> | <i>perfoliatum</i> | boneset | EUPPE | EUPE3 | EUPPER | VF |
| <i>Eupatorium</i> | <i>maculatum</i> | joepyeweed, spotted | EUPML | EUMA6 | EUPMAC | VF |
| <i>Eupatorium</i> | <i>rugosum</i> | snakeroot, swamp | EUPRU | EURU6 | EUPRUG | VF |
| <i>Eupatorium</i> | <i>adenophorum</i> | thoroughwort, gland-bearing | EUPAD | EUAD2 | EUPADE | VF |
| <i>Euphorbia</i> | <i>marginata</i> | snow-on-the-mountain | EPHMG | EUMA8 | EUPMAR | VF |
| <i>Euphorbia</i> | <i>serpens</i> | spurge, creeping | EPHSN | EUSE4 | EUPSEP | VF |
| <i>Euphorbia</i> | <i>cyparissias</i> | spurge, cypress | EPHCY | EUCY2 | EUPCYP | VF |
| <i>Euphorbia</i> | <i>esula</i> | spurge, leafy | EPHES | EUES | EUPESU | VF |
| <i>Euphorbia</i> | <i>spathulata</i> | spurge, netseed | EPHSQ | EUSP | EUPSPA | VF |
| <i>Euphorbia</i> | <i>nutans</i> | spurge, nodding | EPHNU | EUNU | EUPNUT | VF |
| <i>Euphorbia</i> | <i>peplus</i> | spurge, petty | EPHPE | EUPE6 | EUPPEP | VF |
| <i>Euphorbia</i> | <i>prunifolia</i> | spurge, plum-leafed | EPHPR | EUPR5 | EUPPRU | VF |
| <i>Euphorbia</i> | <i>glyptosperma</i> | spurge, ridgeseed | EPHGL | EUGL3 | EUPGLY | VF |
| <i>Euphorbia</i> | <i>maculata</i> | spurge, spotted | EPHMA | EUMA7 | EUPMAU | VF |
| <i>Euphorbia</i> | <i>supina</i> | spurge, spotted | EPHMA | EUSU | EUPMAU | VF |
| <i>Euphorbia</i> | <i>helioscopia</i> | spurge, sun | EPHHE | EUHE2 | EUPHEL | VF |
| <i>Euphorbia</i> | <i>dentata</i> | spurge, toothed | EPHDE | EUDE4 | EUPDEN | VF |
| <i>Euthamia</i> | <i>graminifolia</i> | goldenrod, narrowleaf | SOOGR | EUGR5 | SOLGRA | VF |
| <i>Euthamia</i> | <i>occidentalis</i> | goldenrod, western | SOOOC | EUOC4 | SOLOCC | VF |
| <i>Festuca</i> | <i>megalura</i> | fescue, foxtail | FESME | FEME | FESMEG | VG |
| <i>Festuca</i> | <i>elatior</i> | fescue, meadow | FESPR | FEEL | FESPRA | VG |
| <i>Festuca</i> | <i>pratensis</i> | fescue, meadow | FESPR | FEPR | FESPRA | VG |
| <i>Festuca</i> | <i>myuros</i> | fescue, rattail | VLPMY | FEMY2 | FESMYU | VG |
| <i>Festuca</i> | <i>rubra</i> | fescue, red | FESRU | FERU2 | FESRUB | VG |
| <i>Festuca</i> | <i>ovina</i> | fescue, sheep | FESOV | FEOV | FESIVI | VG |
| <i>Festuca</i> | <i>octoflora</i> | fescue, sixweeks | FESOC | FEOC3 | FESICT | VG |
| <i>Festuca</i> | <i>microstachys</i> | fescue, small | VLPMI | FEMI2 | FESMIC | VG |
| <i>Festuca</i> | <i>arundinacea</i> | fescue, tall | FESAR | FEAR3 | FESARU | VG |
| <i>Filipendula</i> | <i>hexapetala</i> | dropwort | FIIVU | FIHE2 | FILVUL | VF |
| <i>Filipendula</i> | <i>vulgaris</i> | dropwort | FIIVU | FIVU | FILVUL | VF |
| <i>Filipendula</i> | <i>rubra</i> | queen-of-the-prairie | FIIRU | FIRU2 | FILRUB | VF |
| <i>Foeniculum</i> | <i>vulgare</i> | fennel | FOEVU | FOVU | FOEVUL | VF |
| <i>Fragaria</i> | <i>virginiana</i> | strawberry, wild | FRAVI | FRVI | FRAVIR | VF |
| <i>Franseria</i> | <i>acanthicarpa</i> | bursage, annual | FRSAC | FRAC2 | AMBACA | VF |
| <i>Franseria</i> | <i>discolor</i> | bursage, perennial | FRSTO | FRDI3 | AMBTOM | VF |
| <i>Fumaria</i> | <i>officinalis</i> | fumitory | FUMOF | FUOF | FUMOFF | VF |
| <i>Gaillardia</i> | <i>pulchella</i> | gaillardia, rosering | GAIPU | GAPU | GAIPUL | VF |
| <i>Galega</i> | <i>officinalis</i> | goatsrue | GAGOF | GAOF | GALOFF | VF |
| <i>Galeopsis</i> | <i>tetrahit</i> | hempnettle, common | GAETE | GATE2 | GALTET | VF |
| <i>Galinsoga</i> | <i>ciliata</i> | galinsoga, hairy | GASCI | GACI4 | GALQUA | VF |
| <i>Galinsoga</i> | <i>parviflora</i> | galinsoga, smallflower | GASPA | GAPA2 | GALPAR | VF |
| <i>Galium</i> | <i>aparine</i> | bedstraw, catchweed | GALAP | GAAP2 | GALAPA | VF |
| <i>Galium</i> | <i>boreale</i> | bedstraw, northern | GALBO | GABO2 | GALBOR | VF |
| <i>Galium</i> | <i>mollugo</i> | bedstraw, smooth | GALMO | GAMO | GALMOL | VF |
| <i>Galium</i> | <i>verum</i> | bedstraw, yellow | GALVE | GAVE | GALVER | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------|--|---------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Gaura</i> | <i>coccinea</i> | gaura, scarlet | GAACO | GACO5 | GAUCOC | VF |
| <i>Geranium</i> | <i>carolinianum</i> | geranium, Carolina | GERCA | GECA5 | GERCAR | VF |
| <i>Geranium</i> | <i>dissectum</i> | geranium, cutleaf | GERDI | GED1 | GERDIS | VF |
| <i>Geranium</i> | <i>molle</i> | geranium, dovefoot | GERMO | GEMO | GERMOL | VF |
| <i>Geranium</i> | <i>pusillum</i> | geranium, smallflower | GERPU | GEPU2 | GERPUS | VF |
| <i>Geranium</i> | <i>robertianum</i> | robert, herb | GERRO | GERO | GERROB | VF |
| <i>Glyceria</i> | <i>canadensis</i> | mannagrass, rattlesnake | GLYCA | GLCA | GLYCAN | VG |
| <i>Glycyrrhiza</i> | <i>lepidota</i> | licorice, wild | GYCLE | GLLE3 | GLYLEP | VF |
| <i>Gnaphalium</i> | <i>macounii</i> | cudweed, clammy | GNAMA | GNMA | GNAVIS | VF |
| <i>Gnaphalium</i> | <i>viscosum</i> | cudweed, clammy | GNAMA | GNVI | GNAVIS | VF |
| <i>Gnaphalium</i> | <i>chilense</i> | cudweed, cottonbatting | GNACH | GNCH | GNACHI | VF |
| <i>Gnaphalium</i> | <i>uliginosum</i> | cudweed, low | GNAIL | GNUL | GNAILI | VF |
| <i>Gnaphalium</i> | <i>purpureum</i> | cudweed, purple | GNAPU | GNPU2 | GNAPUR | VF |
| <i>Grindelia</i> | <i>squarrosa</i> | gumweed, curlycup | GRNSQ | GRSQ | GRISQU | VF |
| <i>Gutierrezia</i> | <i>sarothrae</i> | snakeweed, broom | GUESA | GUSA2 | GUTSAR | VS |
| <i>Gypsophila</i> | <i>paniculata</i> | babysbreath | GYPPA | GYPA | GYPPAN | VF |
| <i>Hackelia</i> | <i>floribunda</i> | stickseed, western | HACFL | HAF2 | HACFLO | VF |
| <i>Halogeton</i> | <i>glomeratus</i> | halogeton | HALGL | HAGL | HALGLO | VF |
| <i>Hedera</i> | <i>helix</i> | ivy, English | HEEHE | HEHE | HEDHEL | VF |
| <i>Helenium</i> | <i>autumnale</i> | sneezeweed, common | HENAU | HEAU | HELAUT | VF |
| <i>Helenium</i> | <i>hoopesii</i> | sneezeweed, orange | HENHO | HEHO5 | HELHOP | VF |
| <i>Helianthus</i> | <i>tuberosus</i> | artichoke, Jerusalem | HELTU | HETU | HELTUB | VF |
| <i>Helianthus</i> | <i>ciliaris</i> | blueweed, Texas | HELCI | HECI | HELCIL | VF |
| <i>Helianthus</i> | <i>annuus</i> | sunflower, common | HELAN | HEAN3 | HELANN | VF |
| <i>Helianthus</i> | <i>maximilianii</i> | sunflower, Maximilian | HELMA | HEMA2 | HELMAX | VF |
| <i>Helianthus</i> | <i>petiolaris</i> | sunflower, prairie | HELPE | HEPE | HELPEP | VF |
| <i>Helianthus</i> | <i>rigidus</i> | sunflower, stiff | HELRI | HERI2 | HELRI2 | VF |
| <i>Heliopsis</i> | <i>helianthoides</i> | oxeye | HEFHE | HEHE5 | HELHEL | VF |
| <i>Heliotropium</i> | <i>curassavicum</i> | heliotrope, seaside | HEOCU | HECU3 | HELCUR | VF |
| <i>Heliotropium</i> | <i>curassavicum</i> | heliotrope, spatulateleaf | HEOCB | HECUO2 | HELCUR | VF |
| <i>Hemerocallis</i> | <i>fulva</i> | daylily, tawny | HEGFU | HEFU | HEMFUL | VF |
| <i>Hemizonia</i> | <i>pungens</i> | spikeweed | HEZPU | HEPU5 | HEMPUN | VF |
| <i>Hesperis</i> | <i>matronalis</i> | damesrocket | HEVMA | HEMA3 | HESMAT | VF |
| <i>Heteranthera</i> | <i>dubia</i> | waterstargrass | HETDU | HEDU2 | ZOSDUB | VF |
| <i>Heterotheca</i> | <i>subaxillaris</i> | camphorweed | HTTSU | HESU3 | HETSUB | VF |
| <i>Hibiscus</i> | <i>trionum</i> | mallow, Venice | HIBTR | HITR | HIBTRI | VF |
| <i>Hieracium</i> | <i>vulgatum</i> | hawkweed, common | HIELA | HIVU | HIEVUL | VF |
| <i>Hieracium</i> | <i>piloselloides</i> | hawkweed, kingdevil | HIEPO | HIPI2 | HIEPIL | VF |
| <i>Hieracium</i> | <i>pratense</i> | hawkweed, meadow | HIECA | HIPR | HIEPRA | VF |
| <i>Hieracium</i> | <i>pilosella</i> | hawkweed, mouseear | HIEPI | HIPI | HIEPIO | VF |
| <i>Hieracium</i> | <i>umbellatum</i> | hawkweed, narrowleaf | HIEUM | HIUM | HIEUMB | VF |
| <i>Hieracium</i> | <i>aurantiacum</i> | hawkweed, orange | HIEAU | HIAU | HIEAUR | VF |
| <i>Hieracium</i> | <i>pratense</i> | hawkweed, yellow | HIECA | HIPR | HIEPRA | VF |
| <i>Hieracium</i> | <i>floribundum</i> | hawkweed, yellowdevil | HIEFL | HIFL4 | HIEFLO | VF |
| <i>Hippuris</i> | <i>vulgaris</i> | marestail | HPPVU | HIVU2 | HIPVUL | VF |
| <i>Hoffmanseggia</i> | <i>densiflora</i> | | HOFDE | HODE | HEFDEN | VF |
| <i>Holcus</i> | <i>lanatus</i> | velvetgrass, common | HOLLA | HOLA | HOLLAN | VG |
| <i>Holcus</i> | <i>mollis</i> | velvetgrass, German | HOLMO | HOMO | HOLMOL | VG |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|--------------------|--|---------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Holosteum</i> | <i>umbellatum</i> | spurry, umbrella | HLOUM | HOUM | HOLUMB | VF |
| <i>Hordeum</i> | <i>vulgare</i> | barley | HORVX | HOVU | HORVUL | VG |
| <i>Hordeum</i> | <i>jubatum</i> | barley, foxtail | HORJU | HOJU | HORJUB | VG |
| <i>Hordeum</i> | <i>leporinum</i> | barley, hare | HORLE | HOLE | HORLEP | VG |
| <i>Hordeum</i> | <i>murinum</i> | barley, hare | HORLE | HOMU | HORMUR | VG |
| <i>Hordeum</i> | <i>pusillum</i> | barley, little | HORPU | HOPU | HORPUS | VG |
| <i>Hordeum</i> | <i>brachyantherum</i> | barley, meadow | HORBR | HOBR2 | HORBRA | VG |
| <i>Hordeum</i> | <i>geniculatum</i> | barley, Mediterranean | HORMG | HOGE | HORGEN | VG |
| <i>Hordeum</i> | <i>hystrix</i> | barley, Mediterranean | HORMG | HOHY | HORGEN | VG |
| <i>Hordeum</i> | <i>stebbinsii</i> | barley, mouse | HORST | HOST | HORMUR | VG |
| <i>Hordeum</i> | <i>distichon</i> | | HORDI | HODI2 | HORDIS | VG |
| <i>Hydrilla</i> | <i>verticillata</i> | hydrilla, whorled-leaved | HYLLI | HYVE3 | HYDVER | VF |
| <i>Hydrocotyle</i> | <i>ranunculoides</i> | pennywort, floating water | HYDRA | HYRA | HYDRAN | VF |
| <i>Hygrophila</i> | <i>polysperma</i> | hydrilla, many-seeded | HYGPO | HYPO3 | HYGPOL | VF |
| <i>Hyoscyamus</i> | <i>niger</i> | henbane, black | HSYNI | HYNI | HYONIG | VF |
| <i>Hypericum</i> | <i>perforatum</i> | St. Johnswort, common | HYPPE | HYPE | HYPPER | VF |
| <i>Hyssopus</i> | <i>officinalis</i> | hyssop | HYSOF | HYOF | HYSOFF | VF |
| <i>Imperata</i> | <i>brasiliensis</i> | imperata, Brazilian | IMPBR | IMBR | IMPBRA | VG |
| <i>Imperata</i> | <i>cylindrica</i> | imperata, cylindrical | IMPCY | IMCY | IMP CYL | VG |
| <i>Inula</i> | <i>helenium</i> | inula | INUHE | INHE | INUHEL | VF |
| <i>Ipomoea</i> | <i>coccinea</i> | morningglory, red | IPOCC | IPOC3 | IPOCOC | VF |
| <i>Ipomoea</i> | <i>purpurea</i> | morningglory, tall | PHBPU | IPPU2 | IPOPUR | VF |
| <i>Ipomoea</i> | <i>triloba</i> | morningglory, threelobe | IPOTR | IPTR2 | IPOTRI | VF |
| <i>Ipomoea</i> | <i>hirsutula</i> | morningglory, woolly | IPOHT | IPHI2 | IPOHIR | VF |
| <i>Ipomoea</i> | <i>aquatica</i> | spinach, water | IPOAQ | IPAQ | IPOAQU | VF |
| <i>Iris</i> | <i>pseudacorus</i> | iris, yellowflag | IRIPS | IRPS | IRIPSE | VF |
| <i>Isatis</i> | <i>tinctoria</i> | woad, dyer's | ISATI | ISTI | ISATIN | VF |
| <i>Ischaemum</i> | <i>rugosum</i> | beak, wrinkle duck | ISCRU | ISRU | ISCRUG | VG |
| <i>Iva</i> | <i>xanthifolia</i> | marshelder | IVAXA | IVXA | IVAXAN | VF |
| <i>Iva</i> | <i>annua</i> | marshelder, annual | IVAAN | IVAN2 | IVAANN | VF |
| <i>Iva</i> | <i>axillaris</i> | sumpweed, poverty | IVAAX | IVAX | IVAAXI | VF |
| <i>Iva</i> | <i>ciliata</i> | sumpweed, rough | IVACI | IVCI2 | IVAANN | VF |
| <i>Juncus</i> | <i>balticus</i> | rush, Baltic | IUNBA | JUBA | JUNBAL | VG |
| <i>Juncus</i> | <i>tenuis</i> | rush, slender | IUNTE | JUTE | JUNTEN | VG |
| <i>Juncus</i> | <i>effusus</i> | rush, soft | IUNEF | JUEF | JUNEFF | VG |
| <i>Juncus</i> | <i>bufonius</i> | rush, toad | IUNBU | JUBU | JUNBUF | VG |
| <i>Juncus</i> | <i>acuminatus</i> | rush, tufted | IUNAN | JUAC | JUNACU | VG |
| <i>Juniperus</i> | <i>communis</i> | juniper, common | IUPCO | JUCO6 | JUNCOM | VS |
| <i>Juniperus</i> | <i>virginiana</i> | redcedar, eastern | IUPVI | JUVI | JUNVIR | VT |
| <i>Jussiaea</i> | <i>repens</i> | | LUDPE | JUREP2 | JUSREP | VF |
| <i>Kickxia</i> | <i>elatine</i> | fluvellin, sharp point | KICEL | KIEL | KICELA | VF |
| <i>Kickxia</i> | <i>spuria</i> | | KICSP | KISP | KICSPU | VF |
| <i>Knautia</i> | <i>arvensis</i> | bluebuttons | KNAAR | KNAR | KNAARV | VF |
| <i>Kochia</i> | <i>scoparia</i> | kochia | KCHSC | KOSC | KOCSCO | VF |
| <i>Kochia</i> | <i>americana</i> | molly, green | KCHAM | KOAM | KOCAME | VF |
| <i>Kuhnia</i> | <i>eupatorioides</i> | boneset, false | KUHEU | KUEU | KUHEUP | VF |
| <i>Lactuca</i> | <i>biennis</i> | lettuce, biennial | LACBI | LABI | LACBIE | VF |
| <i>Lactuca</i> | <i>pulchella</i> | lettuce, blue | LACPU | LAPU | LACOBL | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------|--|-------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Lactuca</i> | <i>serriola</i> | lettuce, prickly | LACSE | LASE | LACSER | VF |
| <i>Lactuca</i> | <i>canadensis</i> | lettuce, tall | LACCA | LACA | LACCAN | VF |
| <i>Lactuca</i> | <i>muralis</i> | lettuce, wall | MYLMU | LAMU | LACMUR | VF |
| <i>Lactuca</i> | <i>saligna</i> | lettuce, willowleaf | LACSL | LASA | LACSAL | VF |
| <i>Lamium</i> | <i>purpureum</i> | deadnettle, purple | LAMPU | LAPU2 | LAMPUR | VF |
| <i>Lamium</i> | <i>maculatum</i> | deadnettle, spotted | LAMMA | LAMA | LAMMAC | VF |
| <i>Lamium</i> | <i>amplexicaule</i> | henbit | LAMAM | LAAM | LAMAMP | VF |
| <i>Lappula</i> | <i>echinata</i> | sticktight, European | LPLSQ | LAEC | LAPECH | VF |
| <i>Lappula</i> | <i>redowskii</i> | sticktight, western | LPLOC | LARE | LAPRED | VF |
| <i>Lapsana</i> | <i>communis</i> | nipplewort | LAPCO | LACO3 | LAPCOM | VF |
| <i>Larrea</i> | <i>tridentata</i> | creosotebush | LARTR | LATR2 | LARTRI | VS |
| <i>Lathyrus</i> | <i>latifolius</i> | peavine, everlasting | LTHLA | LALA4 | LATLAT | VF |
| <i>Lathyrus</i> | <i>sylvestris</i> | peavine, flat | LTHSY | LASY | LATSYL | VF |
| <i>Lathyrus</i> | <i>palustris</i> | peavine, marsh | LTHPA | LAPA4 | LATPAL | VF |
| <i>Lathyrus</i> | <i>pratensis</i> | peavine, meadow | LTHPR | LAPR | LATPRA | VF |
| <i>Ledum</i> | <i>groenlandicum</i> | tea, Labrador | LEDGR | LEGR | LEDGRO | VS |
| <i>Leersia</i> | <i>oryzoides</i> | cutgrass, rice | LEROR | LEOR | LEEORY | VG |
| <i>Lemna</i> | <i>perpusilla</i> | duckmeal | LEMPA | LEPE | LEMPER | VF |
| <i>Lemna</i> | <i>minor</i> | duckweed, common | LEMMI | LEMI3 | LEMMIN | VF |
| <i>Lemna</i> | <i>trisolca</i> | duckweed, star | LEMTR | LETR | LEMTRI | VF |
| <i>Leontodon</i> | <i>nudicaulis</i> | hawkbit | LEBNT | LENU2 | LEONUD | VF |
| <i>Leontodon</i> | <i>autumnalis</i> | hawkbit, fall | LEBAU | LEAU2 | LEOAUT | VF |
| <i>Leonurus</i> | <i>cardiaca</i> | motherwort | LECCA | LECA2 | LEOCAR | VF |
| <i>Lepidium</i> | <i>sativum</i> | cress, garden | LEPSA | LESA2 | LEPSAT | VF |
| <i>Lepidium</i> | <i>perfoliatum</i> | pepperweed, clasping | LEPPE | LEPE2 | LEPPER | VF |
| <i>Lepidium</i> | <i>campestre</i> | pepperweed, field | LEPCA | LECA5 | LEPCAM | VF |
| <i>Lepidium</i> | <i>densiflorum</i> | pepperweed, greenflower | LEPDE | LEDE | LEPDEN | VF |
| <i>Lepidium</i> | <i>ruderales</i> | pepperweed, narrowleaf | LEPRU | LERU | LEPRUD | VF |
| <i>Lepidium</i> | <i>latifolium</i> | pepperweed, perennial | LEPLA | LELA2 | LEPLAT | VF |
| <i>Lepidium</i> | <i>virginicum</i> | pepperweed, Virginia | LEPVI | LEVI3 | LEPVIR | VF |
| <i>Leptochloa</i> | <i>fascicularis</i> | sprangletop, bearded | LEFFA | LEFA | LEPFAS | VG |
| <i>Leptochloa</i> | <i>uninervia</i> | sprangletop, Mexican | LEFUN | LEUN2 | LEPUNI | VG |
| <i>Leptochloa</i> | <i>chinensis</i> | sprangletop, red | LEFCH | LECH2 | LEPCHI | VG |
| <i>Lepyrodiclis</i> | <i>holosteoides</i> | | LDCHO | LEHO7 | LEPHOL | VF |
| <i>Liatris</i> | <i>punctata</i> | gayfeather, dotted | LTSPU | LIPU | LIAPUN | VF |
| <i>Limnobiium</i> | <i>spongia</i> | | LIMSP | LISP2 | LIMSPO | VF |
| <i>Limnophila</i> | <i>sessiliflora</i> | limnophila, sedentary | LIOSE | LISE3 | LIMSEI | VF |
| <i>Linaria</i> | <i>dalmatica</i> | toadflax, Dalmatian | LINDA | LIDA | LINDAL | VF |
| <i>Linaria</i> | <i>genistifolia</i> | toadflax, Dalmatian | LINDA | LIGE | LINDAL | VF |
| <i>Linaria</i> | <i>canadensis</i> | toadflax, oldfield | LINCA | LICA6 | LINCAN | VF |
| <i>Linaria</i> | <i>texana</i> | toadflax, Texas | LINTX | LITE5 | LINCAN | VF |
| <i>Linaria</i> | <i>vulgaris</i> | toadflax, yellow | LINVU | LIVU2 | LINVUL | VF |
| <i>Lindernia</i> | <i>anagallidea</i> | falsepimpernel | LIDAE | LIAN2 | LINDUB | VF |
| <i>Lindernia</i> | <i>dubia</i> | falsepimpernel, low | LIDDU | LIDU | LINDUB | VF |
| <i>Lindernia</i> | <i>dubia</i> | pimpernel, false | LIDAE | LIDUA | LINDUB | VF |
| <i>Lippia</i> | <i>cuneifolia</i> | fogfruit, wedgeleaf | LIPCU | LICU | LIPCUN | VF |
| <i>Lithospermum</i> | <i>arvense</i> | gromwell, corn | LITAR | LIAR4 | LITARV | VF |
| <i>Lithospermum</i> | <i>ruderales</i> | gromwell, western | LITRU | LIRU4 | LITRUD | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-----------------------|--|---------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Lithospermum</i> | <i>canescens</i> | puccoon, hoary | LITCA | LICA12 | LITCAN | VF |
| <i>Lobularia</i> | <i>maritima</i> | alyssum, sweet | LOUMA | LOMA | LOBMAR | VF |
| <i>Lolium</i> | <i>persicum</i> | darnel, Persian | LOLPS | LOPE2 | LOLPES | VG |
| <i>Lolium</i> | <i>multiflorum</i> | ryegrass, Italian | LOLMU | LOMU | LOLMUL | VG |
| <i>Lolium</i> | <i>perenne</i> | ryegrass, perennial | LOLPE | LOPE | LOLPER | VG |
| <i>Lolium</i> | <i>temulentum</i> | ryegrass, poison | LOLTE | LOTE2 | LOLTEM | VG |
| <i>Lomatium</i> | <i>bicolor</i> | biscuitroot | LOMLE | LOBI | LOMBIC | VF |
| <i>Lomatium</i> | <i>leptocarpum</i> | biscuitroot | LOMLE | LOLE2 | LOMLEP | VF |
| <i>Lonicera</i> | <i>caerulea</i> | honeysuckle, sweetberry | LONCO | LOCA6 | LONCAE | VS |
| <i>Lonicera</i> | <i>tatarica</i> | honeysuckle, Tatarian | LONTA | LOTA | LONTAT | VS |
| <i>Lonicera</i> | <i>periclymenum</i> | woodbine | LONPE | LOPE4 | LONPER | VS |
| <i>Lotus</i> | <i>corniculatus</i> | trefoil, birdsfoot | LOTCO | LOCO6 | LOTCOR | VF |
| <i>Ludwigia</i> | <i>peplodes</i> | primrose, water | LUDPE | LUPE5 | LUDPEP | VF |
| <i>Ludwigia</i> | <i>palustris</i> | waterpurslane | LUDPA | LUPA | LUDPAL | VF |
| <i>Lupinus</i> | <i>pusillus</i> | lupine, low | LUPPU | LUPU | LUPPUS | VF |
| <i>Lupinus</i> | <i>sericeus</i> | lupine, silky | LUPSE | LUSE4 | LUPSER | VF |
| <i>Lupinus</i> | <i>argenteus</i> | lupine, silver | LUPAR | LUAR3 | LUPARG | VF |
| <i>Lupinus</i> | <i>caudatus</i> | lupine, tailcup | LUPCA | LUCA | LUPCAU | VF |
| <i>Lupinus</i> | <i>leucophyllus</i> | lupine, velvet | LUPLE | LULE3 | LUPLEU | VF |
| <i>Luzula</i> | <i>multiflora</i> | woodrush, common | LUUMU | LUMU2 | LUZCAM | VG |
| <i>Lychnis</i> | <i>flos-cuculi</i> | campion, meadow | LYHFC | LYFL3 | LYCFLO | VF |
| <i>Lychnis</i> | <i>dioica</i> | campion, red | MELRU | LYDI5 | LYCDIO | VF |
| <i>Lychnis</i> | <i>coronaria</i> | campion, rose | LYHCO | LYCO | LYCCOR | VF |
| <i>Lychnis</i> | <i>alba</i> | campion, white | MELAL | LYAL | LYCALB | VF |
| <i>Lychnis</i> | <i>chalcedonica</i> | maltese-cross | LYHCH | LYCH3 | LYCCHA | VF |
| <i>Lycium</i> | <i>halimifolium</i> | matrimonyvine | LYUHA | LYHA | LYCHAL | VS |
| <i>Lycopsis</i> | <i>arvensis</i> | bugloss, small | LYCAR | LYAR | ANCARV | VF |
| <i>Lycopus</i> | <i>americanus</i> | bugleweed, American | LYAAM | LYAM | LYCAME | VF |
| <i>Lycopus</i> | <i>asper</i> | bugleweed, rough | LYAAS | LYAS | LYCASP | VF |
| <i>Lycopus</i> | <i>uniflorus</i> | bugleweed, slender | LYAUN | LYUN | LYCUNI | VF |
| <i>Lygodesmia</i> | <i>juncea</i> | skeletonweed | LYGJU | LYJU | LYGJUN | VF |
| <i>Lysimachia</i> | <i>punctata</i> | loosestrife, dotted | LYSPU | LYPU2 | LYSPUN | VF |
| <i>Lysimachia</i> | <i>ciliata</i> | loosestrife, fringed | LYSCI | LYCI | LYSCIL | VF |
| <i>Lysimachia</i> | <i>vulgaris</i> | loosestrife, garden | LYSVU | LYVU | LYSVUL | VF |
| <i>Lysimachia</i> | <i>terrestris</i> | swampcandle | LYSTE | LYTE2 | LYSTER | VF |
| <i>Lythrum</i> | <i>salicaria</i> | loosestrife, purple | LYTSA | LYSA2 | LYTSAL | VF |
| <i>Lythrum</i> | <i>alatum</i> | loosestrife, winged | LYTAL | LYAL4 | LYTALA | VF |
| <i>Machaeranthera</i> | <i>tanacetifolia</i> | daisy, tahoka | MCATA | MATA2 | MACTAN | VF |
| <i>Maclura</i> | <i>pomifera</i> | orange, osage | MACPO | MAPO | MACPOM | VT |
| <i>Madia</i> | <i>glomerata</i> | tarweed, cluster | MADGL | MAGL2 | MADGLO | VF |
| <i>Madia</i> | <i>sativa</i> | tarweed, coast | MADSA | MASA | MADSAT | VF |
| <i>Madia</i> | <i>elegans</i> | tarweed, showy | MADEL | MAEL | MADELE | VF |
| <i>Maianthemum</i> | <i>canadense</i> | lily-of-the-valley, false | MNHCA | MACA4 | MAICAN | VF |
| <i>Malcolmia</i> | <i>africana</i> | stock, Malcolm | MAMAF | MAAF | MALAFR | VF |
| <i>Malva</i> | <i>neglecta</i> | mallow, common | MALNE | MANE | MALNEG | VF |
| <i>Malva</i> | <i>rotundifolia</i> | mallow, common | MALNE | MARO11 | MALROT | VF |
| <i>Malva</i> | <i>verticillata</i> | mallow, curled | MALVE | MAVEC | MALVER | VF |
| <i>Malva</i> | <i>sylvestris</i> | mallow, high | MALSI | MASY | MALSYL | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------|--|-------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Malva</i> | <i>parviflora</i> | mallow, little | MALPA | MAPA5 | MALPAR | VF |
| <i>Malva</i> | <i>moschata</i> | mallow, musk | MALMO | MAMO2 | MALMOS | VF |
| <i>Marah</i> | <i>oreganus</i> | bigroot | ECNOR | MAOR3 | MARORE | VF |
| <i>Marrubium</i> | <i>vulgare</i> | horehound, white | MAQVU | MAVU | MARVUL | VF |
| <i>Marsilea</i> | <i>mucronata</i> | pepperwort, hairy | MASMU | MAMU5 | MARVES | VE |
| <i>Marsilea</i> | <i>vestita</i> | pepperwort, hairy | MASMU | MAVE2 | MARVES | VE |
| <i>Matricaria</i> | <i>inodora</i> | chamomile, scentless | MATIN | MAIN12 | MATMAR | VF |
| <i>Matricaria</i> | <i>perforata</i> | chamomile, scentless | MATIN | MAPE2 | MATMAR | VF |
| <i>Matricaria</i> | <i>maritima</i> | chamomile, scentless | MATMA | MAMA10 | MATMAR | VF |
| <i>Matricaria</i> | <i>chamomilla</i> | chamomile, wild | MATCH | MACH2 | MATCHA | VF |
| <i>Matricaria</i> | <i>matricarioides</i> | pineapple-weed | MATMT | MAMA11 | MATMAT | VF |
| <i>Medicago</i> | <i>sativa</i> | alfalfa | MEDSA | MESA | MEDSAT | VF |
| <i>Medicago</i> | <i>hispida</i> | burclover, California | MEDPO | MEHI | MEDHIS | VF |
| <i>Medicago</i> | <i>polymorpha</i> | burclover, California | MEDPO | MEPO3 | MEDHIS | VF |
| <i>Medicago</i> | <i>lupulina</i> | medic, black | MEDLU | MELU | MEDLUP | VF |
| <i>Medicago</i> | <i>arabica</i> | medic, spotted | MEDAB | MEAR | MEDARA | VF |
| <i>Melampyrum</i> | <i>lineare</i> | cow-wheat | MEALI | MELI2 | MELLIN | VF |
| <i>Melastoma</i> | <i>malabathricum</i> | rhododendron, Indian | MESMA | MEMA | MELMAL | VF |
| <i>Melilotus</i> | <i>officinalis</i> | sweetclover, yellow | MEUOF | MEOF | MELOFF | VF |
| <i>Melilotus</i> | <i>indica</i> | | MEUIN | MEIN14 | MELINI | VF |
| <i>Melissa</i> | <i>officinalis</i> | balm, lemon | MLSOE | MEOF2 | MELOFI | VF |
| <i>Mentha</i> | <i>suaveolens</i> | mint, apple | MENSU | MESU5 | MENSUA | VF |
| <i>Mentha</i> | <i>arvensis</i> | mint, field | MENAR | MEAR4 | MENARV | VF |
| <i>Mentha</i> | <i>rotundifolia</i> | mint, roundleaved | MENSU | MERO | MENSUA | VF |
| <i>Mentha</i> | <i>piperita</i> | peppermint | MENPI | MEPI | MENXPI | VF |
| <i>Mentha</i> | <i>spicata</i> | spearmint | MENSP | MESP3 | MENSPI | VF |
| <i>Mentzelia</i> | <i>decapetala</i> | stickleaf, tenpetal | MNZDE | MEDE2 | MENDEC | VF |
| <i>Mentzelia</i> | <i>albicaulis</i> | stickleaf, whitestem | MNZAL | MEAL6 | MENALB | VF |
| <i>Mertensia</i> | <i>paniculata</i> | bluebells, northern | MTSPA | MEPA | MERPAN | VF |
| <i>Mikania</i> | <i>cordata</i> | mikania, heart-leaved | MIKCO | MICO16 | MIKCOR | VF |
| <i>Mikania</i> | <i>micrantha</i> | mikania, small-leaved | MIKMI | MIMI5 | MIKMIC | VF |
| <i>Milium</i> | <i>vernale</i> | grass, spring millet | MLISC | MIVE3 | MILVER | VG |
| <i>Mimosa</i> | <i>pigra</i> | mimosa, catclaw | MIMPI | MIPI | MIMPIG | VF |
| <i>Mimosa</i> | <i>pigra</i> | mimosa, slow | MIMPI | MIPI | MIMPIG | VF |
| <i>Mimosa</i> | <i>invisa</i> | mimosa, two-thrush | MIMIN | MIIN80 | MIMDIP | VF |
| <i>Mirabilis</i> | <i>jalapa</i> | four o'clock, common | MIBJA | MIJA | MIRJAL | VF |
| <i>Mirabilis</i> | <i>nyctaginea</i> | four o'clock, wild | MIBNY | MINY | MIRNYC | VF |
| <i>Moehringia</i> | <i>lateriflora</i> | sandwort, grove | MGJLA | MOLA6 | ARELAT | VF |
| <i>Mollugo</i> | <i>verticillata</i> | carpetweed | MOLVE | MOVE | MOLVER | VF |
| <i>Monarda</i> | <i>fistulosa</i> | bergamot, wild | MOAFI | MOFI | MONFIS | VF |
| <i>Monochoria</i> | <i>hastata</i> | monochoria, arrowleaved | MOOHA | MOHA2 | MONHAS | VF |
| <i>Monochoria</i> | <i>hastata</i> | monochoria, sliverleaf | MOOHA | MOHA2 | MONHAS | VF |
| <i>Monochoria</i> | <i>vaginalis</i> | pickerel-weed, sheathed | MOOVA | MOVA | MONVAG | VF |
| <i>Monolepis</i> | <i>nuttalliana</i> | povertyweed, Nuttall | MOPNU | MONU | MONNUT | VF |
| <i>Morus</i> | <i>rubra</i> | mulberry, red | MORRU | MORU2 | MORRUB | VT |
| <i>Morus</i> | <i>alba</i> | mulberry, white | MORAL | MOAL | MORALB | VT |
| <i>Muhlenbergia</i> | <i>asperifolia</i> | muhly, alkali | MUHAS | MUAS | MUHASP | VG |
| <i>Muhlenbergia</i> | <i>frondosa</i> | muhly, wirestem | MUHFR | MUFR2 | MUHFR0 | VG |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------|--|-----------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Munroa</i> | <i>squarrosa</i> | buffalograss, false | MUOSQ | | MUNSQU | VG |
| <i>Myosotis</i> | <i>arvensis</i> | forget-me-not, field | MYOAR | MYAR | MYOARV | VF |
| <i>Myosotis</i> | <i>scorpioides</i> | forget-me-not, true | MYOPA | MYSC | MYOSCO | VF |
| <i>Myosurus</i> | <i>minimus</i> | mousetail | MYSMI | MYMI2 | MYOMIN | VF |
| <i>Myriophyllum</i> | <i>aquaticum</i> | parrotfeather | MYPBR | MYAQ2 | MYRBRA | VF |
| <i>Myriophyllum</i> | <i>brasiliense</i> | parrotfeather | MYPBR | MYBR | MYRBRA | VF |
| <i>Myriophyllum</i> | <i>pinnatum</i> | watermilfoil, eastern | MYPPI | MYPI | MYRPIN | VF |
| <i>Myriophyllum</i> | <i>spicatum</i> | watermilfoil, Eurasian | MYPSP | MYSP2 | MYRSPI | VF |
| <i>Myriophyllum</i> | <i>exalbescens</i> | watermilfoil, northern | MYPSE | MYEX | MYRSPI | VF |
| <i>Myriophyllum</i> | <i>heterophyllum</i> | watermilfoil, variable | MYPHE | MYHE2 | MYRHET | VF |
| <i>Myriophyllum</i> | <i>verticillatum</i> | watermilfoil, whorled | MYPVE | MYVE3 | MYRSPI | VF |
| <i>Najas</i> | <i>marina</i> | naiad, hollyleaf | NAIMA | NAMA | NAJMAR | VF |
| <i>Najas</i> | <i>flexilis</i> | naiad, slender | NAIFL | NAFL | NAJFLE | VF |
| <i>Najas</i> | <i>guadalupensis</i> | naiad, southern | NAIGU | NAGU | NAJGUA | VF |
| <i>Nassella</i> | <i>trichotoma</i> | nassella, cut hair | STDTR | | NASTRI | VG |
| <i>Nasturtium</i> | <i>officinale</i> | watercress | NAOOF | NAOF | NASOFF | VF |
| <i>Nepeta</i> | <i>cataria</i> | catnip | NEPCA | NECA2 | NEPCAT | VF |
| <i>Nepeta</i> | <i>hederacea</i> | ivy, ground | GLEHE | NEHE2 | GLEHED | VF |
| <i>Neslia</i> | <i>paniculata</i> | mustard, ball | NEAPA | NEPA3 | NESPAN | VF |
| <i>Nicotiana</i> | <i>glauca</i> | tabacco, tree | NIOGL | NIGL | NICGLA | VS |
| <i>Nuphar</i> | <i>luteum</i> | spatterdock, Rocky Mountain | NUPLP | NULUP | NUPLUT | VF |
| <i>Nuphar</i> | <i>polysepalum</i> | spatterdock, Rocky Mountain | NUPLP | NUPO2 | NUPLUT | VF |
| <i>Nuphar</i> | <i>luteum</i> | waterlily, yellow | NUPLU | NULU | NUPLUT | VF |
| <i>Nymphaea</i> | <i>odorata</i> | waterlily, fragrant | NYMOR | NYOD | NYMODO | VF |
| <i>Oemleria</i> | <i>cerasiformis</i> | plum, Indian | OECE | | OEMCER | VS |
| <i>Oenothera</i> | <i>biennis</i> | eveningprimrose, common | OEOBI | OEBI | OENBIE | VF |
| <i>Oenothera</i> | <i>laciniata</i> | eveningprimrose, cutleaf | OEOEA | OELA | OENLAC | VF |
| <i>Oenothera</i> | <i>albicaulis</i> | eveningprimrose, prairie | OEOAL | OEAL | OENALB | VF |
| <i>Oenothera</i> | <i>perennis</i> | sundrops, perennial | OEOPE | OEPE | OENPER | VF |
| <i>Onoclea</i> | <i>sensibilis</i> | fern, sensitive | ONCSE | ONSE | ONOSEN | VE |
| <i>Onopordum</i> | <i>acanthium</i> | thistle, Scotch | ONRAC | ONAC | ONOACA | VF |
| <i>Opuntia</i> | <i>fragilis</i> | pricklypear, brittle | OPUFR | OPFR | OPUFRA | VF |
| <i>Opuntia</i> | <i>polyacantha</i> | pricklypear, plains | OPUPO | OPPO | OPUPOL | VF |
| <i>Opuntia</i> | <i>humifusa</i> | pricklypear, spreading | OPUHU | OPHU | OPUHUM | VF |
| <i>Origanum</i> | <i>vulgare</i> | marjoram, wild | ORIVU | ORVU | ORIVUL | VF |
| <i>Ornithogalum</i> | <i>umbellatum</i> | star-of-Bethlehem | OTGUM | ORUM | ORNUMB | VF |
| <i>Ornithogalum</i> | <i>nutans</i> | star-of-Bethlehem, nodding | OTGNU | ORNU | ORNNUT | VF |
| <i>Orobanchae</i> | <i>minor</i> | broomrape, small | ORAMI | ORMI | OROMIN | VF |
| <i>Osmorhiza</i> | <i>chilensis</i> | sweetroot, spreading | OMRCH | OSCH | OSMCHI | VF |
| <i>Oxalis</i> | <i>corniculata</i> | woodsorrel, creeping | OXACO | OXCO | OXACOR | VF |
| <i>Oxalis</i> | <i>europaea</i> | woodsorrel, European | OXAEU | OXEU2 | OXADIL | VF |
| <i>Oxalis</i> | <i>stricta</i> | woodsorrel, European | OXAEU | OXST | OXASTR | VF |
| <i>Oxalis</i> | <i>dillenii</i> | woodsorrel, yellow | OXAST | OXDI2 | OXADIL | VF |
| <i>Oxytropis</i> | <i>lambertii</i> | crazyweed, Lambert | OXRLA | OXLA3 | OXYLAM | VF |
| <i>Oxytropis</i> | <i>splendens</i> | crazyweed, showy | OXRSP | OXSP | OXYSP | VF |
| <i>Oxytropis</i> | <i>sericea</i> | crazyweed, silky | OXRMA | OXSE | OXYSER | VF |
| <i>Oxytropis</i> | <i>sericea</i> | crazyweed, white point | OXRMA | OXSE | OXYSER | VF |
| <i>Panicum</i> | <i>miliaceum</i> | millet, wild proso | PANMI | PAMI2 | PANMIL | VG |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-----------------------|--|--------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Panicum</i> | <i>dichotomiflorum</i> | panicum, fall | PANDI | PADI | PANDIC | VG |
| <i>Panicum</i> | <i>lanuginosum</i> | panicum, woolly | PANLG | PALA18 | PANOCC | VG |
| <i>Panicum</i> | <i>virgatum</i> | switchgrass | PANVI | PAVI2 | PANVIR | VG |
| <i>Panicum</i> | <i>capillare</i> | witchgrass | PANCA | PACA6 | PANCAP | VG |
| <i>Papaver</i> | <i>rhoeas</i> | poppy, corn | PAPRH | PARH2 | PAPRHO | VF |
| <i>Papaver</i> | <i>dubium</i> | poppy, doubting | PAPDU | PADU | PAPDUB | VF |
| <i>Papaver</i> | <i>dubium</i> | poppy, field | PAPDU | PADU | PAPDUB | VF |
| <i>Papaver</i> | <i>argemone</i> | poppy, pinnate | PAPAR | PAAR3 | PAPARG | VF |
| <i>Parapholis</i> | <i>incurva</i> | sicklegrass, curved | PHOIN | PAIN | PARINC | VG |
| <i>Parietaria</i> | <i>pennsylvanica</i> | pellitory, Pennsylvania | PAIPE | PAPE5 | PARPEN | VF |
| <i>Parthenocissus</i> | <i>quinquefolia</i> | Virginia-creeper | PRTQU | PAQU2 | PARQUI | VS |
| <i>Paspalum</i> | <i>dilatatum</i> | dallisgrass | PASDI | PADI3 | PASDIL | VG |
| <i>Paspalum</i> | <i>distichum</i> | knotgrass | PASDS | PADI6 | PASDIS | VG |
| <i>Paspalum</i> | <i>scrobiculatum</i> | millet, kodo | PASOR | PASC6 | PASSCR | VG |
| <i>Pastinaca</i> | <i>sativa</i> | parsnip, wild | PAVSA | PASA2 | PASSAT | VF |
| <i>Paulownia</i> | <i>tomentosa</i> | paulownia, royal | PAZTO | PATO2 | PAUTOM | VT |
| <i>Peganum</i> | <i>harmala</i> | rue, African | PEGHA | PEHA | PEGHAR | VF |
| <i>Pennisetum</i> | <i>setaceum</i> | fountaingrass, crimson | PESSA | PESE3 | PENSET | VG |
| <i>Pennisetum</i> | <i>clandestinum</i> | grass, kikuyu | PESCL | PECL2 | PENCLA | VG |
| <i>Pennisetum</i> | <i>pedicellatum</i> | grass, kyasuma | PESPE | PEPE24 | PENPED | VG |
| <i>Phalaris</i> | <i>canariensis</i> | canarygrass | PHACA | PHCA5 | PHACAN | VG |
| <i>Phalaris</i> | <i>arundinacea</i> | canarygrass, reed | TYPAR | PHAR3 | PHAARU | VG |
| <i>Phalaris</i> | <i>minor</i> | grass, littleseed canary | PHAMI | PHMI3 | PHAMIN | VG |
| <i>Phleum</i> | <i>pratense</i> | timothy | PHLPR | PHPR3 | PHLPRA | VG |
| <i>Phragmites</i> | <i>australis</i> | reed, common | PHRCO | PHAU7 | PHRAUS | VG |
| <i>Phragmites</i> | <i>communis</i> | reed, common | PHRCO | PHCO15 | PHRAUS | VG |
| <i>Phyla</i> | <i>cuneifolia</i> | fogfruit, wedgeleaf | LIPCU | PHCU3 | LIPCUN | VF |
| <i>Physalis</i> | <i>heterophylla</i> | groundcherry, clammy | PHYHE | PHHE5 | PHYHET | VF |
| <i>Physalis</i> | <i>longifolia</i> | groundcherry, longleaf | PHYLF | PHLO4 | PHYLON | VF |
| <i>Physalis</i> | <i>longifolia</i> | groundcherry, smooth | PHYSU | PHLOS | PHYLON | VF |
| <i>Physalis</i> | <i>subglabrata</i> | groundcherry, smooth | PHYSU | PHSU8 | PHYLON | VF |
| <i>Physalis</i> | <i>ixocarpa</i> | groundcherry, tomatillo | PHYIX | PHIX | PHYIXO | VF |
| <i>Physalis</i> | <i>lanceolata</i> | groundcherry, Virginia | PHYLC | PHLA22 | PHYPUM | VF |
| <i>Physalis</i> | <i>virginiana</i> | groundcherry, Virginia | PHYLC | PHVI5 | PHYLON | VF |
| <i>Physalis</i> | <i>pubescens</i> | | PHYPU | PHPU7 | PHY PUB | VF |
| <i>Phytolacca</i> | <i>americana</i> | pokeweed, common | PHTAM | PHAM4 | PHYAME | VF |
| <i>Picea</i> | <i>glauca</i> | spruce, white | PIEGA | PIGL | PICGLA | VT |
| <i>Picris</i> | <i>hieracioides</i> | bitterweed | PICHI | PIHI | PICHIE | VF |
| <i>Picris</i> | <i>echioides</i> | ox-tongue, bristly | PICEC | PIEC | PICECH | VF |
| <i>Pilea</i> | <i>pumila</i> | clearweed | PILPU | PIPU2 | PILPUM | VF |
| <i>Plantago</i> | <i>rugelii</i> | plantain, blackseed | PLARU | PLRU | PLARUG | VF |
| <i>Plantago</i> | <i>aristata</i> | plantain, bracted | PLAAR | PLAR3 | PLAARI | VF |
| <i>Plantago</i> | <i>major</i> | plantain, broadleaf | PLAMA | PLMA2 | PLAMAJ | VF |
| <i>Plantago</i> | <i>lanceolata</i> | plantain, buckhorn | PLALA | PLLA | PLALAN | VF |
| <i>Plantago</i> | <i>elongata</i> | plantain, slender | PLAPU | PLEL | PLAELO | VF |
| <i>Plantago</i> | <i>patagonica</i> | plantain, woolly | PLAPR | PLPA2 | PLAPAT | VF |
| <i>Plantago</i> | <i>purshii</i> | plantain, woolly | PLAPR | PLPU80 | PLAPAT | VF |
| <i>Poa</i> | <i>annua</i> | bluegrass, annual | POAAN | POAN | POAANN | VG |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|--------------------|--|-------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Poa</i> | <i>bulbosa</i> | bluegrass, bulbous | POABU | POBU | POABUL | VG |
| <i>Poa</i> | <i>compressa</i> | bluegrass, Canada | POACO | POCO | POACOM | VG |
| <i>Poa</i> | <i>pratensis</i> | bluegrass, Kentucky | POAPR | POPR | POAPRA | VG |
| <i>Poa</i> | <i>trivialis</i> | bluegrass, roughstalk | POATR | POTR2 | POATRI | VG |
| <i>Poa</i> | <i>nemoralis</i> | bluegrass, wood | POANE | PONE | POAGLU | VG |
| <i>Polanisia</i> | <i>dodecandra</i> | clammyweed, roughseed | PONGR | PODO3 | POLTRA | VF |
| <i>Polanisia</i> | <i>graveolens</i> | clammyweed, roughseed | PONGR | POGR17 | POLTRA | VF |
| <i>Polanisia</i> | <i>trachysperma</i> | clammyweed, western | PONTR | POTR13 | POLTRA | VF |
| <i>Polemonium</i> | <i>micranthum</i> | polemonium, annual | PMNMI | POMI | POLMIC | VF |
| <i>Polygonum</i> | <i>convolvulus</i> | buckwheat, wild | POLCO | POCO10 | POLCON | VF |
| <i>Polygonum</i> | <i>ramosissimum</i> | knotweed, bushy | POLRA | PORA3 | POLRAM | VF |
| <i>Polygonum</i> | <i>douglasii</i> | knotweed, Douglas' | POLDO | PODO4 | POLDOU | VF |
| <i>Polygonum</i> | <i>erectum</i> | knotweed, erect | POLER | POER2 | POLERE | VF |
| <i>Polygonum</i> | <i>cuspidatum</i> | knotweed, Japanese | POLCU | POCU6 | POLCUS | VF |
| <i>Polygonum</i> | <i>aviculare</i> | knotweed, prostrate | POLAV | POAV | POLAVI | VF |
| <i>Polygonum</i> | <i>sachalinense</i> | knotweed, sakhalin | REYSA | POSA4 | POLSAC | VF |
| <i>Polygonum</i> | <i>achoreum</i> | knotweed, striate | POLAH | POAC3 | POLACH | VF |
| <i>Polygonum</i> | <i>persicaria</i> | ladythumb | POLPE | POPE3 | POLPER | VF |
| <i>Polygonum</i> | <i>orientale</i> | princess-feather | POLOR | POOR2 | POLORI | VF |
| <i>Polygonum</i> | <i>punctatum</i> | smartweed, dotted | POLPT | POPU5 | POLPUN | VF |
| <i>Polygonum</i> | <i>scandens</i> | smartweed, hedge | POLSD | POSC3 | POLSCA | VF |
| <i>Polygonum</i> | <i>hydropiper</i> | smartweed, marshpepper | POLHY | POHY | POLHYD | VF |
| <i>Polygonum</i> | <i>hydropiperoides</i> | smartweed, mild | POLHP | POHY2 | POLHYR | VF |
| <i>Polygonum</i> | <i>lapathifolium</i> | smartweed, pale | POLLA | POLA4 | POLLAP | VF |
| <i>Polygonum</i> | <i>pensylvanicum</i> | smartweed, Pennsylvania | POLPY | POPE2 | POLPEN | VF |
| <i>Polygonum</i> | <i>amphibium</i> | smartweed, water | POLAM | POAM8 | POLAMP | VF |
| <i>Polygonum</i> | <i>natans</i> | smartweed, water | POLAM | PONA3 | POLAMP | VF |
| <i>Polygonum</i> | <i>coccineum</i> | smartweed, water | POLCC | POCO8 | POLAMP | VF |
| <i>Polypogon</i> | <i>monspeliensis</i> | polypogon, rabbitfoot | POHMO | POMO5 | POLMON | VG |
| <i>Populus</i> | <i>tremuloides</i> | aspen, quaking | POPTM | POTR5 | POPTRE | VT |
| <i>Populus</i> | <i>balsamifera</i> | poplar, balsam | POPBA | POBA2 | POPBAL | VT |
| <i>Populus</i> | <i>alba</i> | poplar, white | POPAL | POAL7 | POPALB | VT |
| <i>Portulaca</i> | <i>oleracea</i> | purslane, common | POROL | POOL | POROLE | VF |
| <i>Potamogeton</i> | <i>nodosus</i> | pondweed, American | PTMNO | PONO2 | POTNOD | VF |
| <i>Potamogeton</i> | <i>pusillus</i> | pondweed, baby | PTMPU | POPU7 | POTPUS | VF |
| <i>Potamogeton</i> | <i>crispus</i> | pondweed, curlyleaf | PTMCR | POCR3 | POTCRI | VF |
| <i>Potamogeton</i> | <i>filiformis</i> | pondweed, fineleaf | PTMFI | POFI2 | POTFIL | VF |
| <i>Potamogeton</i> | <i>zosteriformis</i> | pondweed, flatstem | PTMZO | POZO | POTZOS | VF |
| <i>Potamogeton</i> | <i>natans</i> | pondweed, floatingleaf | PTMNA | PONA4 | POTNAT | VF |
| <i>Potamogeton</i> | <i>friesii</i> | pondweed, Fries | PTMFR | POFR3 | POTFRI | VF |
| <i>Potamogeton</i> | <i>illinoensis</i> | pondweed, Illinois | PTMIL | POIL | POTILL | VF |
| <i>Potamogeton</i> | <i>amplifolius</i> | pondweed, largeleaf | PTMAM | POAM5 | POTAMP | VF |
| <i>Potamogeton</i> | <i>foliosus</i> | pondweed, leafy | PTMFO | POFO3 | POTFOL | VF |
| <i>Potamogeton</i> | <i>epihydus</i> | pondweed, ribbonleaf | PTMEP | POEP2 | POTEPI | VF |
| <i>Potamogeton</i> | <i>pectinatus</i> | pondweed, sago | PTMPE | POPE6 | POTPEC | VF |
| <i>Potamogeton</i> | <i>pusillus</i> | pondweed, small | PTMPU | POPU7 | POTPUS | VF |
| <i>Potamogeton</i> | <i>gramineus</i> | pondweed, variable | PTMGR | POGR8 | POTGRM | VF |
| <i>Potamogeton</i> | <i>diversifolius</i> | pondweed, waterthread | PTMDF | PODI | POTDIE | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|--------------------|--|-----------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Potamogeton</i> | <i>praelongus</i> | pondweed, whitestem | PTMPR | POPR5 | POTPRA | VF |
| <i>Potentilla</i> | <i>biennis</i> | cinquefoil, biennial | PTLBN | POBI7 | POTBIE | VF |
| <i>Potentilla</i> | <i>norvegica</i> | cinquefoil, rough | PTLNO | PONO3 | POTNOR | VF |
| <i>Potentilla</i> | <i>anserina</i> | cinquefoil, silverweed | PTLAN | POAN5 | POTANS | VF |
| <i>Potentilla</i> | <i>argentea</i> | cinquefoil, silvery | PTLAG | POAR8 | POTARE | VF |
| <i>Potentilla</i> | <i>recta</i> | cinquefoil, sulfur | PTLRC | PORE5 | POTREC | VF |
| <i>Potentilla</i> | <i>tridentata</i> | cinquefoil, three toothed | PTLTR | POTR7 | POTTRI | VS |
| <i>Potentilla</i> | <i>arguta</i> | cinquefoil, white | PTLAR | POAR7 | POTARG | VF |
| <i>Proboscidea</i> | <i>louisianica</i> | devils-claw | PROLO | PRLO | PROLOU | VF |
| <i>Prosopis</i> | <i>glandulosa</i> | mesquite, honey | PRCJG | PRGL2 | PROGLA | VS |
| <i>Prosopis</i> | <i>velutina</i> | prosopis, jointed | PRCJV | PRVE | PROVEL | VS |
| <i>Prosopis</i> | <i>farcta</i> | prosopis, stuffed | PRCST | PRFA2 | PROFAR | VS |
| <i>Prunella</i> | <i>vulgaris</i> | healall | PRUVU | PRVU | PRUVUL | VF |
| <i>Prunus</i> | <i>mahaleb</i> | cherry, Mahaleb | PRNMH | PRMA | PRUMAH | VT |
| <i>Prunus</i> | <i>pensylvanica</i> | cherry, pin | PRNPE | PRPE2 | PRUPEN | VS |
| <i>Prunus</i> | <i>cerasus</i> | cherry, sour | PRNCE | PRCE | PRUCER | VT |
| <i>Prunus</i> | <i>avium</i> | cherry, sweet | PRNAV | PRAV | PRUAVI | VS |
| <i>Prunus</i> | <i>virginiana</i> | chokecherry, black | PRNVM | PRVIM | PRUVIR | VS |
| <i>Prunus</i> | <i>virginiana</i> | chokecherry, common | PRNVG | PRVI | PRUVIR | VS |
| <i>Prunus</i> | <i>persica</i> | peach | PRNPS | PRPE3 | PRUPER | VT |
| <i>Prunus</i> | <i>americana</i> | plum, American | PRNAM | PRAM | PRUAME | VS |
| <i>Prunus</i> | <i>domestica</i> | plum, garden | PRNDO | PRDO | PRUDOM | VS |
| <i>Psoralea</i> | <i>lanceolata</i> | scurfpea, lemon | PSRLA | PSLA | PSOLAN | VF |
| <i>Pteridium</i> | <i>aquilinum</i> | brackenfern | PTEAQ | PTAQ | PTEAQU | VE |
| <i>Pteridium</i> | <i>aquilinum</i> | brackenfern, eastern | PTEAL | PTAQL | PTEAQU | VE |
| <i>Pylaisiella</i> | <i>selwynii</i> | | PYSE7 | | PYLSEL | NM |
| <i>Pyrola</i> | <i>rotundifolia</i> | shinleaf | PYWRO | PYRO | PYRROT | VF |
| <i>Ranunculus</i> | <i>orthorhynchus</i> | buttercup, birdfoot | RANOR | RAOR3 | RANORT | VF |
| <i>Ranunculus</i> | <i>testiculatus</i> | buttercup, bur | CCFTE | RATE | RANTES | VF |
| <i>Ranunculus</i> | <i>californicus</i> | buttercup, California | RANCF | RACA2 | RANCAL | VF |
| <i>Ranunculus</i> | <i>arvensis</i> | buttercup, corn | RANAR | RAAR3 | RANARV | VF |
| <i>Ranunculus</i> | <i>repens</i> | buttercup, creeping | RANRE | RARE3 | RANREP | VF |
| <i>Ranunculus</i> | <i>sceleratus</i> | buttercup, crowfoot | RANSC | RASC3 | RANSCE | VF |
| <i>Ranunculus</i> | <i>occidentalis</i> | buttercup, field, western | RANOC | RAOC | RANOCC | VF |
| <i>Ranunculus</i> | <i>cymbalaria</i> | buttercup, shore | RANCY | RACY | RANCYM | VF |
| <i>Ranunculus</i> | <i>abortivus</i> | buttercup, smallflower | RANAB | RAAB | RANABO | VF |
| <i>Ranunculus</i> | <i>acris</i> | buttercup, tall | RANAC | RAAC3 | RANACR | VF |
| <i>Ranunculus</i> | <i>aquatilis</i> | waterbuttercup, white | RANTR | RAAQC2 | RANAQU | VF |
| <i>Ranunculus</i> | <i>flabellaris</i> | waterbuttercup, yellow | RANFB | RAFL | RANFLB | VF |
| <i>Raphanus</i> | <i>sativus</i> | radish | RAPSN | RASA2 | RAPSAT | VF |
| <i>Raphanus</i> | <i>raphanistrum</i> | radish, wild | RAPRA | RARA2 | RAPRAP | VF |
| <i>Ratibida</i> | <i>pinnata</i> | coneflower, pinnate prairie | RATPI | RAPI | RATPIN | VF |
| <i>Ratibida</i> | <i>columnifera</i> | coneflower, upright prairie | RATCO | RACO3 | RATCOL | VF |
| <i>Reseda</i> | <i>lutea</i> | mignonette, yellow | RESLU | RELU | RESLUT | VF |
| <i>Rhamnus</i> | <i>cathartica</i> | buckthorn, European | RHACT | RHCA3 | RHACAT | VS |
| <i>Rhinanthus</i> | <i>crista-galli</i> | rattle, yellow | RHIMI | RHCR2 | RHICRI | VF |
| <i>Rhinanthus</i> | <i>minor</i> | rattle, yellow | RHIMI | RHMI13 | RHICRI | VF |
| <i>Rhus</i> | <i>radicans</i> | ivy, poison | TOXRA | RHRA6 | TOXRAD | VS |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|--------------------|--|-------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Rhus</i> | <i>diversiloba</i> | poison-oak, Pacific | RHUDI | RHDI6 | RHUDIV | VS |
| <i>Rhus</i> | <i>copallina</i> | sumac, dwarf | RHUCO | RHCO13 | RHUCOP | VF |
| <i>Rhus</i> | <i>glabra</i> | sumac, smooth | RHUGL | RHGL | RHUGLA | VS |
| <i>Rhus</i> | <i>typhina</i> | sumac, staghorn | RHUTY | RHTY | RHUTYP | VS |
| <i>Ribes</i> | <i>americanum</i> | currant, American black | RIBAM | RIAM2 | RIBAME | VS |
| <i>Ribes</i> | <i>aureum</i> | currant, golden | RIBAU | RIAU | RIBAUUR | VS |
| <i>Ribes</i> | <i>viscosissimum</i> | currant, sticky | RIBVS | RIVI3 | RIBVIS | VS |
| <i>Ribes</i> | <i>cereum</i> | currant, wax | RIBCE | RICE | RIB CER | VS |
| <i>Ribes</i> | <i>hirtellum</i> | gooseberry, hairystem | RIBHI | RIHI | RIBHIR | VS |
| <i>Ribes</i> | <i>cynosbati</i> | gooseberry, pasture | RIBCY | RICY | RIBCYN | VS |
| <i>Ribes</i> | <i>divaricatum</i> | gooseberry, whitestem | RIBIN | RIDI | RIBDIV | VS |
| <i>Ribes</i> | <i>inermis</i> | gooseberry, whitestem | RIBIN | RIIN2 | RIBINE | VS |
| <i>Ricinus</i> | <i>communis</i> | castorbean | RIICO | RICO3 | RICCOM | VT |
| <i>Rorippa</i> | <i>austriaca</i> | fieldcress, Austrian | RORAU | ROAU | RORAUS | VF |
| <i>Rorippa</i> | <i>sylvestris</i> | fieldcress, yellow | RORSY | ROSY | RORSYL | VF |
| <i>Rorippa</i> | <i>nasturtium-aquaticum</i> | watercress | NAAOF | RONA2 | NASOFF | VF |
| <i>Rorippa</i> | <i>islandica</i> | yellowcress, marsh | RORIS | ROIS2 | RORPAL | VF |
| <i>Rorippa</i> | <i>sinuata</i> | yellowcress, spreading | RORSN | ROSI2 | RORSIN | VF |
| <i>Rosa</i> | <i>canina</i> | rose, dog | ROSCN | ROCA3 | ROSCAN | VS |
| <i>Rosa</i> | <i>multiflora</i> | rose, multiflora | ROSMU | ROMU | ROSMUL | VS |
| <i>Rosa</i> | <i>arkansana</i> | rose, prairie wild | ROSAK | ROAR3 | ROSARK | VS |
| <i>Rosa</i> | <i>acicularis</i> | rose, prickly | ROSAC | ROAC | ROSACI | VS |
| <i>Rosa</i> | <i>eglanteria</i> | rose, sweetbriar | ROSRB | ROEG | ROSEGL | VF |
| <i>Rosa</i> | <i>rubiginosa</i> | rose, sweetbriar | ROSRB | RORU82 | ROSEGL | VF |
| <i>Rosa</i> | <i>virginiana</i> | rose, Virginia | ROSVI | ROVI2 | ROSVIR | VS |
| <i>Rotala</i> | <i>ramosior</i> | toothcup | ROTRA | RORA | ROTRAM | VF |
| <i>Rottboellia</i> | <i>exaltata</i> | grass, itch | ROOEX | ROEX2 | ROTEXA | VG |
| <i>Rottboellia</i> | <i>cochinchinensis</i> | grass, Kelly | ROOEX | ROCO6 | ROTCOC | VG |
| <i>Rubus</i> | <i>laciniatus</i> | blackberry, cutleaf | RUBLA | RULA | RUBLAC | VS |
| <i>Rubus</i> | <i>discolor</i> | blackberry, Himalaya | RUBDI | RUDI2 | RUBDIS | VS |
| <i>Rubus</i> | <i>moluccanus</i> | blackberry, robust | RUBMO | RUMO4 | RUBMOL | VS |
| <i>Rubus</i> | <i>idaeus</i> | raspberry, European red | RUBID | RUID | RUBIDA | VS |
| <i>Rubus</i> | <i>parviflorus</i> | thimbleberry, western | RUBPA | RUPA | RUBPAR | VS |
| <i>Rudbeckia</i> | <i>hirta</i> | blackeyed-susan | RUDHP | RUHIP | RUDHIR | VF |
| <i>Rudbeckia</i> | <i>serotina</i> | blackeyed-susan | RUDHP | RUSE5 | RUDHIR | VF |
| <i>Rudbeckia</i> | <i>laciniata</i> | coneflower, cutleaf | RUDLA | RULA3 | RUDLAC | VF |
| <i>Rudbeckia</i> | <i>hirta</i> | coneflower, hairy | RUDHI | RUHI2 | RUDHIR | VF |
| <i>Rumex</i> | <i>obtusifolius</i> | dock, broadleaf | RUMOB | RUOB | RUMOBT | VF |
| <i>Rumex</i> | <i>crispus</i> | dock, curly | RUMCR | RUCR | RUMCRI | VF |
| <i>Rumex</i> | <i>domesticus</i> | dock, longleaf | RUMLO | RUDO | RUMDOM | VF |
| <i>Rumex</i> | <i>longifolius</i> | dock, longleaf | RUMLO | RULO2 | RUMDOM | VF |
| <i>Rumex</i> | <i>stenophyllus</i> | dock, narrowleaf | RUMST | RUST4 | RUMSTE | VF |
| <i>Rumex</i> | <i>altissimus</i> | dock, pale | RUMAT | RUAL4 | RUMALT | VF |
| <i>Rumex</i> | <i>patientia</i> | dock, spinach | RUMPA | RUPA5 | RUMPAT | VF |
| <i>Rumex</i> | <i>venosus</i> | dock, veiny | RUMVE | RUVE2 | RUMVEN | VF |
| <i>Rumex</i> | <i>occidentalis</i> | dock, western | RUMOC | RUOC3 | RUMOCC | VF |
| <i>Rumex</i> | <i>acetosa</i> | sorrel, green | RUMAC | RUAC2 | RUMACT | VF |
| <i>Rumex</i> | <i>acetosella</i> | sorrel, red | RUMAA | RUAC3 | RUMACE | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------|--|---------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Ruppia</i> | <i>maritima</i> | widgeongrass | RUPMA | RUMA5 | RUPMAR | VF |
| <i>Saccharum</i> | <i>spontaneum</i> | sugarcane, wild | SACSP | SASP | SACSPO | VG |
| <i>Sagina</i> | <i>procumbens</i> | pearlwort, birdseye | SAIPR | SAPR | SAGPRO | VF |
| <i>Sagittaria</i> | <i>sagittifolia</i> | arrowhead | SAGSA | SASA7 | SAGSAT | VF |
| <i>Sagittaria</i> | <i>latifolia</i> | arrowhead, common | SAGLT | SALA2 | SAGLAT | VF |
| <i>Sagittaria</i> | <i>graminea</i> | arrowhead, slender | SAGGR | SAGR | SAGGRA | VF |
| <i>Sagittaria</i> | <i>cuneata</i> | arrowhead, wedgeleaf | SAGCU | SACU | SAGCUN | VF |
| <i>Salix</i> | <i>exigua</i> | willow, coyote | SAXEX | SAEX | SALEXI | VS |
| <i>Salix</i> | <i>fragilis</i> | willow, crack | SAXFR | SAFR | SALFRA | VT |
| <i>Salix</i> | <i>pentandra</i> | willow, laurel | SAXPE | SAPE4 | SALPEN | VS |
| <i>Salix</i> | <i>humilis</i> | willow, prairie | SAXHM | SAHU2 | SALHUM | VS |
| <i>Salix</i> | <i>interior</i> | willow, sandbar | SAXIN | SAIN3 | SALEXI | VS |
| <i>Salix</i> | <i>babylonica</i> | willow, weeping | SAXBA | SABA2 | SALBAB | VT |
| <i>Salix</i> | <i>alba</i> | willow, white | SAXAL | SAAL2 | SALALB | VT |
| <i>Salsola</i> | <i>kali</i> | saltwort, spiny | SASKA | SAKA | SALIBE | VF |
| <i>Salsola</i> | <i>paulsenii</i> | thistle, barbwire Russian | SASPA | SAPA8 | SALPAU | VF |
| <i>Salsola</i> | <i>iberica</i> | thistle, Russian | SASKR | SAIB | SALIBE | VF |
| <i>Salsola</i> | <i>vermiculata</i> | tumbleweed | SASVE | SAVE6 | SALVER | VF |
| <i>Salvia</i> | <i>reflexa</i> | sage, lanceleaf | SALRE | SARE3 | SALREF | VF |
| <i>Salvia</i> | <i>pratensis</i> | sage, meadow | SALPR | SAPR2 | SALPRA | VS |
| <i>Salvia</i> | <i>aethiopis</i> | sage, Mediterranean | SALAE | SAAE | SALAET | VF |
| <i>Salvinia</i> | <i>auriculata</i> | fern, auricled floating | SAVAU | SAAU | SALAU | VE |
| <i>Salvinia</i> | <i>molesta</i> | fern, disturbed floating | SAVMO | SAMO5 | SALMOL | VE |
| <i>Sambucus</i> | <i>canadensis</i> | elder, American | SAMCN | SACA12 | SAMCAN | VS |
| <i>Sanguisorba</i> | <i>officinalis</i> | burnet, great | SANOF | SAOF3 | SANOFF | VF |
| <i>Sanguisorba</i> | <i>minor</i> | burnet, salad | SANMI | SAMI3 | SANMIN | VF |
| <i>Saponaria</i> | <i>officinalis</i> | bouncingbet | SAWOF | SAOF4 | SAPOFF | VF |
| <i>Sarcobatus</i> | <i>vermiculatus</i> | greasewood | SAYVE | SAVE4 | SARVER | VS |
| <i>Satureja</i> | <i>vulgaris</i> | basil, wild | STIVU | SAVU | SATVUL | VF |
| <i>Satureja</i> | <i>acinos</i> | thyme, basil | STIAC | SAAC | SATACI | VF |
| <i>Schedonnardus</i> | <i>paniculatus</i> | tumblegrass | SCEPA | SCPA | SCHPAN | VG |
| <i>Schizachyrium</i> | <i>scoparium</i> | bluestem, little | ANOSC | SCSC | ANDSCO | VG |
| <i>Schrankia</i> | <i>nuttallii</i> | sensitivebriar, catclaw | SCNNU | SCNU | SCHNUT | VF |
| <i>Scirpus</i> | <i>atrovirens</i> | bulrush, black | SCPAT | SCAT2 | SCIATR | VG |
| <i>Scirpus</i> | <i>acutus</i> | bulrush, hardstem | SCPAC | SCAC | SCIACU | VG |
| <i>Scirpus</i> | <i>pendulus</i> | bulrush, lined | SCPPE | SCPE4 | SCIPEN | VG |
| <i>Scirpus</i> | <i>fluviatilis</i> | bulrush, river | SCPFV | SCFL | SCIFLU | VG |
| <i>Scirpus</i> | <i>validus</i> | bulrush, softstem | SCPVA | SCVA | SCIVAL | VG |
| <i>Scirpus</i> | <i>cyperinus</i> | bulrush, woolgrass | SCPCY | SCCY | SCICYP | VG |
| <i>Scirpus</i> | <i>americanus</i> | threesquare, common | SCPAM | SCAM2 | SCIAME | VG |
| <i>Scirpus</i> | <i>olneyi</i> | threesquare, Olney | SCPOL | SCOL | SCIAME | VG |
| <i>Scleranthus</i> | <i>annuus</i> | knawel | SCRAN | SCAN2 | SCLANN | VF |
| <i>Sclerochloa</i> | <i>dura</i> | hardgrass | SCMDU | SCDU2 | SCLDUR | VG |
| <i>Scutellaria</i> | <i>galericulata</i> | skullcap, marsh | SCDGA | SCGA | SCUGAL | VF |
| <i>Sedum</i> | <i>acre</i> | stonecrop, mossy | SEDAC | SEAC | SEDACR | VF |
| <i>Senecio</i> | <i>congestus</i> | fleabane, marsh | SENGG | SECO2 | SENCON | VF |
| <i>Senecio</i> | <i>vulgaris</i> | groundsel, common | SENVU | SEVU | SENVUL | VF |
| <i>Senecio</i> | <i>plattensis</i> | groundsel, prairie | SEPNP | SEPL | SENVLA | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------|--|----------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Senecio</i> | <i>riddellii</i> | groundsel, Riddell | SENRI | SERI2 | SENRID | VF |
| <i>Senecio</i> | <i>sylvaticus</i> | groundsel, woodland | SENSI | SESY | SENSYL | VF |
| <i>Senecio</i> | <i>mikanioides</i> | ivy, German | SENMI | SEMI | SENMIC | VF |
| <i>Senecio</i> | <i>jacobaea</i> | ragwort, tansy | SENJA | SEJA | SENJAC | VF |
| <i>Senecio</i> | <i>viscosus</i> | ragwort, woodland | SENVJ | SEVI2 | SENVIS | VF |
| <i>Setaria</i> | <i>verticillata</i> | foxtail, bristly | SETVE | SEVE3 | SETVER | VG |
| <i>Setaria</i> | <i>viridis</i> | foxtail, green | SETVI | SEVI4 | SETVIR | VG |
| <i>Setaria</i> | <i>glauca</i> | foxtail, yellow | SETLU | SEGL2 | SETGLA | VG |
| <i>Setaria</i> | <i>lutescens</i> | foxtail, yellow | SETLU | SELU4 | SETGLA | VG |
| <i>Setaria</i> | <i>pallide-fusca</i> | grass, kavatta | SETPF | SEPA82 | SETPAL | VG |
| <i>Setaria</i> | <i>italica</i> | millet, foxtail | SETIT | SEIT | SETITA | VG |
| <i>Shepherdia</i> | <i>canadensis</i> | buffaloberry, russet | SHPCA | SHCA | SHECAN | VS |
| <i>Sherardia</i> | <i>arvensis</i> | madder, field | SHRAR | SHAR2 | SHEARV | VF |
| <i>Sicyos</i> | <i>angulatus</i> | burcucumber | SIYAN | SIAN | SICANG | VF |
| <i>Sida</i> | <i>hederacea</i> | sida, alkali | SIDHE | SIHE8 | SIDHED | VF |
| <i>Silene</i> | <i>cucubalus</i> | campion, bladder | SILVU | SICU6 | SILVUL | VF |
| <i>Silene</i> | <i>vulgaris</i> | campion, bladder | SILVU | SIVU | SILVUL | VF |
| <i>Silene</i> | <i>dioica</i> | campion, red | MELRU | SIDI4 | SILDIO | VF |
| <i>Silene</i> | <i>conoidea</i> | catchfly, cone | SILCD | SICO4 | SILCON | VF |
| <i>Silene</i> | <i>armeria</i> | catchfly, garden | SILAR | SIAR | SILARM | VF |
| <i>Silene</i> | <i>dichotoma</i> | catchfly, hairy | SILDI | SIDI2 | SILDIC | VF |
| <i>Silene</i> | <i>noctiflora</i> | catchfly, nightflowering | MELNO | SINO | SILNOC | VF |
| <i>Silene</i> | <i>antirrhina</i> | catchfly, sleepy | SILAN | SIAN2 | SILANT | VF |
| <i>Silene</i> | <i>alba</i> | Cochle, White | MELAL | SIAL12 | SILLAT | VF |
| <i>Silphium</i> | <i>laciniatum</i> | compassplant | SIPLA | SILA3 | SILLAC | VF |
| <i>Silphium</i> | <i>perfoliatum</i> | rosinweed, cup | SIPPE | SIPE2 | SILPER | VF |
| <i>Silybum</i> | <i>marianum</i> | milkthistle, blessed | SLYMA | SIMA3 | SILMAR | VF |
| <i>Sinapis</i> | <i>alba</i> | mustard, white | SINAL | SIAL5 | BRAHIR | VF |
| <i>Sinapis</i> | <i>arvensis</i> | mustard, wild | SINAR | SIAR4 | BRKAB | VF |
| <i>Sisymbrium</i> | <i>officinale</i> | mustard, hedge | SSYOF | SIOF | SISOFF | VF |
| <i>Sisymbrium</i> | <i>orientale</i> | mustard, Oriental | SSYOR | SIOR4 | SISORI | VF |
| <i>Sisymbrium</i> | <i>loeselii</i> | mustard, tall hedge | SSYLO | SILO3 | SISLOE | VF |
| <i>Sisymbrium</i> | <i>altissimum</i> | mustard, tumble | SSYAL | SIAL2 | SISALT | VF |
| <i>Sisymbrium</i> | <i>irio</i> | rocket, London | SSYIR | SIIR | SISIRI | VF |
| <i>Sisymbrium</i> | <i>sophia</i> | | DESSO | SISO4 | SISSOP | VF |
| <i>Sisyrinchium</i> | <i>montanum</i> | grass, Monanta blueeyed | SISMO | SIMO2 | SISMON | VF |
| <i>Sisyrinchium</i> | <i>angustifolium</i> | grass, narrowlead blueeyed | SISBE | SIAN3 | SISIDA | VF |
| <i>Sitanion</i> | <i>hystrix</i> | squirreltail | SITHY | SIHY | SITHYS | VG |
| <i>Sium</i> | <i>suave</i> | waterparsnip | SIUSU | SISU2 | SIUSUA | VF |
| <i>Solanum</i> | <i>rostratum</i> | buffalobur | SOLCU | SORO | SOLROS | VF |
| <i>Solanum</i> | <i>carolinense</i> | horsenettle | SOLCA | SOCA3 | SOLCAR | VF |
| <i>Solanum</i> | <i>americanum</i> | nightshade, American black | SOLAM | SOAM | SOLINT | VF |
| <i>Solanum</i> | <i>dulcamara</i> | nightshade, bitterweet | SOLDU | SODU | SOLDUL | VS |
| <i>Solanum</i> | <i>nigrum</i> | nightshade, black | SOLNI | SONI | SOLNIG | VF |
| <i>Solanum</i> | <i>triflorum</i> | nightshade, cutleaf | SOLTR | SOTR | SOLTRI | VF |
| <i>Solanum</i> | <i>ptycanthum</i> | nightshade, eastern black | SOLPT | SOPT3 | SOLNIG | VF |
| <i>Solanum</i> | <i>sarrachoides</i> | nightshade, hairy | SOLSA | SOSA8 | SOLSAR | VF |
| <i>Solanum</i> | <i>villosum</i> | nightshade, hairy | SOLSA | SOVI6 | SOLSAR | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------|--|-------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Solanum</i> | <i>elaeagnifolium</i> | nightshade, silverleaf | SOLEL | SOEL | SOLELA | VF |
| <i>Solanum</i> | <i>torvum</i> | turkeyberry | SOLTO | SOTO4 | SOLTOR | VF |
| <i>Solidago</i> | <i>canadensis</i> | goldenrod, Canada | SOOCA | SOCA6 | SOLCAN | VF |
| <i>Solidago</i> | <i>nemoralis</i> | goldenrod, gray | SOONE | SONE | SOLNEM | VF |
| <i>Solidago</i> | <i>missouriensis</i> | goldenrod, Missouri | SOOMS | SOMI2 | SOLMIS | VF |
| <i>Solidago</i> | <i>graminifolia</i> | goldenrod, narrowleaf | SOOGR | SOGR8 | SOLGRA | VF |
| <i>Solidago</i> | <i>rigida</i> | goldenrod, rigid | SOORI | SORI2 | SOLRIG | VF |
| <i>Solidago</i> | <i>altissima</i> | goldenrod, tall | SOOAL | SOAL6 | SOLCAN | VF |
| <i>Solidago</i> | <i>canadensis</i> | goldenrod, tall | SOOAL | SOCAS5 | SOLCAN | VF |
| <i>Solidago</i> | <i>occidentalis</i> | goldenrod, western | SOOOC | SOOC4 | SOLOCC | VF |
| <i>Soliva</i> | <i>pterosperma</i> | burweed, lawn | SOVPT | SOPT | SOLPTE | VF |
| <i>Sonchus</i> | <i>oleraceus</i> | sowthistle, annual | SONOL | SOOL | SONOLE | VF |
| <i>Sonchus</i> | <i>arvensis</i> | sowthistle, marsh | SONAU | SOARU | SONARV | VF |
| <i>Sonchus</i> | <i>uliginosus</i> | sowthistle, marsh | SONAU | SOUL5 | SONARV | VF |
| <i>Sonchus</i> | <i>arvensis</i> | sowthistle, perennial | SONAR | SOAR2 | SONARV | VF |
| <i>Sonchus</i> | <i>asper</i> | sowthistle, spiny | SONAS | SOAS | SONASP | VF |
| <i>Sorbus</i> | <i>aucuparia</i> | mountain ash, European | SOUAU | SOAU | SORAUUC | VT |
| <i>Sorghastrum</i> | <i>nutans</i> | indiangrass, yellow | SOSNU | SONU2 | SORNUT | VG |
| <i>Sorghum</i> | <i>almum</i> | grass, Columbus | SORAL | SOAL | SORALU | VG |
| <i>Sorghum</i> | <i>halepense</i> | johnsongrass | SORHA | SOHA | SORHAL | VG |
| <i>Sorghum</i> | <i>bicolor</i> | shattercane | SORVU | SOBI2 | SORBIC | VG |
| <i>Sorghum</i> | <i>vulgare</i> | shattercane | SORVU | SOVU2 | SORBIC | VG |
| <i>Sparganium</i> | <i>erectum</i> | burreed, branched | SPGER | SPER | SPAERE | VF |
| <i>Sparganium</i> | <i>eurycarpum</i> | burreed, giant | SPGEU | SPEU | SPAEUR | VF |
| <i>Sparganium</i> | <i>chlorocarpum</i> | burreed, greenfruit | SPGCH | SPCH | SPACHL | VF |
| <i>Sparganium</i> | <i>angustifolium</i> | burreed, narrowleaf | SPGEM | SPAN2 | SPAANG | VF |
| <i>Sparganium</i> | <i>emersum</i> | burreed, simplestem | SPGEM | SPEM2 | SPAEME | VF |
| <i>Sparganium</i> | <i>fluctuans</i> | burreed, water | SPGFL | SPFL | SPAFLU | VF |
| <i>Spartina</i> | <i>pectinata</i> | cordgrass, prairie | SPTPE | SPPE | SPAPEC | VG |
| <i>Spartina</i> | <i>patens</i> | cordgrass, saltmeadow | SPTPA | SPPA | SPAPAT | VG |
| <i>Spartina</i> | <i>alterniflora</i> | cordgrass, smooth | SPTAL | SPAL | SPAALT | VG |
| <i>Spartium</i> | <i>junceum</i> | broom, Spanish | SPUJU | SPJU2 | SPAJUN | VF |
| <i>Spergula</i> | <i>arvensis</i> | spurry, corn | SPRAR | SPAR | SPEARV | VF |
| <i>Spergularia</i> | <i>rubra</i> | sandspurry, red | SPBRU | SPRU | SPERUB | VF |
| <i>Sphaeralcea</i> | <i>angustifolia</i> | globemallow, narrowleaf | SPHAN | SPAN3 | SPHANG | VF |
| <i>Sphaeralcea</i> | <i>coccinea</i> | globemallow, scarlet | SPHCO | SPCO | SPHCOC | VF |
| <i>Sphaerophysa</i> | <i>salsula</i> | swainsonpea | SWASA | SPSA3 | SPHSAL | VF |
| <i>Sphenopholis</i> | <i>obtusata</i> | wedgescale, prairie | SFPOB | SPOB | SPHOBT | VG |
| <i>Spirodela</i> | <i>polyrhiza</i> | duckweed, giant | SPIPO | SPPO8 | SPIPOL | VF |
| <i>Sporobolus</i> | <i>neglectus</i> | dropseed, annual | SPZNE | SPNE2 | SPONEG | VG |
| <i>Sporobolus</i> | <i>vaginiflorus</i> | dropseed, poverty | SPZVA | SPVA | SPOVAG | VG |
| <i>Sporobolus</i> | <i>cryptandrus</i> | dropseed, sand | SPZCR | SPCR | SPOCRY | VG |
| <i>Sporobolus</i> | <i>airoides</i> | sacaton, alkali | SPZAI | SPAI | SPOAIR | VG |
| <i>Stachys</i> | <i>palustris</i> | woundwort | STAPA | STPA | STAPAL | VF |
| <i>Stellaria</i> | <i>media</i> | chickweed, common | STEME | STME2 | STEMED | VF |
| <i>Stellaria</i> | <i>graminea</i> | starwort, little | STEGR | STGR | STEGRA | VF |
| <i>Stephanomeria</i> | <i>tenuifolia</i> | wirelettuce, slender | STOTE | STTE2 | STETEN | VF |
| <i>Stipa</i> | <i>comata</i> | needle-and-thread | STDCO | STCO4 | STICOM | VG |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-----------------------|--|---------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Stipa</i> | <i>spartea</i> | porcupinegrass | STDSP | STSP2 | STISPA | VG |
| <i>Stratiotes</i> | <i>aloides</i> | soldier, water | STTAL | STAL6 | STRALO | VF |
| <i>Strophostyles</i> | <i>leiosperma</i> | wildbean, smoothseed | SRTLE | STLE6 | STRLEI | VF |
| <i>Suaeda</i> | <i>fruticosa</i> | seepweed, alkali | SUEFR | SUFR2 | SUAMQO | VF |
| <i>Suaeda</i> | <i>occidentalis</i> | seepweed, western | SUEOC | SUOC | SUAOCC | VF |
| <i>Swainsona</i> | <i>salsula</i> | swainsonpea | SWASA | SWSA2 | SPHSAL | VF |
| <i>Symphoricarpos</i> | <i>orbiculatus</i> | currant, Indian | SYPOR | SYOR | SYMORB | VS |
| <i>Symphoricarpos</i> | <i>albus</i> | snowberry, common | SYPAL | SYAL | SYMALB | VS |
| <i>Symphoricarpos</i> | <i>occidentalis</i> | snowberry, western | SYPOC | SYOC | SYMOCC | VS |
| <i>Symphytum</i> | <i>officinale</i> | comfrey, common | SYMOF | SYOF | SYMOFF | VF |
| <i>Symphytum</i> | <i>asperum</i> | comphrey, prickly | SYMAS | SYAS | SYMASP | VF |
| <i>Taeniatherum</i> | <i>caput-medusae</i> | medusahead | ELYCM | TACA8 | TAECAP | VG |
| <i>Tamarix</i> | <i>gallica</i> | plant, manna | TAAGA | TAGA | TAMGAL | VS |
| <i>Tamarix</i> | <i>ramosissima</i> | saltcedar | TAARA | TARA | TAMRAM | VS |
| <i>Tamarix</i> | <i>chinensis</i> | tamarisk, Chinese | TAACH | TACH2 | TAMCHI | VS |
| <i>Tamarix</i> | <i>parviflora</i> | tamarisk, smallflower | TAAPA | TAPA4 | TAMPAR | VS |
| <i>Tamarix</i> | <i>odessana</i> | | TAARA | | TAMRAM | VS |
| <i>Tamarix</i> | <i>pentandra</i> | | TAARA | TAPE | TAMRAM | VS |
| <i>Tanacetum</i> | <i>vulgare</i> | tansy, common | CHYVU | TAVU | TANVUL | VF |
| <i>Taraxacum</i> | <i>officinale</i> | dandelion | TAROF | TAOF | TAROFF | VF |
| <i>Tetradymia</i> | <i>glabrata</i> | horsebrush, littleleaf | TEYGL | TEGL | TETGLA | VS |
| <i>Tetradymia</i> | <i>canescens</i> | horsebrush, spineless | TEYCA | TECA2 | TETCAN | VS |
| <i>Teucrium</i> | <i>canadense</i> | germander, American | TEUCA | TECA3 | TEUCAN | VF |
| <i>Thlaspi</i> | <i>arvense</i> | pennycress, field | THLAR | THAR5 | THLARV | VF |
| <i>Thlaspi</i> | <i>perfoliatum</i> | pennycress, perfoliate | THLPE | THPE | THAPER | VF |
| <i>Thlaspi</i> | <i>perfoliatum</i> | pennycress, thoroughwort | THLPE | THPE | THAPER | VF |
| <i>Thuidium</i> | <i>delicatulum</i> | plume moss, delicate | THDER | | THUDEL | NM |
| <i>Thymus</i> | <i>serpyllum</i> | thyme, creeping | THYSE | THSE | THYSER | VF |
| <i>Torilis</i> | <i>arvensis</i> | hedge-parsley, field | TOIAR | TOAR | TORARV | VF |
| <i>Toxicodendron</i> | <i>radicans</i> | ivy, poison | TOXRA | TORA2 | TOXRAD | VS |
| <i>Tragopogon</i> | <i>porrifolius</i> | salsify, common | TROPS | TRPO | TRAPOR | VF |
| <i>Tragopogon</i> | <i>pratensis</i> | salsify, meadow | TROPR | TRPR | TRAPRA | VF |
| <i>Tragopogon</i> | <i>dubius</i> | salsify, western | TRODM | TRDU | TRADUB | VF |
| <i>Tribulus</i> | <i>terrestris</i> | puncturevine | TRBTE | TRTE | TRITER | VF |
| <i>Tridax</i> | <i>procumbens</i> | buttons, coat | TRQPR | TRPR5 | TRIPRC | VF |
| <i>Trientalis</i> | <i>borealis</i> | star-flower | TNTBO | TRBO2 | TRILAI | VF |
| <i>Trifolium</i> | <i>incarnatum</i> | clover, crimson | TRFIN | TRIN3 | TRIINC | VF |
| <i>Trifolium</i> | <i>agrarium</i> | clover, hop | TRFAU | TRAG | TRIAGR | VF |
| <i>Trifolium</i> | <i>aureum</i> | clover, hop | TRFAU | TRAU2 | TRIAGR | VF |
| <i>Trifolium</i> | <i>campestre</i> | clover, large hop | TRFCA | TRCA5 | TRIPRO | VF |
| <i>Trifolium</i> | <i>procumbens</i> | clover, large hop | TRFCA | TRPR7 | TRIPRO | VF |
| <i>Trifolium</i> | <i>arvense</i> | clover, rabbitfoot | TRFAR | TRAR4 | TRIARV | VF |
| <i>Trifolium</i> | <i>pratense</i> | clover, red | TRFPR | TRPR2 | TRIPRA | VF |
| <i>Trifolium</i> | <i>dubium</i> | clover, small hop | TRFDU | TRDU2 | TRIDUB | VF |
| <i>Trifolium</i> | <i>fragiferum</i> | clover, strawberry | TRFFR | TRFR2 | TRIFRA | VF |
| <i>Trifolium</i> | <i>repens</i> | clover, white | TRFRE | TRRE3 | TRIREP | VF |
| <i>Triodanis</i> | <i>perfoliata</i> | venuslookingglass, common | TJDPE | TRPE4 | TRIPER | VF |
| <i>Tussilago</i> | <i>farfara</i> | coltsfoot | TUSFA | TUFA | TUSFAR | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Genus | Scientific Name Species/ Authority | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------|--|-----------------------------|---------------------|-------------------------------|---------------------|-----------------|
| <i>Typha</i> | <i>latifolia</i> | cattail, common | TYHLA | TYLA | TYPLAT | VF |
| <i>Typha</i> | <i>angustifolia</i> | cattail, narrowleaf | TYHAN | TYAN | TYPANG | VF |
| <i>Ulex</i> | <i>europaeus</i> | gorse | ULEEU | ULEU | ULEEUR | VF |
| <i>Ulmus</i> | <i>pumila</i> | elm, Siberian | ULMPU | ULPU | ULMPUM | VT |
| <i>Urochloa</i> | <i>panicoides</i> | grass, panic liverseed | UROPA | URPA | UROPAN | VG |
| <i>Urtica</i> | <i>urens</i> | nettle, burning | URTUR | URUR | URTURN | VF |
| <i>Urtica</i> | <i>dioica</i> | nettle, stinging | URTDI | URDI | URTDIO | VF |
| <i>Utricularia</i> | <i>vulgaris</i> | bladderwort, common | UTRVU | UTVU | UTRVUL | VF |
| <i>Utricularia</i> | <i>inflata</i> | bladderwort, floating | UTRIN | UTIN | UTRINF | VF |
| <i>Uvularia</i> | <i>sessilifolia</i> | bellwort, little | UVLSE | UVSE | UVUSES | VF |
| <i>Vaccaria</i> | <i>pyramidata</i> | cowcockle | VAAPY | VAPY | VACPYR | VF |
| <i>Vaccaria</i> | <i>segetalis</i> | cowcockle | VAAPY | VASE4 | VACPYR | VF |
| <i>Valeriana</i> | <i>officinalis</i> | valerian, common | VALOF | VAOF | VALOFF | VF |
| <i>Valerianella</i> | <i>locusta</i> | cornsalad, common | VLLLO | VALO | VALLOC | VF |
| <i>Vallisneria</i> | <i>americana</i> | eelgrass, American | VAIAM | VAAM3 | VALAME | VF |
| <i>Ventenata</i> | <i>dubia</i> | ventenata | VEDTU | VEDU | VENDUB | VG |
| <i>Veratrum</i> | <i>viride</i> | hellebore, false green | VEAVI | VEVI | VERVIR | VF |
| <i>Veratrum</i> | <i>californicum</i> | hellebore, false California | VEACA | VECA2 | VERCAL | VF |
| <i>Verbascum</i> | <i>thapsus</i> | mullein, common | VESTH | VETH | VERTHA | VF |
| <i>Verbascum</i> | <i>blattaria</i> | mullein, moth | VESBL | VEBL | VERBLA | VF |
| <i>Verbascum</i> | <i>virgatum</i> | mullein, purplestamen | VESVI | VEVI2 | VERVIA | VF |
| <i>Verbascum</i> | <i>virgatum</i> | mullein, wand | VESVI | VEVI2 | VERVIA | VF |
| <i>Verbena</i> | <i>hastata</i> | vervain, blue | VEBHA | VEHA2 | VERHAS | VF |
| <i>Verbena</i> | <i>stricta</i> | vervain, hoary | VEBST | VEST | VERSTR | VF |
| <i>Verbena</i> | <i>bracteata</i> | vervain, prostrate | VEBBR | VEBR | VERBRA | VF |
| <i>Verbena</i> | <i>urticifolia</i> | vervain, white | VEBUR | VEUR | VERURT | VF |
| <i>Verbesina</i> | <i>encelioides</i> | crownbeard | VEEEN | VEEN | VERENC | VF |
| <i>Veronica</i> | <i>officinalis</i> | speedwell, common | VEROF | VEOF2 | VEROFF | VF |
| <i>Veronica</i> | <i>arvensis</i> | speedwell, corn | VERAR | VEAR | VERARV | VF |
| <i>Veronica</i> | <i>chamaedrys</i> | speedwell, germander | VERCH | VECH | VERCHA | VF |
| <i>Veronica</i> | <i>longifolia</i> | speedwell, longleaf | VERLO | VELO2 | VERLON | VF |
| <i>Veronica</i> | <i>persica</i> | speedwell, Persian | VERPE | VEPE3 | VERPES | VF |
| <i>Veronica</i> | <i>peregrina</i> | speedwell, purslane | VERPG | VEPE2 | VERPER | VF |
| <i>Veronica</i> | <i>peregrina</i> | speedwell, purslane | VERPX | VEPEX | VERPER | VF |
| <i>Veronica</i> | <i>filiformis</i> | speedwell, slender | VERFI | VEFI | VERFIL | VF |
| <i>Veronica</i> | <i>filiformis</i> | speedwell, thread stalk | VERFI | VEFI | VERFIL | VF |
| <i>Veronica</i> | <i>serpyllifolia</i> | speedwell, thymeleaf | VERSE | VESE | VERSER | VF |
| <i>Veronica</i> | <i>anagallis-aquatica</i> | speedwell, water | VERAA | VEAN2 | VERANA | VF |
| <i>Viburnum</i> | <i>lentago</i> | nannyberry | VIBLE | VILE | VIBLEN | VS |
| <i>Vicia</i> | <i>cracca</i> | vetch, bird | VICCR | VICR | VICCRA | VF |
| <i>Vicia</i> | <i>sativa</i> | vetch, common | VICSA | VISA | VICSAT | VF |
| <i>Vicia</i> | <i>villosa</i> | vetch, hairy | VICVI | VIVI | VICVIL | VF |
| <i>Vicia</i> | <i>tetrasperma</i> | vetch, sparrow | VICTE | VITE | VICTET | VF |
| <i>Vicia</i> | <i>hirsuta</i> | vetch, tiny | VICHI | VIHI | VICHIR | VF |
| <i>Vinca</i> | <i>major</i> | periwinkle, big | VINMA | VIMA | VINMAJ | VF |
| <i>Vinca</i> | <i>major</i> | periwinkle, greater | VINMA | VIMA | VINMAJ | VF |
| <i>Viola</i> | <i>rafinesquii</i> | pansy, field | VIORA | VIRA5 | VIORAF | VF |
| <i>Viola</i> | <i>papilionacea</i> | violet, common blue | VIOPP | VIPA5 | VIOprt | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Scientific Name | | Common Name | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---|-----------------------|----------------------|---|----------------------------------|---|-----------------|
| Genus | Species/ Authority | | | | | |
| <i>Viola</i> | <i>arvensis</i> | violet, field | VIOAR | VIAR | VIOARV | VF |
| <i>Viola</i> | <i>lanceolata</i> | violet, lanceleaf | VIOLA | VILA4 | VIOLAN | VF |
| <i>Viola</i> | <i>odorata</i> | violet, sweet | VIOD | VIOD | VIODOO | VF |
| <i>Vitis</i> | <i>vulpina</i> | grape, frost | VITVU | VIVU | VITVUL | VS |
| <i>Vulpia</i> | <i>myuros</i> | fescue, rattail | VLPMY | VUMY | FESMEG | VG |
| <i>Vulpia</i> | <i>octoflora</i> | fescue, sixweeks | FESOC | VUOC | FESOC | VG |
| <i>Vulpia</i> | <i>microstachys</i> | fescue, small | VLPMI | VUMI | FESMIC | VG |
| <i>Vulpia</i> | <i>bromoides</i> | fescue, squirreltail | VLPBR | VUBR | FESBRO | VG |
| <i>Wolffia</i> | <i>columbiana</i> | watermeal, common | WOLCO | WOCO | WOLCOL | VF |
| <i>Wolffia</i> | <i>punctata</i> | watermeal, spotted | WOLPU | WOPU2 | WOLPUN | VF |
| <i>Xanthium</i> | <i>strumarium</i> | cocklebur, common | XANST | XAST | XANSTR | VF |
| <i>Xanthium</i> | <i>spinsum</i> | cocklebur, spiny | XANSP | XASP2 | XANSPI | VF |
| <i>Yucca</i> | <i>glauca</i> | yucca, Great Plains | UCCGC | YUGL | YUCGLA | VS |
| <i>Zannichellia</i> | <i>palustris</i> | pondweed, horned | ZAIPA | ZAPA | ZANPAL | VF |
| <i>Zigadenus</i> | <i>paniculatus</i> | deathcamas, foothill | ZIGPA | ZIPA2 | ZIGPAN | VF |
| <i>Zigadenus</i> | <i>gramineus</i> | deathcamas, grassy | ZIGGR | ZIGR2 | ZIGVEN | VF |
| <i>Zigadenus</i> | <i>venenosus</i> | deathcamas, meadow | ZIGVE | ZIVE | ZIGVEN | VF |
| <i>Zizania</i> | <i>aquatica</i> | wildrice, annual | ZIZAQ | ZIAQ | ZIZAQU | VG |
| <i>Zosterella</i> | <i>dubia</i> | waterstargrass | HETDU | ZODU | ZOSDUB | VF |
| <i>Zygophyllum</i> | <i>fabago</i> | beancaper, Syrian | ZYGFA | ZYFA | ZYGFAB | VF |
| | | | Only weeds, approximately 3,000 species | All plants, 21,000 species | All plants, approximately 6,000 species | |
| <p>V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree</p> | | | | | | |

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-----------------------|--------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| adonis, annual | <i>Adonis</i> | <i>annua</i> | ADOAN | ADAN | ADOANN | VF |
| adonis, pheasanteye | <i>Adonis</i> | <i>annua</i> | ADOAN | ADAN | ADOANN | VF |
| agrimony, roadside | <i>Agrimonia</i> | <i>striata</i> | AGIST | AGST | AGRSTR | VF |
| alder, red | <i>Alnus</i> | <i>rubra</i> | ALURB | ALRU2 | ALNRUB | VT |
| alder, speckled | <i>Alnus</i> | <i>rugosa</i> | ALURG | ALRU3 | ALNINC | VS |
| alfalfa | <i>Medicago</i> | <i>sativa</i> | MEDSA | MESA | MEDSAT | VF |
| alyssum, dwarf | <i>Alyssum</i> | <i>desertorum</i> | AYSDE | ALDE | ALYDES | VF |
| alyssum, hoary | <i>Berteroa</i> | <i>incana</i> | BEFIN | BEIN2 | BERINC | VF |
| alyssum, sweet | <i>Lobularia</i> | <i>maritima</i> | LOUMA | LOMA | LOBMAR | VF |
| alyssum, yellow | <i>Alyssum</i> | <i>alyssoides</i> | AYSAL | ALAL3 | ALYALY | VF |
| amaranth, Palmer | <i>Amaranthus</i> | <i>palmeri</i> | AMAPA | AMPA | AMAPAL | VF |
| amaranth, Powell | <i>Amaranthus</i> | <i>powellii</i> | AMAPO | AMPO2 | AMAPOW | VF |
| amaranth, sandhills | <i>Amaranthus</i> | <i>arenicola</i> | AMAAR | AMAR | AMAARE | VF |
| ammannia, purple | <i>Ammannia</i> | <i>coccinea</i> | AMMCO | AMCO | AMMCOC | VF |
| anoda, spurred | <i>Anoda</i> | <i>cristata</i> | ANVCR | SICR2 | ANOCRI | VF |
| arrowhead | <i>Sagittaria</i> | <i>sagittifolia</i> | SAGSA | SASA7 | SAGSAT | VF |
| arrowhead, common | <i>Sagittaria</i> | <i>latifolia</i> | SAGLT | SALA2 | SAGLAT | VF |
| arrowhead, slender | <i>Sagittaria</i> | <i>graminea</i> | SAGGR | SAGR | SAGGRA | VF |
| arrowhead, wedgeleaf | <i>Sagittaria</i> | <i>cuneata</i> | SAGCU | SACU | SAGCUN | VF |
| artichoke, Jerusalem | <i>Helianthus</i> | <i>tuberosus</i> | HELTU | HETU | HELTUB | VF |
| aspen, quaking | <i>Populus</i> | <i>tremuloides</i> | POPTM | POTR5 | POPTRE | VT |
| aster, calico | <i>Aster</i> | <i>lateriflorus</i> | ASTLF | ASLA6 | ASTLAT | VF |
| aster, heath | <i>Aster</i> | <i>ericoides</i> | ASTER | ASER3 | ASTERI | VF |
| aster, New England | <i>Aster</i> | <i>novae-angliae</i> | ASTNA | ASNO | ASTNOV | VF |
| aster, white heath | <i>Aster</i> | <i>pilosus</i> | ASTPI | ASPI2 | ASTPIL | VF |
| babysbreath | <i>Gypsophila</i> | <i>paniculata</i> | GYPPA | GYPA | GYPPAN | VF |
| baccharis | <i>Baccharis</i> | <i>pilularis</i> | BACPI | BAPI | BACPIL | VF |
| balm, lemon | <i>Melissa</i> | <i>officinalis</i> | MLSOB | MEOF2 | MELOFI | VF |
| baneberry | <i>Actaea</i> | <i>spicata</i> | AATSR | ACSPR3 | ACTRUB | VF |
| baneberry, red | <i>Actaea</i> | <i>rubra</i> | AATSR | ACRU2 | ACTRUB | VF |
| barberry, European | <i>Berberis</i> | <i>vulgaris</i> | BEBVU | BEVU | BERVUL | VS |
| barberry, Japanese | <i>Berberis</i> | <i>thunbergii</i> | BEBTH | BETH | BERTHU | VS |
| barley | <i>Hordeum</i> | <i>vulgare</i> | HORVX | HOVU | HORVUL | VG |
| barley, foxtail | <i>Hordeum</i> | <i>jubatum</i> | HORJU | HOJU | HORJUB | VG |
| barley, hare | <i>Hordeum</i> | <i>leporinum</i> | HORLE | HOLE | HORLEP | VG |
| barley, hare | <i>Hordeum</i> | <i>murinum</i> | HORLE | HOMU | HORMUR | VG |
| barley, little | <i>Hordeum</i> | <i>pusillum</i> | HORPU | HOPU | HORPUS | VG |
| barley, meadow | <i>Hordeum</i> | <i>brachyantherum</i> | HORBR | HOB2 | HORBRA | VG |
| barley, Mediterranean | <i>Hordeum</i> | <i>geniculatum</i> | HORMG | HOG2 | HORGEN | VG |
| barley, Mediterranean | <i>Hordeum</i> | <i>hystris</i> | HORMG | HOHY | HORGEN | VG |
| barley, mouse | <i>Hordeum</i> | <i>stebbinsii</i> | HORST | HOST | HORMUR | VG |
| basil, wild | <i>Satureja</i> | <i>vulgaris</i> | STIVU | SAVU | SATVUL | VF |
| bassia, fivehook | <i>Bassia</i> | <i>hyssopifolia</i> | BAFHY | BAHY | BASHYS | VF |
| beak, wrinkle duck | <i>Ischaemum</i> | <i>rugosum</i> | ISCRU | ISRU | ISCRUG | VG |
| beancaper, Syrian | <i>Zygophyllum</i> | <i>fabago</i> | ZYGFA | ZYFA | ZYGFAB | VF |
| bedstraw, catchweed | <i>Galium</i> | <i>aparine</i> | GALAP | GAAP2 | GALAPA | VF |
| bedstraw, northern | <i>Galium</i> | <i>boreale</i> | GALBO | GABO2 | GALBOR | VF |
| bedstraw, smooth | <i>Galium</i> | <i>mollugo</i> | GALMO | GAMO | GALMOL | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------------|----------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| bedstraw, yellow | <i>Galium</i> | <i>verum</i> | GALVE | GAVE | GALVER | VF |
| beeplant, Rocky Mountain | <i>Cleome</i> | <i>serrulata</i> | CLESE | CLSE | CLESER | VF |
| beggarticks, bur | <i>Bidens</i> | <i>comosa</i> | BIDTR | BICO3 | BIDTRI | VF |
| beggarticks, bur | <i>Bidens</i> | <i>tripartita</i> | BIDTR | BITR | BIDTRI | VF |
| beggarticks, connate | <i>Bidens</i> | <i>connata</i> | BIDCN | BICO5 | BIDTRI | VF |
| beggarticks, devils | <i>Bidens</i> | <i>frondosa</i> | BIDFR | BIFR | BIDFRO | VF |
| beggarticks, hairy | <i>Bidens</i> | <i>pilosa</i> | BIDPI | BIPI | BIDPIL | VF |
| beggarticks, nodding | <i>Bidens</i> | <i>cernua</i> | BIDCE | BICE | BIDCER | VF |
| beggarticks, tall | <i>Bidens</i> | <i>vulgata</i> | BIDVU | BIVU | BIDVUL | VF |
| bellflower, clustered | <i>Campanula</i> | <i>glomerata</i> | CMPGL | CAGL2 | CAMGLO | VF |
| bellflower, creeping | <i>Campanula</i> | <i>rapunculoides</i> | CMPRA | CARA | CAMRAP | VF |
| bellwort, little | <i>Uvularia</i> | <i>sessilifolia</i> | UVLSE | UVSE | UVUSES | VF |
| bentgrass, autumn | <i>Agrostis</i> | <i>perennans</i> | AGSPE | AGPE | AGRPER | VG |
| bentgrass, colonial | <i>Agrostis</i> | <i>tenuis</i> | AGSTE | AGTE | AGRTE | VG |
| bentgrass, creeping | <i>Agrostis</i> | <i>palustris</i> | AGSPL | AGPA17 | AGRSTO | VG |
| bentgrass, creeping | <i>Agrostis</i> | <i>stolonifera</i> | AGSST | AGST2 | AGRSTO | VG |
| bentgrass, winter | <i>Agrostis</i> | <i>hyemalis</i> | AGSHI | AGHY | AGRHYE | VG |
| bergamot, wild | <i>Monarda</i> | <i>fistulosa</i> | MOAFI | MOFI | MONFIS | VF |
| bermudagrass | <i>Cynodon</i> | <i>dactylon</i> | CYNDA | CYDA | CYNDAC | VG |
| bigroot | <i>Echinocystis</i> | <i>oregana</i> | ECNOR | ECOR3 | MARORE | VF |
| bigroot | <i>Marah</i> | <i>oreganus</i> | ECNOR | MAOR3 | MARORE | VF |
| bindweed, field | <i>Convolvulus</i> | <i>arvensis</i> | CONAR | COAR4 | CONARV | VF |
| bindweed, hedge | <i>Calystegia</i> | <i>sepium</i> | CAGSE | CASE13 | CALSEP | VF |
| bindweed, hedge | <i>Convolvulus</i> | <i>sepium</i> | CAGSE | COSE14 | CALSEP | VF |
| bindweed, Japanese | <i>Calystegia</i> | <i>pubescens</i> | CAGHE | CAPU17 | CONJAP | VF |
| bindweed, Japanese | <i>Convolvulus</i> | <i>japonicus</i> | CAGHE | COJA2 | CONJAP | VF |
| biscuitroot | <i>Lomatium</i> | <i>bicolor</i> | LOMLE | LOBI | LOMBIC | VF |
| biscuitroot | <i>Lomatium</i> | <i>leptocarpum</i> | LOMLE | LOLE2 | LOMLEP | VF |
| bittercress, Pennsylvania | <i>Cardamine</i> | <i>pennsylvanica</i> | CARPE | CAPE3 | CARPES | VF |
| bitterweed | <i>Picris</i> | <i>hieracioides</i> | PICHI | PIHI | PICHIE | VF |
| blackberry, cutleaf | <i>Rubus</i> | <i>laciniatus</i> | RUBLA | RULA | RUBLAC | VS |
| blackberry, Himalaya | <i>Rubus</i> | <i>discolor</i> | RUBDI | RUDI2 | RUBDIS | VS |
| blackberry, robust | <i>Rubus</i> | <i>moluccanus</i> | RUBMO | RUMO4 | RUBMOL | VS |
| blackeyed-susan | <i>Rudbeckia</i> | <i>hirta</i> | RUDHP | RUHIP | RUDHIR | VF |
| blackeyed-susan | <i>Rudbeckia</i> | <i>serotina</i> | RUDHP | RUSE5 | RUDHIR | VF |
| bladderwort, common | <i>Utricularia</i> | <i>vulgaris</i> | UTRVU | UTVU | UTRVUL | VF |
| bladderwort, floating | <i>Utricularia</i> | <i>inflata</i> | UTRIN | UTIN | UTRINF | VF |
| bluebells, northern | <i>Mertensia</i> | <i>paniculata</i> | MTSPA | MEPA | MERPAN | VF |
| bluebuttons | <i>Knautia</i> | <i>arvensis</i> | KNAAR | KNAR | KNAARV | VF |
| bluegrass, annual | <i>Poa</i> | <i>annua</i> | POAAN | POAN | POAANN | VG |
| bluegrass, bulbous | <i>Poa</i> | <i>bulbosa</i> | POABU | POBU | POABUL | VG |
| bluegrass, Canada | <i>Poa</i> | <i>compressa</i> | POACO | POCO | POACOM | VG |
| bluegrass, Kentucky | <i>Poa</i> | <i>pratensis</i> | POAPR | POPR | POAPRA | VG |
| bluegrass, roughstalk | <i>Poa</i> | <i>trivialis</i> | POATR | POTR2 | POATRI | VG |
| bluegrass, wood | <i>Poa</i> | <i>nemoralis</i> | POANE | PONE | POAGLU | VG |
| bluestem, little | <i>Andropogon</i> | <i>scoparius</i> | ANOSC | ANOSC | ANDSCO | VG |
| bluestem, little | <i>Schizachyrium</i> | <i>scoparium</i> | ANOSC | SCSC | ANDSCO | VG |
| blueweed | <i>Echium</i> | <i>vulgare</i> | EHIVU | ECVU | ECHVUL | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------|-------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| blueweed, Texas | <i>Helianthus</i> | <i>ciliaris</i> | HELCI | HECI | HELCIL | VF |
| boneset | <i>Eupatorium</i> | <i>perfoliatum</i> | EUPPE | EUPE3 | EUPPER | VF |
| boneset, false | <i>Brickellia</i> | <i>eupatorioides</i> | KUHEU | BREU | KUHEUP | VF |
| boneset, false | <i>Kuhnia</i> | <i>eupatorioides</i> | KUHEU | KUEU | KUHEUP | VF |
| borreria, winged | <i>Borreria</i> | <i>alata</i> | BOILF | BOAL4 | BORALA | VF |
| bouncingbet | <i>Saponaria</i> | <i>officinalis</i> | SAOFW | SAOF4 | SAPOFF | VF |
| brackenfern | <i>Pteridium</i> | <i>aquilinum</i> | PTEAQ | PTAQ | PTEAQU | VE |
| brackenfern, eastern | <i>Pteridium</i> | <i>aquilinum</i> | PTEAL | PTAQL | PTEAQU | VE |
| brome, California | <i>Bromus</i> | <i>carinatus</i> | BROCN | BRCA5 | BROCAR | VG |
| brome, downy | <i>Bromus</i> | <i>tectorum</i> | BROTE | BRTE | BROTEC | VG |
| brome, field | <i>Bromus</i> | <i>arvensis</i> | BROAV | BRAR5 | BROARV | VG |
| brome, foxtail | <i>Bromus</i> | <i>rubens</i> | BRORU | BRRU2 | BRORUB | VG |
| brome, Japanese | <i>Bromus</i> | <i>japonicus</i> | BROJA | BRJA | BROJAP | VG |
| brome, meadow | <i>Bromus</i> | <i>erectus</i> | BROER | BRER3 | BROERE | VG |
| brome, mountain | <i>Bromus</i> | <i>marginatus</i> | BROMG | BRMA4 | BROCAR | VG |
| brome, poverty | <i>Bromus</i> | <i>sterilis</i> | BROST | BRST2 | BROSTE | VG |
| brome, rattlesnake | <i>Bromus</i> | <i>brizaeformis</i> | BROBR | BRBR7 | BROBRI | VG |
| brome, ripgut | <i>Bromus</i> | <i>rigidus</i> | BRODI | BRI8 | BRORIG | VG |
| brome, smooth | <i>Bromus</i> | <i>inermis</i> | BROIN | BRIN2 | BROINE | VG |
| brome, soft | <i>Bromus</i> | <i>hordeaceus</i> | BROMO | BRHO2 | BROMOL | VG |
| brome, soft | <i>Bromus</i> | <i>mollis</i> | BROMO | BRMO2 | BROMOL | VG |
| broom, French | <i>Cytisus</i> | <i>monspessulanus</i> | TLNMO | CYMO5 | CYTMON | VS |
| broom, scotch | <i>Cytisus</i> | <i>scoparius</i> | SAOSC | CYSC4 | CYTSCO | VS |
| broom, Spanish | <i>Spartium</i> | <i>junceum</i> | SPUJU | SPJU2 | SPAJUN | VF |
| broomrape, small | <i>Orobancha</i> | <i>minor</i> | ORAMI | ORMI | OROMIN | VF |
| bryony, white | <i>Bryonia</i> | <i>alba</i> | BYOAL | BRAL4 | BRYALB | VF |
| buckthorn, European | <i>Rhamnus</i> | <i>cathartica</i> | RHACT | RHCA3 | RHACAT | VS |
| buckwheat, wild | <i>Polygonum</i> | <i>convolvulus</i> | POLCO | POCO10 | POLCON | VF |
| buffaloberry, russet | <i>Shepherdia</i> | <i>canadensis</i> | SHPCA | SHCA | SHECAN | VS |
| buffalobur | <i>Solanum</i> | <i>rostratum</i> | SOLCU | SORO | SOLROS | VF |
| buffalograss | <i>Buchloe</i> | <i>dactyloides</i> | BUCDA | BUDA | BUCDAC | VG |
| buffalograss, false | <i>Munroa</i> | <i>squarrosa</i> | MUOSQ | | MUNSQU | VG |
| bugle, carpet | <i>Ajuga</i> | <i>reptans</i> | AIURE | AJRE | AJUREP | VF |
| bugleweed, American | <i>Lycopus</i> | <i>americanus</i> | LYAAM | LYAM | LYCAME | VF |
| bugleweed, rough | <i>Lycopus</i> | <i>asper</i> | LYAAS | LYAS | LYCASP | VF |
| bugleweed, slender | <i>Lycopus</i> | <i>uniflorus</i> | LYAUN | LYUN | LYCUNI | VF |
| bugloss, common | <i>Anchusa</i> | <i>officinalis</i> | ANCOF | | ANCOFF | VF |
| bugloss, Italian | <i>Anchusa</i> | <i>azurea</i> | ANCIT | | ANCAZU | VF |
| bugloss, Italian | <i>Anchusa</i> | <i>italica</i> | ANCIT | | ANCAZU | VF |
| bugloss, small | <i>Anchusa</i> | <i>arvensis</i> | LYCAR | LYAR | ANCARV | VF |
| bugloss, small | <i>Lycopsis</i> | <i>arvensis</i> | LYCAR | LYAR | ANCARV | VF |
| bulrush, black | <i>Scirpus</i> | <i>atrovirens</i> | SCPAT | SCAT2 | SCIATR | VG |
| bulrush, hardstem | <i>Scirpus</i> | <i>acutus</i> | SCPAC | SCAC | SCIACU | VG |
| bulrush, lined | <i>Scirpus</i> | <i>pendulus</i> | SCPPE | SCPE4 | SCIPEN | VG |
| bulrush, river | <i>Scirpus</i> | <i>fluviatilis</i> | SCPFV | SCFL | SCIFLU | VG |
| bulrush, softstem | <i>Scirpus</i> | <i>validus</i> | SCPVA | SCVA | SCIVAL | VG |
| bulrush, woolgrass | <i>Scirpus</i> | <i>cyperinus</i> | SCPCY | SCCY | SCICYP | VG |
| bunchberry | <i>Cornus</i> | <i>canadensis</i> | CRWCA | COCA13 | CORCAN | VS |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------------|--------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| bundleflower, Illinois | <i>Desmanthus</i> | <i>illinoensis</i> | DEMIL | DEIL | DESILL | VF |
| burclover, California | <i>Medicago</i> | <i>hispida</i> | MEDPO | MEHI | MEDHIS | VF |
| burclover, California | <i>Medicago</i> | <i>polymorpha</i> | MEDPO | MEPO3 | MEDHIS | VF |
| burcucumber | <i>Sicyos</i> | <i>angulatus</i> | SIYAN | SIAN | SICANG | VF |
| burdock, common | <i>Arctium</i> | <i>minus</i> | ARFMI | ARM12 | ARCMIN | VF |
| burdock, great | <i>Arctium</i> | <i>lappa</i> | ARFLA | ARLA3 | ARCLAP | VF |
| burdock, woolly | <i>Arctium</i> | <i>tomentosum</i> | ARFTO | ARTO | ARCTOM | VF |
| burnet, great | <i>Sanguisorba</i> | <i>officinalis</i> | SANOF | SAOF3 | SANOFF | VF |
| burnet, salad | <i>Sanguisorba</i> | <i>minor</i> | SANMI | SAM13 | SANMIN | VF |
| burnweed, Australian | <i>Erechtites</i> | <i>minima</i> | EREPR | ERMI6 | EREMIN | VF |
| burreed, branched | <i>Sparganium</i> | <i>erectum</i> | SPGER | SPER | SPAERE | VF |
| burreed, giant | <i>Sparganium</i> | <i>eurycarpum</i> | SPGEU | SPEU | SPAEUR | VF |
| burreed, greenfruit | <i>Sparganium</i> | <i>chlorocarpum</i> | SPGCH | SPCH | SPACHL | VF |
| burreed, narrowleaf | <i>Sparganium</i> | <i>angustifolium</i> | SPGEM | SPAN2 | SPAANG | VF |
| burreed, simplestem | <i>Sparganium</i> | <i>emersum</i> | SPGEM | SPEM2 | SPAEME | VF |
| burreed, water | <i>Sparganium</i> | <i>fluctuans</i> | SPGFL | SPFL | SPAFLU | VF |
| bursage, annual | <i>Ambrosia</i> | <i>acanthicarpa</i> | FRSAC | AMAC2 | AMBACA | VF |
| bursage, annual | <i>Franseria</i> | <i>acanthicarpa</i> | FRSAC | FRAC2 | AMBACA | VF |
| bursage, perennial | <i>Franseria</i> | <i>discolor</i> | FRSTO | FRDI3 | AMBTOM | VF |
| bursage, skeletonleaf | <i>Ambrosia</i> | <i>tomentosa</i> | FRSTO | AMTO3 | AMBTOM | VF |
| burweed, lawn | <i>Soliva</i> | <i>pterosperma</i> | SOVPT | SOPT | SOLPTE | VF |
| buttercup, birdfoot | <i>Ranunculus</i> | <i>orthorhynchus</i> | RANOR | RAOR3 | RANORT | VF |
| buttercup, bur | <i>Ranunculus</i> | <i>testiculatus</i> | CCFTE | RATE | RANTES | VF |
| buttercup, California | <i>Ranunculus</i> | <i>californicus</i> | RANCF | RACA2 | RANCAL | VF |
| buttercup, corn | <i>Ranunculus</i> | <i>arvensis</i> | RANAR | RAAR3 | RANARV | VF |
| buttercup, creeping | <i>Ranunculus</i> | <i>repens</i> | RANRE | RARE3 | RANREP | VF |
| buttercup, crowfoot | <i>Ranunculus</i> | <i>sceleratus</i> | RANSC | RASC3 | RANSCE | VF |
| buttercup, field, western | <i>Ranunculus</i> | <i>occidentalis</i> | RANOC | RAOC | RANOCC | VF |
| buttercup, shore | <i>Ranunculus</i> | <i>cymbalaria</i> | RANCY | RACY | RANCYM | VF |
| buttercup, smallflower | <i>Ranunculus</i> | <i>abortivus</i> | RANAB | RAAB | RANABO | VF |
| buttercup, tall | <i>Ranunculus</i> | <i>acris</i> | RANAC | RAAC3 | RANACR | VF |
| buttons, coat | <i>Tridax</i> | <i>procumbens</i> | TRQPR | TRPR5 | TRIPRC | VF |
| camelthorn | <i>Alhagi</i> | <i>camelorum</i> | ALHPS | ALCA | ALHCAM | VS |
| camelthorn | <i>Alhagi</i> | <i>pseudalhagi</i> | ALHPS | ALPS3 | ALHPSE | VF |
| camphorweed | <i>Heterotheca</i> | <i>subaxillaris</i> | HTTSU | HESU3 | HETSUB | VF |
| campion, bladder | <i>Silene</i> | <i>cucubalus</i> | SILVU | SICU6 | SILVUL | VF |
| campion, bladder | <i>Silene</i> | <i>vulgaris</i> | SILVU | SIVU | SILVUL | VF |
| campion, meadow | <i>Lychnis</i> | <i>flos-cuculi</i> | LYHFC | LYFL3 | LYCFLO | VF |
| campion, red | <i>Lychnis</i> | <i>dioica</i> | MELRU | LYDI5 | LYCDIO | VF |
| campion, red | <i>Silene</i> | <i>dioica</i> | MELRU | SIDI4 | SILDIO | VF |
| campion, rose | <i>Lychnis</i> | <i>coronaria</i> | LYHCO | LYCO | LYCCOR | VF |
| campion, white | <i>Lychnis</i> | <i>alba</i> | MELAL | LYAL | LYCALB | VF |
| canarygrass | <i>Phalaris</i> | <i>canariensis</i> | PHACA | PHCA5 | PHACAN | VG |
| canarygrass, reed | <i>Phalaris</i> | <i>arundinacea</i> | TYPAR | PHAR3 | PHAARU | VG |
| caraway, common | <i>Carum</i> | <i>carvi</i> | CRYCA | CACA19 | CARCAR | VF |
| carpetweed | <i>Mollugo</i> | <i>verticillata</i> | MOLVE | MOVE | MOLVER | VF |
| carrot, southwestern | <i>Daucus</i> | <i>pusillus</i> | DAUPU | DAPU3 | DAUPUS | VF |
| carrot, wild | <i>Daucus</i> | <i>carota</i> | DAUCA | DACA6 | DAUCAR | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------------|----------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| castorbean | <i>Ricinus</i> | <i>communis</i> | RIICO | RICO3 | RICCOM | VT |
| catchfly, cone | <i>Silene</i> | <i>conoidea</i> | SILCD | SICO4 | SILCON | VF |
| catchfly, garden | <i>Silene</i> | <i>armeria</i> | SILAR | SIAR | SILARM | VF |
| catchfly, hairy | <i>Silene</i> | <i>dichotoma</i> | SILDI | SIDI2 | SILDIC | VF |
| catchfly, nightflowering | <i>Silene</i> | <i>noctiflora</i> | MELNO | SINO | SILNOC | VF |
| catchfly, sleepy | <i>Silene</i> | <i>antirrhina</i> | SILAN | SIAN2 | SILANT | VF |
| catchweed | <i>Asperugo</i> | <i>procumbens</i> | ASGPR | ASPR | ASPPRO | VF |
| catnip | <i>Nepeta</i> | <i>cataria</i> | NEPCA | NECA2 | NEPCAT | VF |
| cattail, common | <i>Typha</i> | <i>latifolia</i> | TYHLA | TYLA | TYPLAT | VF |
| cattail, narrowleaf | <i>Typha</i> | <i>angustifolia</i> | TYHAN | TYAN | TYPANG | VF |
| celandine, greater | <i>Chelidonium</i> | <i>majus</i> | CHQMA | CHMA2 | CHEMAJ | VF |
| chamomile, corn | <i>Anthemis</i> | <i>arvensis</i> | ANTAR | | ANTARV | VF |
| chamomile, mayweed | <i>Anthemis</i> | <i>cotula</i> | ANTCO | MACO22 | ANTCOT | VF |
| chamomile, scentless | <i>Matricaria</i> | <i>inodora</i> | MATIN | MAIN12 | MATMAR | VF |
| chamomile, scentless | <i>Matricaria</i> | <i>perforata</i> | MATIN | MAPE2 | MATMAR | VF |
| chamomile, scentless | <i>Matricaria</i> | <i>maritima</i> | MATMA | MAMA10 | MATMAR | VF |
| chamomile, wild | <i>Matricaria</i> | <i>chamomilla</i> | MATCH | MACH2 | MATCHA | VF |
| chamomile, yellow | <i>Anthemis</i> | <i>tinctoria</i> | ANTTI | COTI4 | ANTTIN | VF |
| cheat | <i>Bromus</i> | <i>secalinus</i> | BROSE | BRSE | BROSEC | VG |
| cherry, Mahaleb | <i>Prunus</i> | <i>mahaleb</i> | PRNMH | PRMA | PRUMAH | VT |
| cherry, pin | <i>Prunus</i> | <i>pensylvanica</i> | PRNPE | PRPE2 | PRUPEN | VS |
| cherry, sour | <i>Prunus</i> | <i>cerasus</i> | PRNCE | PRCE | PRUCER | VT |
| cherry, sweet | <i>Prunus</i> | <i>avium</i> | PRNAV | PRAV | PRUAVI | VS |
| chervil | <i>Anthriscus</i> | <i>cerefolium</i> | ANRCE | CECE3 | ANTCER | VF |
| chess, hairy | <i>Bromus</i> | <i>commutatus</i> | BROCO | BRCO4 | BROCOM | VG |
| chickweed, common | <i>Stellaria</i> | <i>media</i> | STEME | STME2 | STEMED | VF |
| chickweed, field | <i>Cerastium</i> | <i>arvense</i> | CERAR | CEAR4 | CERARV | VF |
| chickweed, mouseear | <i>Cerastium</i> | <i>vulgatum</i> | CERVU | CEVU | CERVUL | VF |
| chickweed, nodding | <i>Cerastium</i> | <i>brachypodium</i> | CERNU | CEBR3 | CERNUT | VF |
| chickweed, nodding | <i>Cerastium</i> | <i>nutans</i> | CERNU | CENU2 | CERNUT | VF |
| chickweed, sticky | <i>Cerastium</i> | <i>glomeratum</i> | CERGL | CEGL2 | CERVIS | VF |
| chickweed, sticky | <i>Cerastium</i> | <i>viscosum</i> | CERGL | CEVI3 | CERVIS | VF |
| chicory | <i>Cichorium</i> | <i>intybus</i> | CICIN | CIIN | CICINT | VF |
| chokecherry, black | <i>Prunus</i> | <i>virginiana</i> | PRNVM | PRVIM | PRUVIR | VS |
| chokecherry, common | <i>Prunus</i> | <i>virginiana</i> | PRNVG | PRVI | PRUVIR | VS |
| chrysanthemum, costmary | <i>Chrysanthemum</i> | <i>balsamita</i> | CHYBA | CHBA6 | CHRBAL | VF |
| cinquefoil, biennial | <i>Potentilla</i> | <i>biennis</i> | PTLBN | POBI7 | POTBIE | VF |
| cinquefoil, rough | <i>Potentilla</i> | <i>norvegica</i> | PTLNO | PONO3 | POTNOR | VF |
| cinquefoil, silverweed | <i>Potentilla</i> | <i>anserina</i> | PTLAN | POAN5 | POTANS | VF |
| cinquefoil, silvery | <i>Potentilla</i> | <i>argentea</i> | PTLAG | POAR8 | POTARE | VF |
| cinquefoil, sulfur | <i>Potentilla</i> | <i>recta</i> | PTLRC | PORE5 | POTREC | VF |
| cinquefoil, three toothed | <i>Potentilla</i> | <i>tridentata</i> | PTLTR | POTR7 | POTTRI | VS |
| cinquefoil, white | <i>Potentilla</i> | <i>arguta</i> | PTLAR | POAR7 | POTARG | VF |
| clammyweed, roughseed | <i>Polanisia</i> | <i>dodecandra</i> | PONGR | PODO3 | POLTRA | VF |
| clammyweed, roughseed | <i>Polanisia</i> | <i>graveolens</i> | PONGR | POGR17 | POLTRA | VF |
| clammyweed, western | <i>Polanisia</i> | <i>trachysperma</i> | PONTR | POTR13 | POLTRA | VF |
| clearweed | <i>Pilea</i> | <i>pumila</i> | PILPU | PIPU2 | PILPUM | VF |
| clover, crimson | <i>Trifolium</i> | <i>incarnatum</i> | TRFIN | TRIN3 | TRIINC | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-----------------------------|----------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| clover, hop | <i>Trifolium</i> | <i>agrarium</i> | TRFAU | TRAG | TRIAGR | VF |
| clover, hop | <i>Trifolium</i> | <i>aureum</i> | TRFAU | TRAU2 | TRIAGR | VF |
| clover, large hop | <i>Trifolium</i> | <i>campestre</i> | TRFCA | TRCA5 | TRIPRO | VF |
| clover, large hop | <i>Trifolium</i> | <i>procumbens</i> | TRFCA | TRPR7 | TRIPRO | VF |
| clover, rabbitfoot | <i>Trifolium</i> | <i>arvense</i> | TRFAR | TRAR4 | TRIARV | VF |
| clover, red | <i>Trifolium</i> | <i>pratense</i> | TRFPR | TRPR2 | TRIPRA | VF |
| clover, small hop | <i>Trifolium</i> | <i>dubium</i> | TRFDU | TRDU2 | TRIDUB | VF |
| clover, strawberry | <i>Trifolium</i> | <i>fragiferum</i> | TRFFR | TRFR2 | TRIFRA | VF |
| clover, white | <i>Trifolium</i> | <i>repens</i> | TRFRE | TRRE3 | TRIREP | VF |
| Cochle, White | <i>Silene</i> | <i>alba</i> | MELAL | SIAL12 | SILLAT | VF |
| cockle, corn | <i>Agrostemma</i> | <i>githago</i> | AGOGI | AGGI | AGRGIT | VF |
| cocklebur, common | <i>Xanthium</i> | <i>strumarium</i> | XANST | XAST | XANSTR | VF |
| cocklebur, spiny | <i>Xanthium</i> | <i>spinosa</i> | XANSP | XASP2 | XANSPI | VF |
| cohosh, black | <i>Cimicifuga</i> | <i>racemosa</i> | CIMRA | CIRA | CIMRAC | VF |
| coltsfoot | <i>Tussilago</i> | <i>farfara</i> | TUSFA | TUFA | TUSFAR | VF |
| comfrey, common | <i>Symphytum</i> | <i>officinale</i> | SYMOF | SYOF | SYMOFF | VF |
| compassplant | <i>Silphium</i> | <i>laciniatum</i> | SIPLA | SILA3 | SILLAC | VF |
| comphrey, prickly | <i>Symphytum</i> | <i>asperum</i> | SYMAS | SYAS | SYMASP | VF |
| coneflower, cutleaf | <i>Rudbeckia</i> | <i>laciniata</i> | RUDLA | RULA3 | RUDLAC | VF |
| coneflower, hairy | <i>Rudbeckia</i> | <i>hirta</i> | RUDHI | RUHI2 | RUDHIR | VF |
| coneflower, pinnate prairie | <i>Ratibida</i> | <i>pinnata</i> | RATPI | RAPI | RATPIN | VF |
| coneflower, upright prairie | <i>Ratibida</i> | <i>columnifera</i> | RATCO | RACO3 | RATCOL | VF |
| coontail | <i>Ceratophyllum</i> | <i>demersum</i> | CEYDE | CEDE4 | CERDEM | VF |
| copperleaf, dwarf | <i>Alternanthera</i> | <i>sessilis</i> | ALRSE | ALSE4 | ALTSES | VF |
| copperleaf, rhombic | <i>Acalypha</i> | <i>rhomboidea</i> | ACCRH | ACRH | ACARHO | VF |
| copperleaf, Virginia | <i>Acalypha</i> | <i>virginica</i> | ACCVI | ACVI | ACAVIR | VF |
| cordgrass, prairie | <i>Spartina</i> | <i>pectinata</i> | SPTPE | SPPE | SPAPEC | VG |
| cordgrass, saltmeadow | <i>Spartina</i> | <i>patens</i> | SPTPA | SPPA | SPAPAT | VG |
| cordgrass, smooth | <i>Spartina</i> | <i>alterniflora</i> | SPTAL | SPAL | SPAALT | VG |
| coreopsis, plains | <i>Coreopsis</i> | <i>tinctoria</i> | CRLTI | COTI3 | CORTIN | VF |
| coriander | <i>Coriandrum</i> | <i>sativum</i> | CORSA | COSA | CORSAT | VF |
| cornflower | <i>Centaurea</i> | <i>cyanus</i> | CENCY | CECY2 | CENCYA | VF |
| cornsalad, common | <i>Valerianella</i> | <i>locusta</i> | VLLLO | VALO | VALLOC | VF |
| corydalis, golden | <i>Corydalis</i> | <i>aurea</i> | COYAU | COAU2 | CORAUR | VF |
| corydalis, pale | <i>Corydalis</i> | <i>sempervirens</i> | COYSE | COSE5 | CORSEM | VF |
| cowcockle | <i>Vaccaria</i> | <i>pyramidata</i> | VAAPY | VAPY | VACPYR | VF |
| cowcockle | <i>Vaccaria</i> | <i>segetalis</i> | VAAPY | VASE4 | VACPYR | VF |
| cow-wheat | <i>Melampyrum</i> | <i>lineare</i> | MEALI | MELI2 | MELLIN | VF |
| crabgrass, ladder | <i>Digitaria</i> | <i>scalarum</i> | DIGSC | DISC5 | DIGSCA | VG |
| crabgrass, large | <i>Digitaria</i> | <i>sanguinalis</i> | DIGSA | DISA | DIGSAN | VG |
| crabgrass, smooth | <i>Digitaria</i> | <i>ischaemum</i> | DIGIS | DIIS | DIGISC | VG |
| crabgrass, velvety | <i>Digitaria</i> | <i>velutina</i> | DIGVE | DIVE2 | DIGVEL | VG |
| crazyweed, Lambert | <i>Oxytropis</i> | <i>lambertii</i> | OXRLA | OXLA3 | OXYLAM | VF |
| crazyweed, showy | <i>Oxytropis</i> | <i>splendens</i> | OXRSP | OXSP | OXYSP | VF |
| crazyweed, silky | <i>Oxytropis</i> | <i>sericea</i> | OXRMA | OXSE | OXYSER | VF |
| crazyweed, white point | <i>Oxytropis</i> | <i>sericea</i> | OXRMA | OXSE | OXYSER | VF |
| creosotebush | <i>Larrea</i> | <i>tridentata</i> | LARTR | LATR2 | LARTRI | VS |
| cress, garden | <i>Lepidium</i> | <i>sativum</i> | LEPSA | LESA2 | LEPSAT | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-------------------------|-----------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| cress, hoary | <i>Cardaria</i> | <i>draba</i> | CADDR | CADR | CARDRA | VF |
| cress, mouseear | <i>Arabidopsis</i> | <i>thaliana</i> | ARBTH | ARTH | ARATHA | VF |
| croton, Texas | <i>Croton</i> | <i>texensis</i> | CVNTE | CRTE4 | CROTEX | VF |
| croton, woolly | <i>Croton</i> | <i>capitatus</i> | CVNCP | CRCA6 | CROCAP | VF |
| crownbeard | <i>Verbesina</i> | <i>encelioides</i> | VEEEN | VEEN | VERENC | VF |
| crownvetch, trailing | <i>Coronilla</i> | <i>varia</i> | CZRVA | COVA2 | CORVAR | VF |
| crupina, common | <i>Crupina</i> | <i>vulgaris</i> | CJNVU | CRVU2 | CRUVUL | VF |
| cucumber, wild | <i>Echinocystis</i> | <i>lobata</i> | ECNLO | ECL0 | ECHLOB | VF |
| cudweed, clammy | <i>Gnaphalium</i> | <i>macounii</i> | GNAMA | GNMA | GNAVIS | VF |
| cudweed, clammy | <i>Gnaphalium</i> | <i>viscosum</i> | GNAMA | GNVI | GNAVIS | VF |
| cudweed, cottonbatting | <i>Gnaphalium</i> | <i>chilense</i> | GNACH | GNCH | GNACHI | VF |
| cudweed, low | <i>Gnaphalium</i> | <i>uliginosum</i> | GNAIL | GNUL | GNAILI | VF |
| cudweed, purple | <i>Gnaphalium</i> | <i>purpureum</i> | GNAPU | GNPU2 | GNAPUR | VF |
| cupgrass, southwestern | <i>Eriochloa</i> | <i>gracilis</i> | ERBGR | ERGR4 | ERIGRA | VG |
| currant, American black | <i>Ribes</i> | <i>americanum</i> | RIBAM | RIAM2 | RIBAME | VS |
| currant, golden | <i>Ribes</i> | <i>aureum</i> | RIBAU | RIAU | RIBAUT | VS |
| currant, Indian | <i>Symphoricarpos</i> | <i>orbiculatus</i> | SYPOR | SYOR | SYMORB | VS |
| currant, sticky | <i>Ribes</i> | <i>viscosissimum</i> | RIBVS | RIVI3 | RIBVIS | VS |
| currant, wax | <i>Ribes</i> | <i>cereum</i> | RIBCE | RICE | RIBCER | VS |
| cutgrass, rice | <i>Leersia</i> | <i>oryzoides</i> | LEROR | LEOR | LEEORY | VG |
| daisy, English | <i>Bellis</i> | <i>perennis</i> | BELPE | BEPE2 | BELPER | VF |
| daisy, oxeye | <i>Chrysanthemum</i> | <i>leucanthemum</i> | CHYLE | CHLE80 | CHRLEU | VF |
| daisy, tahoka | <i>Machaeranthera</i> | <i>tanacetifolia</i> | MCATA | MATA2 | MACTAN | VF |
| dallisgrass | <i>Paspalum</i> | <i>dilatatum</i> | PASDI | PADI3 | PASDIL | VG |
| damesrocket | <i>Hesperis</i> | <i>matronalis</i> | HEVMA | HEMA3 | HESMAT | VF |
| dandelion | <i>Taraxacum</i> | <i>officinale</i> | TAROF | TAOF | TAROFF | VF |
| daphne, February | <i>Daphne</i> | <i>mezereum</i> | DAPME | DAME3 | DAPMEZ | VS |
| darnel, Persian | <i>Lolium</i> | <i>persicum</i> | LOLPS | LOPE2 | LOLPES | VG |
| datura, sacred | <i>Datura</i> | <i>meteloides</i> | DATIN | DAME2 | DATINO | VF |
| dayflower, Asiatic | <i>Commelina</i> | <i>communis</i> | COMCO | COCO3 | COMCOM | VF |
| daylily, tawny | <i>Hemerocallis</i> | <i>fulva</i> | HEGFU | HEFU | HEMFUL | VF |
| deadnettle, purple | <i>Lamium</i> | <i>purpureum</i> | LAMPU | LAPU2 | LAMPUR | VF |
| deadnettle, spotted | <i>Lamium</i> | <i>maculatum</i> | LAMMA | LAMA | LAMMAC | VF |
| deathcamas, foothill | <i>Zigadenus</i> | <i>paniculatus</i> | ZIGPA | ZIPA2 | ZIGPAN | VF |
| deathcamas, grassy | <i>Zigadenus</i> | <i>gramineus</i> | ZIGGR | ZIGR2 | ZIGVEN | VF |
| deathcamas, meadow | <i>Zigadenus</i> | <i>venenosus</i> | ZIGVE | ZIVE | ZIGVEN | VF |
| devils-claw | <i>Proboscidea</i> | <i>louisianica</i> | PROLO | PRLO | PROLOU | VF |
| dill | <i>Anethum</i> | <i>graveolens</i> | AFEGR | | ANEGRA | VF |
| dock, broadleaf | <i>Rumex</i> | <i>obtusifolius</i> | RUMOB | RUOB | RUMOBT | VF |
| dock, curly | <i>Rumex</i> | <i>crispus</i> | RUMCR | RUCR | RUMCRI | VF |
| dock, longleaf | <i>Rumex</i> | <i>domesticus</i> | RUMLO | RUDO | RUMDOM | VF |
| dock, longleaf | <i>Rumex</i> | <i>longifolius</i> | RUMLO | RULO2 | RUMDOM | VF |
| dock, narrowleaf | <i>Rumex</i> | <i>stenophyllus</i> | RUMST | RUST4 | RUMSTE | VF |
| dock, pale | <i>Rumex</i> | <i>altissimus</i> | RUMAT | RUAL4 | RUMALT | VF |
| dock, southern | <i>Emex</i> | <i>australis</i> | EMEAU | EMAU | EMEAUS | VF |
| dock, spinach | <i>Rumex</i> | <i>patientia</i> | RUMPA | RUPA5 | RUMPAT | VF |
| dock, spined | <i>Emex</i> | <i>spinosa</i> | EMESP | EMSP | EMESPI | VS |
| dock, veiny | <i>Rumex</i> | <i>venosus</i> | RUMVE | RUVE2 | RUMVEN | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|--------------------------|----------------------|-------------------------|---------------------|-------------------------------|---------------------|-----------------|
| dock, western | <i>Rumex</i> | <i>occidentalis</i> | RUMOC | RUOC3 | RUMOCC | VF |
| dodder, clover | <i>Cuscuta</i> | <i>epithymum</i> | CVCEY | CUPE | CUSEPI | VF |
| dodder, field | <i>Cuscuta</i> | <i>campestris</i> | CVCCA | CUCA2 | CUSPEN | VF |
| dodder, largefruit | <i>Cuscuta</i> | <i>umbrosa</i> | CVCUB | CUUM2 | CUSGRO | VF |
| dodder, largeseed | <i>Cuscuta</i> | <i>indecora</i> | CVCIN | CUIN | CUSIND | VF |
| dodder, lespedeza | <i>Cuscuta</i> | <i>pentagona</i> | CVCPE | CUPE3 | CUSPEN | VF |
| dodder, polygonum | <i>Cuscuta</i> | <i>polygonorum</i> | CVCPO | CUPO | CUSPOL | VF |
| dodder, smallseed | <i>Cuscuta</i> | <i>planiflora</i> | CVCPL | CUPL2 | CUSPLA | VF |
| dodder, swamp | <i>Cuscuta</i> | <i>gronovii</i> | CVCGR | CUGR | CUSGRO | VF |
| dogbane, hemp | <i>Apocynum</i> | <i>cannabinum</i> | APCCA | APCA | APOCAN | VF |
| dogbane, prairie | <i>Apocynum</i> | <i>sibiricum</i> | APCVE | APSI | APOSIB | VF |
| dogbane, spreading | <i>Apocynum</i> | <i>androsaemifolium</i> | APCAN | APAN2 | APOAND | VF |
| dogtailgrass, crested | <i>Cynosurus</i> | <i>cristatus</i> | CYXCR | CYCR | CYNCRI | VG |
| dogtailgrass, hedgehog | <i>Cynosurus</i> | <i>echinatus</i> | CYXEC | CYEC | CYNECH | VG |
| dragonhead, American | <i>Dracocephalum</i> | <i>parviflorum</i> | DRAPA | DRPA2 | DRAPAR | VF |
| dropseed, annual | <i>Sporobolus</i> | <i>neglectus</i> | SPZNE | SPNE2 | SPONEG | VG |
| dropseed, poverty | <i>Sporobolus</i> | <i>vaginiflorus</i> | SPZVA | SPVA | SPOVAG | VG |
| dropseed, sand | <i>Sporobolus</i> | <i>cryptandrus</i> | SPZCR | SPCR | SPOCRY | VG |
| dropwort | <i>Filipendula</i> | <i>hexapetala</i> | FIIVU | FIHE2 | FILVUL | VF |
| dropwort | <i>Filipendula</i> | <i>vulgaris</i> | FIIVU | FIVU | FILVUL | VF |
| drymaria, sandy | <i>Drymaria</i> | <i>arenarioides</i> | DRYAR | DRAR7 | DRYARE | VF |
| duckmeal | <i>Lemna</i> | <i>perpusilla</i> | LEMPA | LEPE | LEMPER | VF |
| duckweed, common | <i>Lemna</i> | <i>minor</i> | LEMMI | LEMI3 | LEMMIN | VF |
| duckweed, giant | <i>Spirodela</i> | <i>polyrhiza</i> | SPIPO | SPPO8 | SPIPOL | VF |
| duckweed, star | <i>Lemna</i> | <i>trisulca</i> | LEMTR | LETR | LEMTRI | VF |
| echinacea, pale | <i>Echinacea</i> | <i>pallida</i> | ECEPA | ECPA | ECHANG | VF |
| eelgrass, American | <i>Vallisneria</i> | <i>americana</i> | VAIAM | VAAM3 | VALAME | VF |
| elder, American | <i>Sambucus</i> | <i>canadensis</i> | SAMCN | SACA12 | SAMCAN | VS |
| elm, Siberian | <i>Ulmus</i> | <i>pumila</i> | ULMPU | ULPU | ULMPUM | VT |
| elodea, Brazillian | <i>Anacharis</i> | <i>densa</i> | ELDDE | | EGEDEN | VF |
| elodea, Brazillian | <i>Egeria</i> | <i>densa</i> | ELDDE | EGDE | EGEDEN | VF |
| elodea, Brazillian | <i>Elodea</i> | <i>densa</i> | ELDDE | ELDE3 | EGEDEN | VF |
| elodea, common | <i>Elodea</i> | <i>canadensis</i> | ELDCA | ELCA7 | ELOCAN | VF |
| elodea, western | <i>Elodea</i> | <i>nuttallii</i> | ELDNU | ELNU2 | ELONUT | VF |
| eveningprimrose, common | <i>Oenothera</i> | <i>biennis</i> | OEOBI | OEBI | OENBIE | VF |
| eveningprimrose, cutleaf | <i>Oenothera</i> | <i>laciniata</i> | OEOLA | OELA | OENLAC | VF |
| eveningprimrose, prairie | <i>Oenothera</i> | <i>albicaulis</i> | OEOAL | OEAL | OENALB | VF |
| everlasting, pearly | <i>Anaphalis</i> | <i>margaritacea</i> | ANPMA | GNMA2 | ANAMAR | VF |
| falseflax, largeseed | <i>Camelina</i> | <i>sativa</i> | CMASA | CASA2 | CAMSAT | VF |
| falsepimpernel | <i>Lindernia</i> | <i>anagallidea</i> | LIDAE | LIAN2 | LINDUB | VF |
| falsepimpernel, low | <i>Lindernia</i> | <i>dubia</i> | LIDDU | LIDU | LINDUB | VF |
| fennel | <i>Foeniculum</i> | <i>vulgare</i> | FOEVU | FOVU | FOEVUL | VF |
| fern, auricled floating | <i>Salvinia</i> | <i>auriculata</i> | SAVAU | SAAU | SALAU | VE |
| fern, disturbed floating | <i>Salvinia</i> | <i>molesta</i> | SAVMO | SAMO5 | SALMOL | VE |
| fern, sensitive | <i>Onoclea</i> | <i>sensibilis</i> | ONCSE | ONSE | ONOSEN | VE |
| fescue, foxtail | <i>Festuca</i> | <i>megalura</i> | FESME | FEME | FESMEG | VG |
| fescue, meadow | <i>Festuca</i> | <i>elatior</i> | FESPR | FEEL | FESPRA | VG |
| fescue, meadow | <i>Festuca</i> | <i>pratensis</i> | FESPR | FEPR | FESPRA | VG |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|------------------------|----------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| fescue, rattail | <i>Festuca</i> | <i>myuros</i> | VLPMY | FEMY2 | FESMYU | VG |
| fescue, rattail | <i>Vulpia</i> | <i>myuros</i> | VLPMY | VUMY | FESMEG | VG |
| fescue, red | <i>Festuca</i> | <i>rubra</i> | FESRU | FERU2 | FESRUB | VG |
| fescue, sheep | <i>Festuca</i> | <i>ovina</i> | FESOV | FEOV | FESOVI | VG |
| fescue, sixweeks | <i>Festuca</i> | <i>octoflora</i> | FESOC | FEOC3 | FESOCT | VG |
| fescue, sixweeks | <i>Vulpia</i> | <i>octoflora</i> | FESOC | VUOC | FESOCT | VG |
| fescue, small | <i>Festuca</i> | <i>microstachys</i> | VLPMI | FEMI2 | FESMIC | VG |
| fescue, small | <i>Vulpia</i> | <i>microstachys</i> | VLPMI | VUMI | FESMIC | VG |
| fescue, squirreltail | <i>Vulpia</i> | <i>bromoides</i> | VLPBR | VUBR | FESBRO | VG |
| fescue, tall | <i>Festuca</i> | <i>arundinacea</i> | FESAR | FEAR3 | FESARU | VG |
| feverfew | <i>Chrysanthemum</i> | <i>parthenium</i> | CHYPA | CHPA33 | CHRPAR | VF |
| fiddle-grass | <i>Epilobium</i> | <i>hirsutum</i> | EPIHI | EPHI | EPIHIR | VF |
| fiddleneck, coast | <i>Amsinckia</i> | <i>intermedia</i> | AMSIN | AMIN3 | AMSINT | VF |
| fiddleneck, tarweed | <i>Amsinckia</i> | <i>lycopsoides</i> | AMSLY | AMLY | AMSLYC | VF |
| fiddleneck, western | <i>Amsinckia</i> | <i>tessellata</i> | AMSTE | AMTE3 | AMSTES | VF |
| fieldcress, Austrian | <i>Rorippa</i> | <i>austriaca</i> | RORAU | ROAU | RORAUS | VF |
| fieldcress, yellow | <i>Rorippa</i> | <i>sylvestris</i> | RORSY | ROSY | RORSYL | VF |
| filaree, redstem | <i>Erodium</i> | <i>cicutarium</i> | EROCI | ERIC6 | EROCIC | VF |
| filaree, whitestem | <i>Erodium</i> | <i>moschatum</i> | EROMO | ERMO7 | EROMOS | VF |
| fingergrass, feather | <i>Chloris</i> | <i>virgata</i> | CHRVI | CHVI4 | CHLVIR | VG |
| fireweed | <i>Epilobium</i> | <i>angustifolium</i> | CHAAN | EPAN2 | EPIANG | VF |
| flatsedge | <i>Cyperus</i> | <i>odoratus</i> | CYPFE | CYOD | CYODO | VG |
| flatsedge, redroot | <i>Cyperus</i> | <i>erythrorhizos</i> | CYPET | CYER2 | CYPERY | VG |
| flax, false smallseed | <i>Camelina</i> | <i>microcarpa</i> | CMAMI | CAMI2 | CAMMIC | VF |
| fleabane, annual | <i>Erigeron</i> | <i>annuus</i> | ERIAN | ERAN | ERIAN | VF |
| fleabane, dwarf | <i>Conyza</i> | <i>ramosissima</i> | ERIDI | CORA4 | CONRAM | VF |
| fleabane, dwarf | <i>Erigeron</i> | <i>divaricatus</i> | ERIDI | ERDI12 | CONRAM | VF |
| fleabane, hairy | <i>Conyza</i> | <i>bonariensis</i> | ERIBO | COBO | CONBON | VF |
| fleabane, marsh | <i>Senecio</i> | <i>congestus</i> | SENGG | SECO2 | SENCON | VF |
| fleabane, Oregon | <i>Erigeron</i> | <i>speciosus</i> | ERISP | ERSP4 | ERISPE | VF |
| fleabane, Philadelphia | <i>Erigeron</i> | <i>philadelphicus</i> | ERIPH | ERPH | ERIPHI | VF |
| fleabane, rough | <i>Erigeron</i> | <i>strigosus</i> | ERIST | ERST3 | ERISTR | VF |
| flixweed | <i>Descurainia</i> | <i>sophia</i> | DESSO | DESO2 | DESSOP | VF |
| fluvellin, sharp point | <i>Kickxia</i> | <i>elatine</i> | KICEL | KIEL | KICELA | VF |
| fogfruit, wedgeleaf | <i>Lippia</i> | <i>cuneifolia</i> | LIPCU | LICU | LIPCUN | VF |
| fogfruit, wedgeleaf | <i>Phyla</i> | <i>cuneifolia</i> | LIPCU | PHCU3 | LIPCUN | VF |
| forget-me-not, field | <i>Myosotis</i> | <i>arvensis</i> | MYOAR | MYAR | MYOARV | VF |
| forget-me-not, true | <i>Myosotis</i> | <i>scorpioides</i> | MYOPA | MYSC | MYOSCO | VF |
| fountaingrass, crimson | <i>Pennisetum</i> | <i>setaceum</i> | PESSA | PESE3 | PENSET | VG |
| four o'clock, common | <i>Mirabilis</i> | <i>jalapa</i> | MIBJA | MIJA | MIRJAL | VF |
| four o'clock, wild | <i>Mirabilis</i> | <i>nyctaginea</i> | MIBNY | MINY | MIRNYC | VF |
| foxtail, bristly | <i>Setaria</i> | <i>verticillata</i> | SETVE | SEVE3 | SETVER | VG |
| foxtail, Carolina | <i>Alopecurus</i> | <i>carolinianus</i> | ALOCA | ALCA4 | ALOCAR | VG |
| foxtail, green | <i>Setaria</i> | <i>viridis</i> | SETVI | SEVI4 | SETVIR | VG |
| foxtail, meadow | <i>Alopecurus</i> | <i>pratensis</i> | ALOPR | ALPR3 | ALOPRA | VG |
| foxtail, water | <i>Alopecurus</i> | <i>geniculatus</i> | ALOGE | ALGE2 | ALOGEN | VG |
| foxtail, yellow | <i>Setaria</i> | <i>glauca</i> | SETLU | SEGL2 | SETGLA | VG |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|--------------------------|--------------------|------------------------|---------------------|-------------------------------|---------------------|-----------------|
| foxtail, yellow | <i>Setaria</i> | <i>lutescens</i> | SETLU | SELU4 | SETGLA | VG |
| fumitory | <i>Fumaria</i> | <i>officinalis</i> | FUMOF | FUOF | FUMOFF | VF |
| gaillardia, rosering | <i>Gaillardia</i> | <i>pulchella</i> | GAIPU | GAPU | GAIPUL | VF |
| galinsoga, hairy | <i>Galinsoga</i> | <i>ciliata</i> | GASCI | GACI4 | GALQUA | VF |
| galinsoga, smallflower | <i>Galinsoga</i> | <i>parviflora</i> | GASPA | GAPA2 | GALPAR | VF |
| gaura, scarlet | <i>Gaura</i> | <i>coccinea</i> | GAACO | GACO5 | GAUCOC | VF |
| gayfeather, dotted | <i>Liatris</i> | <i>punctata</i> | LTSPU | LIPU | LIAPUN | VF |
| geranium, Carolina | <i>Geranium</i> | <i>carolinianum</i> | GERCA | GECA5 | GERCAR | VF |
| geranium, cutleaf | <i>Geranium</i> | <i>dissectum</i> | GERDI | GED1 | GERDIS | VF |
| geranium, dovefoot | <i>Geranium</i> | <i>molle</i> | GERMO | GEMO | GERMOL | VF |
| geranium, smallflower | <i>Geranium</i> | <i>pusillum</i> | GERPU | GEPU2 | GERPUS | VF |
| germander, American | <i>Teucrium</i> | <i>canadense</i> | TEUCA | TECA3 | TEUCAN | VF |
| gherkin, west Indian | <i>Cucumis</i> | <i>anguria</i> | CUMAN | CUAN | CUCANG | VF |
| globemallow, narrowleaf | <i>Sphaeralcea</i> | <i>angustifolia</i> | SPHAN | SPAN3 | SPHANG | VF |
| globemallow, scarlet | <i>Sphaeralcea</i> | <i>coccinea</i> | SPHCO | SPCO | SPHCOC | VF |
| globethistle, great | <i>Echinops</i> | <i>sphaerocephalus</i> | ECPSP | ECSP | ECHSPH | VF |
| goatgrass, barb | <i>Aegilops</i> | <i>triuncialis</i> | AEGTR | AETR | AEGTRI | VG |
| goatgrass, jointed | <i>Aegilops</i> | <i>cylindrica</i> | AEGCY | AECY | AEGCYL | VG |
| goatsrue | <i>Galega</i> | <i>officinalis</i> | GAGOF | GAOF | GALOFF | VF |
| goldbeard, small needled | <i>Chrysopogon</i> | <i>aciculatus</i> | CYSAC | CHAC | CHRACI | VG |
| goldenrod, Canada | <i>Solidago</i> | <i>canadensis</i> | SOOCA | SOCA6 | SOLCAN | VF |
| goldenrod, gray | <i>Solidago</i> | <i>nemoralis</i> | SOONE | SONE | SOLNEM | VF |
| goldenrod, Missouri | <i>Solidago</i> | <i>missouriensis</i> | SOOMS | SOMI2 | SOLMIS | VF |
| goldenrod, narrowleaf | <i>Euthamia</i> | <i>graminifolia</i> | SOOGR | EUGR5 | SOLGRA | VF |
| goldenrod, narrowleaf | <i>Solidago</i> | <i>graminifolia</i> | SOOGR | SOGR8 | SOLGRA | VF |
| goldenrod, rigid | <i>Solidago</i> | <i>rigida</i> | SOORI | SORI2 | SOLRIG | VF |
| goldenrod, tall | <i>Solidago</i> | <i>altissima</i> | SOOAL | SOAL6 | SOLCAN | VF |
| goldenrod, tall | <i>Solidago</i> | <i>canadensis</i> | SOOAL | SOCAS5 | SOLCAN | VF |
| goldenrod, western | <i>Euthamia</i> | <i>occidentalis</i> | SOOOC | EUOC4 | SOLOCC | VF |
| goldenrod, western | <i>Solidago</i> | <i>occidentalis</i> | SOOOC | SOOC4 | SOLOCC | VF |
| gooseberry, hairystem | <i>Ribes</i> | <i>hirtellum</i> | RIBHI | RIHI | RIBHIR | VS |
| gooseberry, pasture | <i>Ribes</i> | <i>cynosbati</i> | RIBCY | RICY | RIBCYN | VS |
| gooseberry, whitestem | <i>Ribes</i> | <i>divaricatum</i> | RIBIN | RIDI | RIBDIV | VS |
| gooseberry, whitestem | <i>Ribes</i> | <i>inerme</i> | RIBIN | RIIN2 | RIBINE | VS |
| goosefoot, blite | <i>Chenopodium</i> | <i>capitatum</i> | CHECA | CHCA4 | CHECAP | VF |
| goosefoot, Jerusalem oak | <i>Chenopodium</i> | <i>botrys</i> | CHEBO | CHBO2 | CHEBOT | VF |
| goosefoot, maple leaf | <i>Chenopodium</i> | <i>gigantospermum</i> | CHEHQ | CHG12 | CHEGIG | VF |
| goosefoot, mealy | <i>Chenopodium</i> | <i>incanum</i> | CHEIN | CHIN2 | CHEFRE | VF |
| goosefoot, nettle leaf | <i>Chenopodium</i> | <i>murale</i> | CHEMU | CHMU2 | CHEMUR | VF |
| goosefoot, oakleaf | <i>Chenopodium</i> | <i>glaucum</i> | CHEGL | CHGL3 | CHEGLA | VF |
| goosefoot, red | <i>Chenopodium</i> | <i>rubrum</i> | CHERU | CHRU | CHERUB | VF |
| goosegrass | <i>Eleusine</i> | <i>indica</i> | ELEIN | ELIN3 | ELEIND | VG |
| gorse | <i>Ulex</i> | <i>europaeus</i> | ULEEU | ULEU | ULEEUR | VF |
| goutweed, bishop's | <i>Aegopodium</i> | <i>podagraria</i> | AEPOPO | AEPO | AEGPOD | VF |
| grama, sixweeks | <i>Bouteloua</i> | <i>barbata</i> | BOBBA | BOBA2 | BOUBAR | VG |
| grape, frost | <i>Vitis</i> | <i>vulpina</i> | VITVU | VIVU | VITVUL | VS |
| grass, Columbus | <i>Sorghum</i> | <i>almum</i> | SORAL | SOAL | SORALU | VG |
| grass, itch | <i>Rottboellia</i> | <i>exaltata</i> | ROOEX | ROEX2 | ROTEXA | VG |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------------|---------------------|------------------------|---------------------|-------------------------------|---------------------|-----------------|
| grass, kavatta | <i>Setaria</i> | <i>pallide-fusca</i> | SETPF | SEPA82 | SETPAL | VG |
| grass, Kelly | <i>Rottboellia</i> | <i>cochinchinensis</i> | ROOEX | ROCO6 | ROTCOC | VG |
| grass, kikuyu | <i>Pennisetum</i> | <i>clandestinum</i> | PESCL | PECL2 | PENCLA | VG |
| grass, kyasuma | <i>Pennisetum</i> | <i>pedicellatum</i> | PESPE | PEPE24 | PENPED | VG |
| grass, littleseed canary | <i>Phalaris</i> | <i>minor</i> | PHAMI | PHMI3 | PHAMIN | VG |
| grass, Monanta blueeyed | <i>Sisyrinchium</i> | <i>montanum</i> | SISMO | SIMO2 | SISMON | VF |
| grass, narrowleaf blueeyed | <i>Sisyrinchium</i> | <i>angustifolium</i> | SISBE | SIAN3 | SISIDA | VF |
| grass, panic liverseed | <i>Urochloa</i> | <i>panicoides</i> | UROPA | URPA | UROPAN | VG |
| grass, small barnyard | <i>Echinochloa</i> | <i>colona</i> | ECHCO | ECCO2 | ECHCOL | VG |
| grass, spring millet | <i>Milium</i> | <i>vernale</i> | MLISC | MIVE3 | MILVER | VG |
| grass, Triple-awned | <i>Aristida</i> | <i>oligantha</i> | ARKOL | AROL | ARIOLI | VG |
| greasewood | <i>Sarcobatus</i> | <i>vermiculatus</i> | SAYVE | SAVE4 | SARVER | VS |
| gromwell, corn | <i>Buglossoides</i> | <i>arvense</i> | LITAR | BUAR3 | LITARV | VF |
| gromwell, corn | <i>Lithospermum</i> | <i>arvense</i> | LITAR | LIAR4 | LITARV | VF |
| gromwell, western | <i>Lithospermum</i> | <i>rudemale</i> | LITRU | LIRU4 | LITRUD | VF |
| groundcherry, clammy | <i>Physalis</i> | <i>heterophylla</i> | PHYHE | PHHE5 | PHYHET | VF |
| groundcherry, longleaf | <i>Physalis</i> | <i>longifolia</i> | PHYLF | PHLO4 | PHYLON | VF |
| groundcherry, smooth | <i>Physalis</i> | <i>longifolia</i> | PHYSU | PHLOS | PHYLON | VF |
| groundcherry, smooth | <i>Physalis</i> | <i>subglabrata</i> | PHYSU | PHSU8 | PHYLON | VF |
| groundcherry, tomatillo | <i>Physalis</i> | <i>ixocarpa</i> | PHYIX | PHIX | PHYIXO | VF |
| groundcherry, Virginia | <i>Physalis</i> | <i>lanceolata</i> | PHYLC | PHLA22 | PHYPUM | VF |
| groundcherry, Virginia | <i>Physalis</i> | <i>virginiana</i> | PHYLC | PHV15 | PHYLON | VF |
| groundsel, common | <i>Senecio</i> | <i>vulgaris</i> | SENVU | SEVU | SENVUL | VF |
| groundsel, prairie | <i>Senecio</i> | <i>plattensis</i> | SEPNP | SEPL | SENPPLA | VF |
| groundsel, Riddell | <i>Senecio</i> | <i>riddellii</i> | SENRI | SERI2 | SENRID | VF |
| groundsel, woodland | <i>Senecio</i> | <i>sylvaticus</i> | SENSI | SESY | SENSYL | VF |
| gumweed, curlycup | <i>Grindelia</i> | <i>squarrosa</i> | GRNSQ | GRSQ | GRISQU | VF |
| hairgrass, silver | <i>Aira</i> | <i>caryophylla</i> | AIRCA | AICA | AIRCAR | VG |
| halogeton | <i>Halogeton</i> | <i>glomeratus</i> | HALGL | HAGL | HALGLO | VF |
| hardgrass | <i>Sclerochloa</i> | <i>dura</i> | SCMDU | SCDU2 | SCLDUR | VG |
| hawkbit | <i>Leontodon</i> | <i>nudicaulis</i> | LEBNT | LENU2 | LEONUD | VF |
| hawkbit, fall | <i>Leontodon</i> | <i>autumnalis</i> | LEBAU | LEAU2 | LEOAUT | VF |
| hawksbeard, bristly | <i>Crepis</i> | <i>setosa</i> | CVPSE | CRSE2 | CRESET | VF |
| hawksbeard, narrowleaf | <i>Crepis</i> | <i>tectorum</i> | CVPTE | CRTE3 | CRETEC | VF |
| hawksbeard, rooftop | <i>Crepis</i> | <i>tectorum</i> | CVPTE | CRTE3 | CRETEC | VF |
| hawksbeard, smooth | <i>Crepis</i> | <i>capillaris</i> | CVPCA | CRCA3 | CRECAP | VF |
| hawksbeard, western | <i>Crepis</i> | <i>occidentalis</i> | CVPOC | CROC | CREOCC | VF |
| hawkweed, common | <i>Hieracium</i> | <i>vulgatum</i> | HIELA | HIVU | HIEVUL | VF |
| hawkweed, kingdevil | <i>Hieracium</i> | <i>piloselloides</i> | HIEPO | HIPI2 | HIEPIL | VF |
| hawkweed, meadow | <i>Hieracium</i> | <i>pratense</i> | HIECA | HIPR | HIEPRA | VF |
| hawkweed, mouseear | <i>Hieracium</i> | <i>pilosella</i> | HIEPI | HIPI | HIEPIO | VF |
| hawkweed, narrowleaf | <i>Hieracium</i> | <i>umbellatum</i> | HIEUM | HIUM | HIEUMB | VF |
| hawkweed, orange | <i>Hieracium</i> | <i>aurantiacum</i> | HIEAU | HIAU | HIEAUR | VF |
| hawkweed, yellow | <i>Hieracium</i> | <i>pratense</i> | HIECA | HIPR | HIEPRA | VF |
| hawkweed, yellowdevil | <i>Hieracium</i> | <i>floribundum</i> | HIEFL | HIFL4 | HIEFLO | VF |
| hawthorn, black | <i>Crataegus</i> | <i>douglasii</i> | CSCDO | CRDO2 | CRADOU | VS |
| hawthorn, fleshy | <i>Crataegus</i> | <i>succulenta</i> | CSCSC | CRSU5 | CRASUC | VS |
| hawthorn, river | <i>Crataegus</i> | <i>rivularis</i> | CSCRV | CRRI | CRADOU | VS |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-----------------------------|----------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| healall | <i>Prunella</i> | <i>vulgaris</i> | PRUVU | PRVU | PRUVUL | VF |
| heaven, tree of | <i>Ailanthus</i> | <i>altissima</i> | AILAL | AIAL | AILALT | VT |
| hedge-parsley, field | <i>Torilis</i> | <i>arvensis</i> | TOIAR | TOAR | TORARV | VF |
| heliotrope, seaside | <i>Heliotropium</i> | <i>curassavicum</i> | HEOCU | HECU3 | HELCUR | VF |
| heliotrope, spatulateleaf | <i>Heliotropium</i> | <i>curassavicum</i> | HEOCB | HECUO2 | HELCUR | VF |
| hellebore, false green | <i>Veratrum</i> | <i>viride</i> | VEAVI | VEVI | VERVIR | VF |
| hellebore, false California | <i>Veratrum</i> | <i>californicum</i> | VEACA | VECA2 | VERCAL | VF |
| hemlock, poison | <i>Conium</i> | <i>maculatum</i> | COIMA | COMA2 | CONMAC | VF |
| hempnettle, common | <i>Galeopsis</i> | <i>tetrahit</i> | GAETE | GATE2 | GALTET | VF |
| henbane, black | <i>Hyoscyamus</i> | <i>niger</i> | HSYNI | HYNI | HYONIG | VF |
| henbit | <i>Lamium</i> | <i>amplexicaule</i> | LAMAM | LAAM | LAMAMP | VF |
| hollyhock | <i>Alcea</i> | <i>rosea</i> | ALGRO | ALRO3 | ALTROS | VF |
| hollyhock | <i>Althaea</i> | <i>rosea</i> | ALGRO | ALRO4 | ALTROS | VF |
| honeysuckle, bush | <i>Diervilla</i> | <i>lonicera</i> | DIVLO | DILO | DIELON | VS |
| honeysuckle, sweetberry | <i>Lonicera</i> | <i>caerulea</i> | LONCO | LOCA6 | LONCAE | VS |
| honeysuckle, Tatarian | <i>Lonicera</i> | <i>tatarica</i> | LONTA | LOTA | LONTAT | VS |
| horehound, white | <i>Marrubium</i> | <i>vulgare</i> | MAQVU | MAVU | MARVUL | VF |
| horsebrush, littleleaf | <i>Tetradymia</i> | <i>glabrata</i> | TEYGL | TEGL | TETGLA | VS |
| horsebrush, spineless | <i>Tetradymia</i> | <i>canescens</i> | TEYCA | TECA2 | TETCAN | VS |
| horsenettle | <i>Solanum</i> | <i>carolinense</i> | SOLCA | SOCA3 | SOLCAR | VF |
| horseradish | <i>Armoracia</i> | <i>rusticana</i> | ARRU4 | | ARMRUS | VF |
| horsetail, field | <i>Equisetum</i> | <i>arvense</i> | EQUAR | EQAR | EQUARV | VE |
| horsetail, giant | <i>Equisetum</i> | <i>telmateia</i> | EQUTE | EQTE | EQUTEL | VE |
| horsetail, marsh | <i>Equisetum</i> | <i>palustre</i> | EQUPA | EQPA | EQUPAL | VE |
| horsetail, sylvan | <i>Equisetum</i> | <i>sylvaticum</i> | EQUSY | EQSY | EQUSYL | VE |
| horsetail, water | <i>Equisetum</i> | <i>fluviatile</i> | EQUFL | EQFL | EQUFLU | VE |
| horseweed | <i>Conyza</i> | <i>canadensis</i> | ERICA | COCA5 | CONCAN | VF |
| horseweed | <i>Erigeron</i> | <i>canadensis</i> | ERICA | ERCA20 | CONCAN | VF |
| houndstongue | <i>Cynoglossum</i> | <i>officinale</i> | CYWOF | CYOF | CYNOFF | VF |
| hydrilla, many-seeded | <i>Hygrophila</i> | <i>polysperma</i> | HYGPO | HYPO3 | HYGPOL | VF |
| hydrilla, whorled-leaved | <i>Hydrilla</i> | <i>verticillata</i> | HYLLI | HYVE3 | HYDVER | VF |
| hyssop | <i>Hyssopus</i> | <i>officinalis</i> | HYSOFF | HYOF | HYSOFF | VF |
| imperata, Brazillian | <i>Imperata</i> | <i>brasiliensis</i> | IMPBR | IMBR | IMPBRA | VG |
| imperata, cylindrical | <i>Imperata</i> | <i>cylindrica</i> | IMPCY | IMCY | IMPCYL | VG |
| indiangrass, yellow | <i>Sorghastrum</i> | <i>nutans</i> | SOSNU | SONU2 | SORNUT | VG |
| indigobush | <i>Amorpha</i> | <i>fruticosa</i> | AMHFR | AMFR | AMOFRU | VS |
| inula | <i>Inula</i> | <i>helenium</i> | INUHE | INHE | INUHEL | VF |
| iris, yellowflag | <i>Iris</i> | <i>pseudacorus</i> | IRIPS | IRPS | IRIPSE | VF |
| ivy, English | <i>Hedera</i> | <i>helix</i> | HEEHE | HEHE | HEDHEL | VF |
| ivy, German | <i>Senecio</i> | <i>mikanioides</i> | SENMI | SEMI | SENMIK | VF |
| ivy, ground | <i>Nepeta</i> | <i>hederacea</i> | GLEHE | NEHE2 | GLEHED | VF |
| ivy, Kenilworth | <i>Cymbalaria</i> | <i>muralis</i> | CBYMU | CYMU | CYMMUL | VF |
| ivy, poison | <i>Rhus</i> | <i>radicans</i> | TOXRA | RHRA6 | TOXRAD | VS |
| ivy, poison | <i>Toxicodendron</i> | <i>radicans</i> | TOXRA | TORA2 | TOXRAD | VS |
| jimsonweed | <i>Datura</i> | <i>stramonium</i> | DATST | DAST | DATSTR | VF |
| joepyeweed, spotted | <i>Eupatorium</i> | <i>maculatum</i> | EUPML | EUMA6 | EUPMAC | VF |
| johnsongrass | <i>Sorghum</i> | <i>halepense</i> | SORHA | SOHA | SORHAL | VG |
| juniper, common | <i>Juniperus</i> | <i>communis</i> | IUPCO | JUCO6 | JUNCOM | VS |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|------------------------------|----------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| khakiweed | <i>Alternanthera</i> | <i>pungens</i> | ALRRE | ALPU3 | ALTPUN | VF |
| khakiweed | <i>Alternanthera</i> | <i>repens</i> | ALRRE | ALRE2 | ALTREP | VF |
| knapweed, bighead | <i>Centaurea</i> | <i>macrocephala</i> | CENMC | CEMA9 | CENMAR | VF |
| knapweed, black | <i>Centaurea</i> | <i>nigra</i> | CENNI | CENI2 | CENNIG | VF |
| knapweed, brown | <i>Centaurea</i> | <i>jacea</i> | CENJA | CEJA | CENJAC | VF |
| knapweed, diffuse | <i>Centaurea</i> | <i>diffusa</i> | CENDI | CEDI3 | CENDIF | VF |
| knapweed, Russian | <i>Acroptilon</i> | <i>repens</i> | CENRE | ACRE3 | CENREP | VF |
| knapweed, Russian | <i>Centaurea</i> | <i>repens</i> | CENRE | CERE6 | CENREP | VF |
| knapweed, spotted | <i>Centaurea</i> | <i>maculosa</i> | CENMA | CEMA4 | CENMAC | VF |
| knapweed, squarrose | <i>Centaurea</i> | <i>squarrosa</i> | CENSQ | CESQ | CENVIR | VF |
| knapweed, squarrose | <i>Centaurea</i> | <i>virgata</i> | CENSQ | CEVI | CENVIR | VF |
| knapweed, squarrose | <i>Centaurea</i> | <i>virgata</i> | CENSQ | CEVIS | CENVIR | VF |
| knapweed, Vochin | <i>Centaurea</i> | <i>nigrescens</i> | CENVO | CENI3 | CENNIR | VF |
| knawel | <i>Scleranthus</i> | <i>annuus</i> | SCRAN | SCAN2 | SCLANN | VF |
| knotgrass | <i>Paspalum</i> | <i>distichum</i> | PASDS | PADI6 | PASDIS | VG |
| knotweed, bushy | <i>Polygonum</i> | <i>ramosissimum</i> | POLRA | PORA3 | POLRAM | VF |
| knotweed, Douglas' | <i>Polygonum</i> | <i>douglasii</i> | POLDO | PODO4 | POLDOU | VF |
| knotweed, erect | <i>Polygonum</i> | <i>erectum</i> | POLER | POER2 | POLERE | VF |
| knotweed, Japanese | <i>Polygonum</i> | <i>cuspidatum</i> | POLCU | POCU6 | POLCUS | VF |
| knotweed, prostrate | <i>Polygonum</i> | <i>aviculare</i> | POLAV | POAV | POLAVI | VF |
| knotweed, sakhalin | <i>Polygonum</i> | <i>sachalinense</i> | REYSA | POSA4 | POLSAC | VF |
| knotweed, striate | <i>Polygonum</i> | <i>achoreum</i> | POLAH | POAC3 | POLACH | VF |
| kochia | <i>Kochia</i> | <i>scoparia</i> | KCHSC | KOSC | KOCSCO | VF |
| labriform | <i>Asclepias</i> | <i>labriformis</i> | ASCLA | ASLA | ASCLAB | VF |
| lady's mantle | <i>Alchemilla</i> | <i>vulgaris</i> | ALCVU | ALVU2 | ALCVUL | VF |
| lady's mantle | <i>Alchemilla</i> | <i>xanthochlora</i> | ALCVU | ALXA | ALCVUL | VF |
| lady's thumb | <i>Polygonum</i> | <i>persicaria</i> | POLPE | POPE3 | POLPER | VF |
| lamb's quarters, common | <i>Chenopodium</i> | <i>album</i> | CHEAL | CHAL7 | CHEALB | VF |
| lamb's quarters, narrow leaf | <i>Chenopodium</i> | <i>desiccatum</i> | CHEPR | CHDE | CHELEP | VF |
| lamb's quarters, netseed | <i>Chenopodium</i> | <i>berlandieri</i> | CHEBE | CHBE4 | CHEALB | VF |
| lamb's quarters, slimleaf | <i>Chenopodium</i> | <i>leptophyllum</i> | CHELE | CHLE4 | CHELEP | VF |
| larkspur, duncecap | <i>Delphinium</i> | <i>occidentale</i> | DELOC | DEOC | DELOCC | VF |
| larkspur, Geyer | <i>Delphinium</i> | <i>geyeri</i> | DELGE | DEGE2 | DELGEY | VF |
| larkspur, low | <i>Delphinium</i> | <i>nuttallianum</i> | DELNU | DENU2 | DELNUT | VF |
| leadplant | <i>Amorpha</i> | <i>canescens</i> | AMHCN | AMCA6 | AMOCAN | VS |
| lettuce, biennial | <i>Lactuca</i> | <i>biennis</i> | LACBI | LABI | LACBIE | VF |
| lettuce, blue | <i>Lactuca</i> | <i>pulchella</i> | LACPU | LAPU | LACOB | VF |
| lettuce, prickly | <i>Lactuca</i> | <i>serriola</i> | LACSE | LASE | LACSER | VF |
| lettuce, tall | <i>Lactuca</i> | <i>canadensis</i> | LACCA | LACA | LACCAN | VF |
| lettuce, wall | <i>Lactuca</i> | <i>muralis</i> | MYLMU | LAMU | LACMUR | VF |
| lettuce, willowleaf | <i>Lactuca</i> | <i>saligna</i> | LACSL | LASA | LACSAL | VF |
| licorice, wild | <i>Glycyrrhiza</i> | <i>lepidota</i> | GYCLE | GLLE3 | GLYLEP | VF |
| lily-of-the-valley, false | <i>Maianthemum</i> | <i>canadense</i> | MNHCA | MACA4 | MAICAN | VF |
| limnophila, sedentary | <i>Limnophila</i> | <i>sessiliflora</i> | LIOSE | LISE3 | LIMSEI | VF |
| loco, spotted | <i>Astragalus</i> | <i>lentiginosus</i> | ASALE | ASLE8 | ASTLEN | VF |
| loosestrife, dotted | <i>Lysimachia</i> | <i>punctata</i> | LYSPU | LYPU2 | LYSPUN | VF |
| loosestrife, fringed | <i>Lysimachia</i> | <i>ciliata</i> | LYSCI | LYCI | LYSCIL | VF |
| loosestrife, garden | <i>Lysimachia</i> | <i>vulgaris</i> | LYSVU | LYVU | LYSVUL | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------------|---------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| loosestrife, purple | <i>Lythrum</i> | <i>salicaria</i> | LYTSA | LYSA2 | LYTSAL | VF |
| loosestrife, winged | <i>Lythrum</i> | <i>alatum</i> | LYTAL | LYAL4 | LYTALA | VF |
| lovegrass, India | <i>Eragrostis</i> | <i>pilosa</i> | ERAPI | ERPI2 | ERAPIL | VG |
| lovegrass, purple | <i>Eragrostis</i> | <i>spectabilis</i> | ERASP | ERSP | ERASPE | VG |
| lovegrass, tufted | <i>Eragrostis</i> | <i>pectinacea</i> | ERAPE | ERPE | ERAPEC | VG |
| lupine, low | <i>Lupinus</i> | <i>pusillus</i> | LUPPU | LUPU | LUPPUS | VF |
| lupine, silky | <i>Lupinus</i> | <i>sericeus</i> | LUPSE | LUSE4 | LUPSER | VF |
| lupine, silver | <i>Lupinus</i> | <i>argenteus</i> | LUPAR | LUAR3 | LUPARG | VF |
| lupine, tailcup | <i>Lupinus</i> | <i>caudatus</i> | LUPCA | LUCA | LUPCAU | VF |
| lupine, velvet | <i>Lupinus</i> | <i>leucophyllus</i> | LUPLE | LULE3 | LUPLEU | VF |
| madder, field | <i>Sherardia</i> | <i>arvensis</i> | SHRAR | SHAR2 | SHEARV | VF |
| mallow, common | <i>Malva</i> | <i>neglecta</i> | MALNE | MANE | MALNEG | VF |
| mallow, common | <i>Malva</i> | <i>rotundifolia</i> | MALNE | MARO11 | MALROT | VF |
| mallow, curled | <i>Malva</i> | <i>verticillata</i> | MALVE | MAVEC | MALVER | VF |
| mallow, high | <i>Malva</i> | <i>sylvestris</i> | MALSI | MASY | MALSYL | VF |
| mallow, little | <i>Malva</i> | <i>parviflora</i> | MALPA | MAPA5 | MALPAR | VF |
| mallow, musk | <i>Malva</i> | <i>moschata</i> | MALMO | MAMO2 | MALMOS | VF |
| mallow, Venice | <i>Hibiscus</i> | <i>trionum</i> | HIBTR | HITR | HIBTRI | VF |
| maltese-cross | <i>Lychnis</i> | <i>chalcedonica</i> | LYHCH | LYCH3 | LYCCHA | VF |
| mannagrass, rattlesnake | <i>Glyceria</i> | <i>canadensis</i> | GLYCA | GLCA | GLYCAN | VG |
| maple, bigleaf | <i>Acer</i> | <i>macrophyllum</i> | ACRMA | ACMA3 | ACEMAC | VT |
| maple, red | <i>Acer</i> | <i>rubrum</i> | ACRRB | ACRU | ACERUB | VT |
| maple, sugar | <i>Acer</i> | <i>saccharum</i> | ACRSC | ACSA3 | ACESAC | VT |
| marestail | <i>Hippuris</i> | <i>vulgaris</i> | HPPVU | HIVU2 | HIPVUL | VF |
| marigold, fetid | <i>Dyssodia</i> | <i>papposa</i> | DYSPA | DYPA | DYSPAP | VF |
| marijuana | <i>Cannabis</i> | <i>sativa</i> | CNISA | CASA3 | CANSAT | VF |
| marjoram, wild | <i>Origanum</i> | <i>vulgare</i> | ORIVU | ORVU | ORIVUL | VF |
| marshelder | <i>Iva</i> | <i>xanthifolia</i> | IVAXA | IVXA | IVAXAN | VF |
| marshelder, annual | <i>Iva</i> | <i>annua</i> | IVAAN | IVAN2 | IVAANN | VF |
| matrimonyvine | <i>Lycium</i> | <i>halimifolium</i> | LYUHA | LYHA | LYCHAL | VS |
| medic, black | <i>Medicago</i> | <i>lupulina</i> | MEDLU | MELU | MEDLUP | VF |
| medic, spotted | <i>Medicago</i> | <i>arabica</i> | MEDAB | MEAR | MEDARA | VF |
| medusahead | <i>Elymus</i> | <i>caput-medusae</i> | ELYCM | ELCA13 | TAECAP | TA |
| medusahead | <i>Taeniatherum</i> | <i>caput-medusae</i> | ELYCM | TACA8 | TAECAP | VG |
| mesquite, honey | <i>Prosopis</i> | <i>glandulosa</i> | PRCJG | PRGL2 | PROGLA | VS |
| mignonette, yellow | <i>Reseda</i> | <i>lutea</i> | RESLU | RELU | RESLUT | VF |
| mikania, heart-leaved | <i>Mikania</i> | <i>cordata</i> | MIKCO | MICO16 | MIKCOR | VF |
| mikania, small-leaved | <i>Mikania</i> | <i>micrantha</i> | MIKMI | MIMI5 | MIKMIC | VF |
| milkthistle, blessed | <i>Silybum</i> | <i>marianum</i> | SLYMA | SIMA3 | SILMAR | VF |
| milkvetch, Columbia | <i>Astragalus</i> | <i>miser</i> | ASAMS | ASMIS | ASTMIS | VF |
| milkvetch, Robbins | <i>Astragalus</i> | <i>robbinsii</i> | ASROM | | ASTROB | VF |
| milkvetch, timber | <i>Astragalus</i> | <i>miser</i> | ASAMI | SMI9 | ASTMIS | VF |
| milkvetch, twogrooved | <i>Astragalus</i> | <i>bisulcatus</i> | ASABI | ASBI2 | ASTBIS | VF |
| milkvetch, Yellowstone | <i>Astragalus</i> | <i>miser</i> | ASAMH | ASMIH | ASTMIS | VF |
| milkweed, butterfly | <i>Asclepias</i> | <i>tuberosa</i> | ASCTU | ASTU | ASCTUB | VF |
| milkweed, common | <i>Asclepias</i> | <i>syriaca</i> | ASCSY | ASSY | ASCSYR | VF |
| milkweed, eastern whorled | <i>Asclepias</i> | <i>verticillata</i> | ASCVE | ASVE | ASCVER | VF |
| milkweed, green | <i>Asclepias</i> | <i>viridiflora</i> | ASCVI | ASVI | ASCVIR | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------------|---------------------|------------------------|---------------------|-------------------------------|---------------------|-----------------|
| milkweed, Mexican whorled | <i>Asclepias</i> | <i>fascicularis</i> | ASCFA | ASFA | ASCFAS | VF |
| milkweed, showy | <i>Asclepias</i> | <i>speciosa</i> | ASCSP | ASSP | ASCSP | VF |
| milkweed, swamp | <i>Asclepias</i> | <i>incarnata</i> | ASCIN | ASIN | ASCINC | VF |
| milkweed, western whorled | <i>Asclepias</i> | <i>subverticillata</i> | ASCSU | ASSU2 | ASCSUB | VF |
| millet, foxtail | <i>Setaria</i> | <i>italica</i> | SETIT | SEIT | SETITA | VG |
| millet, kodo | <i>Paspalum</i> | <i>scrobiculatum</i> | PASOR | PASC6 | PASSCR | VG |
| millet, wild proso | <i>Panicum</i> | <i>miliaceum</i> | PANMI | PAMI2 | PANMIL | VG |
| mimosa, catclaw | <i>Mimosa</i> | <i>pigra</i> | MIMPI | MIPI | MIMPIG | VF |
| mimosa, slow | <i>Mimosa</i> | <i>pigra</i> | MIMPI | MIPI | MIMPIG | VF |
| mimosa, two-thrush | <i>Mimosa</i> | <i>invisa</i> | MIMIN | MIIN80 | MIMDIP | VF |
| mint, apple | <i>Mentha</i> | <i>suaveolens</i> | MENSU | MESU5 | MENSUA | VF |
| mint, field | <i>Mentha</i> | <i>arvensis</i> | MENAR | MEAR4 | MENARV | VF |
| mint, roundleaved | <i>Mentha</i> | <i>rotundifolia</i> | MENSU | MERO | MENSUA | VF |
| molly, green | <i>Kochia</i> | <i>americana</i> | KCHAM | KOAM | KOCAME | VF |
| monochoria, arrowleaved | <i>Monochoria</i> | <i>hastata</i> | MOOHA | MOHA2 | MONHAS | VF |
| monochoria, sliverleaf | <i>Monochoria</i> | <i>hastata</i> | MOOHA | MOHA2 | MONHAS | VF |
| morningglory, red | <i>Ipomoea</i> | <i>coccinea</i> | IPOCC | IPOC3 | IPOCOC | VF |
| morningglory, tall | <i>Ipomoea</i> | <i>purpurea</i> | PHBPU | IPPU2 | IPOPUR | VF |
| morningglory, threelobe | <i>Ipomoea</i> | <i>triloba</i> | IPOTR | IPTR2 | IPOTRI | VF |
| morningglory, woolly | <i>Ipomoea</i> | <i>hirsutula</i> | IPOHT | IPHI2 | IPOHIR | VF |
| motherwort | <i>Leonurus</i> | <i>cardiaca</i> | LECCA | LECA2 | LEOCAR | VF |
| mountain ash, European | <i>Sorbus</i> | <i>aucuparia</i> | SOUAU | SOAU | SORAU | VT |
| mousetail | <i>Myosurus</i> | <i>minimus</i> | MYSMI | MYMI2 | MYOMIN | VF |
| mugwort | <i>Artemisia</i> | <i>vulgaris</i> | ARTVU | ARVU | ARTVUL | VF |
| mugwort, California | <i>Artemisia</i> | <i>douglasiana</i> | ARTDO | ARDO3 | ARTDOU | VF |
| muhly, alkali | <i>Muhlenbergia</i> | <i>asperifolia</i> | MUHAS | MUAS | MUHASP | VG |
| muhly, wirestem | <i>Muhlenbergia</i> | <i>frondosa</i> | MUHFR | MUFR2 | MUHFR0 | VG |
| mulberry, red | <i>Morus</i> | <i>rubra</i> | MORRU | MORU2 | MORRUB | VT |
| mulberry, white | <i>Morus</i> | <i>alba</i> | MORAL | MOAL | MORALB | VT |
| mullein, common | <i>Verbascum</i> | <i>thapsus</i> | VESTH | VETH | VERTHA | VF |
| mullein, moth | <i>Verbascum</i> | <i>blattaria</i> | VESBL | VEBL | VERBLA | VF |
| mullein, purplestamen | <i>Verbascum</i> | <i>virgatum</i> | VESVI | VEVI2 | VERVIA | VF |
| mullein, turkey | <i>Eremocarpus</i> | <i>setigerus</i> | ERMSE | ERSE3 | ERES | VF |
| mullein, wand | <i>Verbascum</i> | <i>virgatum</i> | VESVI | VEVI2 | VERVIA | VF |
| mustard, ball | <i>Neslia</i> | <i>paniculata</i> | NEAPA | NEPA3 | NESPAN | VF |
| mustard, birdsrape | <i>Brassica</i> | <i>campestris</i> | BRSRA | BRCA2 | BRACAM | VF |
| mustard, birdsrape | <i>Brassica</i> | <i>rapa</i> | BRSRA | BRAA | BRACAM | VF |
| mustard, black | <i>Brassica</i> | <i>nigra</i> | BRSNI | BRNI | BRANIG | VF |
| mustard, blue | <i>Chorispora</i> | <i>tenella</i> | COBTE | CHTE2 | CHOTEN | VF |
| mustard, dog | <i>Erucastrum</i> | <i>gallicum</i> | ERWGA | ERGA | ERUGAL | VF |
| mustard, garlic | <i>Alliaria</i> | <i>petiolata</i> | ALAPE | ALPE4 | ALLPET | VF |
| mustard, haresear | <i>Conringia</i> | <i>orientalis</i> | CNHOR | COOR | CONORI | VF |
| mustard, hedge | <i>Sisymbrium</i> | <i>officinale</i> | SSYOF | SIOF | SISOFF | VF |
| mustard, Indian | <i>Brassica</i> | <i>juncea</i> | BRSJU | BRJU | BRAJUN | VF |
| mustard, Oriental | <i>Sisymbrium</i> | <i>orientale</i> | SSYOR | SIOR4 | SISORI | VF |
| mustard, Syrian | <i>Euclidium</i> | <i>syriacum</i> | EUSY | EUSY | EUCSYR | VF |
| mustard, tall hedge | <i>Sisymbrium</i> | <i>loeselii</i> | SSYLO | SILO3 | SISLOE | VF |
| mustard, tower | <i>Arabis</i> | <i>glabra</i> | ARCGL | ARGL | ARAGLA | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------------|----------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| mustard, tumble | <i>Sisymbrium</i> | <i>altissimum</i> | SSYAL | SIAL2 | SISALT | VF |
| mustard, wallflower | <i>Erysimum</i> | <i>cheiranthoides</i> | ERYCH | ERCH9 | ERYCHE | VF |
| mustard, white | <i>Brassica</i> | <i>alba</i> | SINAL | | BRAHIR | VF |
| mustard, white | <i>Brassica</i> | <i>hirta</i> | SINAL | BRHI2 | BRAHIR | VF |
| mustard, white | <i>Sinapis</i> | <i>alba</i> | SINAL | SIAL5 | BRAHIR | VF |
| mustard, wild | <i>Brassica</i> | <i>arvensis</i> | SINAR | BRAR11 | BRAKAB | VF |
| mustard, wild | <i>Brassica</i> | <i>kaber</i> | SINAR | BRKA | BRAKAB | VF |
| mustard, wild | <i>Sinapis</i> | <i>arvensis</i> | SINAR | SIAR4 | BRAKAB | VF |
| naiad, hollyleaf | <i>Najas</i> | <i>marina</i> | NAIMA | NAMA | NAJMAR | VF |
| naiad, slender | <i>Najas</i> | <i>flexilis</i> | NAIFL | NAFL | NAJFLE | VF |
| naiad, southern | <i>Najas</i> | <i>guadalupensis</i> | NAIGU | NAGU | NAJGUA | VF |
| nannyberry | <i>Viburnum</i> | <i>lentago</i> | VIBLE | VILE | VIBLEN | VS |
| nassella, cut hair | <i>Nassella</i> | <i>trichotoma</i> | STDTR | | NASTRI | VG |
| needle-and-thread | <i>Stipa</i> | <i>comata</i> | STDCO | STCO4 | STICOM | VG |
| nettle, burning | <i>Urtica</i> | <i>urens</i> | URTUR | URUR | URTURN | VF |
| nettle, stinging | <i>Urtica</i> | <i>dioica</i> | URTDI | URDI | URTDIO | VF |
| nightshade, American black | <i>Solanum</i> | <i>americanum</i> | SOLAM | SOAM | SOLINT | VF |
| nightshade, bittersweet | <i>Solanum</i> | <i>dulcamara</i> | SOLDU | SODU | SOLDUL | VS |
| nightshade, black | <i>Solanum</i> | <i>nigrum</i> | SOLNI | SONI | SOLNIG | VF |
| nightshade, cutleaf | <i>Solanum</i> | <i>triflorum</i> | SOLTR | SOTR | SOLTRI | VF |
| nightshade, eastern black | <i>Solanum</i> | <i>ptycanthum</i> | SOLPT | SOPT3 | SOLNIG | VF |
| nightshade, hairy | <i>Solanum</i> | <i>sarrachoides</i> | SOLSA | SOSA8 | SOLSAR | VF |
| nightshade, hairy | <i>Solanum</i> | <i>villosum</i> | SOLSA | SOVI6 | SOLSAR | VF |
| nightshade, silverleaf | <i>Solanum</i> | <i>elaeagnifolium</i> | SOLEL | SOEL | SOLELA | VF |
| nipplewort | <i>Lapsana</i> | <i>communis</i> | LAPCO | LACO3 | LAPCOM | VF |
| nutsedge, false | <i>Cyperus</i> | <i>strigosus</i> | CYPST | CYST | CYPSTR | VG |
| nutsedge, purple | <i>Cyperus</i> | <i>rotundus</i> | CYPRO | CYRO | CYPROT | VG |
| nutsedge, yellow | <i>Cyperus</i> | <i>esculentus</i> | CYPES | CYES | CYPESC | VG |
| nuttall | <i>Delphinium</i> | <i>nuttallianum</i> | DENUF | C. L. Hitchc. | DELNUT | VF |
| oat, animated | <i>Avena</i> | <i>sterilis</i> | AVEST | AVST | AVESTE | VG |
| oat, slender | <i>Avena</i> | <i>barbata</i> | AVEBA | AVBA | AVEBAR | VG |
| oat, wild | <i>Avena</i> | <i>fatua</i> | AVEFA | AVFA | AVEFAT | VG |
| oatgrass, poverty | <i>Danthonia</i> | <i>spicata</i> | DANSP | DASP2 | DANSPI | VG |
| oatgrass, tall | <i>Arrhenatherum</i> | <i>elatius</i> | ARREL | AREL3 | ARRELA | VG |
| oats | <i>Avena</i> | <i>sativa</i> | AVESA | AVSA | AVESAT | VG |
| olive, autumn | <i>Elaeagnus</i> | <i>umbellata</i> | ELGUM | ELUM | ELAUMB | VT |
| olive, Russian | <i>Elaeagnus</i> | <i>angustifolia</i> | ELGAN | ELAN | ELAANG | VT |
| onion, wild | <i>Allium</i> | <i>canadense</i> | ALLCA | ALCA3 | ALLCAN | VF |
| onionweed | <i>Asphodelus</i> | <i>fistulosus</i> | ASHFI | ASFI2 | ASPFIS | VF |
| orach, garden | <i>Atriplex</i> | <i>hortensis</i> | ATXHO | ATHO | ATRHOR | VF |
| orach, halberdleaf | <i>Atriplex</i> | <i>hastata</i> | ATXHA | ATHA | ATRPAT | VF |
| orach, halberdleaf | <i>Atriplex</i> | <i>patula</i> | ATXHA | ATPAH2 | ATRPAT | VF |
| orach, red | <i>Atriplex</i> | <i>rosea</i> | ATXRO | ATRO | ATRROS | VF |
| orach, spreading | <i>Atriplex</i> | <i>patula</i> | ATXPA | ATPA4 | ATRPAT | VF |
| orange, osage | <i>Maclura</i> | <i>pomifera</i> | MACPO | MAPO | MACPOM | VT |
| orchardgrass | <i>Dactylis</i> | <i>glomerata</i> | DACGL | DAGL | DACGLO | VG |
| oxeye | <i>Helianthus</i> | <i>helianthoides</i> | HEFHE | HEHE5 | HELHEL | VF |
| oxtongue, bristly | <i>Picris</i> | <i>echioides</i> | PICEC | PIEC | PICECH | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------------|---------------------|------------------------|---------------------|-------------------------------|---------------------|-----------------|
| panicum, fall | <i>Panicum</i> | <i>dichotomiflorum</i> | PANDI | PADI | PANDIC | VG |
| panicum, woolly | <i>Panicum</i> | <i>lanuginosum</i> | PANLG | PALA18 | PANOCC | VG |
| pansy, field | <i>Viola</i> | <i>rafinesquii</i> | VIORA | VIRA5 | VIORAF | VF |
| parrotfeather | <i>Myriophyllum</i> | <i>aquaticum</i> | MYPBR | MYAQ2 | MYRBRA | VF |
| parrotfeather | <i>Myriophyllum</i> | <i>brasiliense</i> | MYPBR | MYBR | MYRBRA | VF |
| parsely, cow | <i>Anthriscus</i> | <i>sylvestris</i> | ANRSY | CHSY | ANTSYL | VF |
| parsnip, wild | <i>Pastinaca</i> | <i>sativa</i> | PAVSA | PASA2 | PASSAT | VF |
| paulownia, royal | <i>Paulownia</i> | <i>tomentosa</i> | PAZTO | PATO2 | PAUTOM | VT |
| peach | <i>Prunus</i> | <i>persica</i> | PRNPS | PRPE3 | PRUPER | VT |
| pearlwort, birdseye | <i>Sagina</i> | <i>procumbens</i> | SAIPR | SAPR | SAGPRO | VF |
| peavine, everlasting | <i>Lathyrus</i> | <i>latifolius</i> | LTHLA | LALA4 | LATLAT | VF |
| peavine, flat | <i>Lathyrus</i> | <i>sylvestris</i> | LTHSY | LASY | LATSYL | VF |
| peavine, marsh | <i>Lathyrus</i> | <i>palustris</i> | LTHPA | LAPA4 | LATPAL | VF |
| peavine, meadow | <i>Lathyrus</i> | <i>pratensis</i> | LTHPR | LAPR | LATPRA | VF |
| pellitory, Pennsylvania | <i>Parietaria</i> | <i>pennsylvanica</i> | PAIPE | PAPE5 | PARPEN | VF |
| pennycress, field | <i>Thlaspi</i> | <i>arvense</i> | THLAR | THAR5 | THLARV | VF |
| pennycress, perfoliate | <i>Thlaspi</i> | <i>perfoliatum</i> | THLPE | THPE | THAPER | VF |
| pennycress, thoroughwort | <i>Thlaspi</i> | <i>perfoliatum</i> | THLPE | THPE | THAPER | VF |
| pennywort, floating water | <i>Hydrocotyle</i> | <i>ranunculoides</i> | HYDRA | HYRA | HYDRAN | VF |
| peppermint | <i>Mentha</i> | <i>piperita</i> | MENPI | MEPI | MENXPI | VF |
| pepperweed, clasping | <i>Lepidium</i> | <i>perfoliatum</i> | LEPPE | LEPE2 | LEPPER | VF |
| pepperweed, field | <i>Lepidium</i> | <i>campestre</i> | LEPCA | LECA5 | LEPCAM | VF |
| pepperweed, greenflower | <i>Lepidium</i> | <i>densiflorum</i> | LEPDE | LEDE | LEPDEN | VF |
| pepperweed, narrowleaf | <i>Lepidium</i> | <i>ruderales</i> | LEPRU | LERU | LEPRUD | VF |
| pepperweed, perennial | <i>Lepidium</i> | <i>latifolium</i> | LEPLA | LELA2 | LEPLAT | VF |
| pepperweed, Virginia | <i>Lepidium</i> | <i>virginicum</i> | LEPVI | LEVI3 | LEPVIR | VF |
| pepperwort, hairy | <i>Marsilea</i> | <i>mucronata</i> | MASMU | MAMU5 | MARVES | VE |
| pepperwort, hairy | <i>Marsilea</i> | <i>vestita</i> | MASMU | MAVE2 | MARVES | VE |
| periwinkle, big | <i>Vinca</i> | <i>major</i> | VINMA | VIMA | VINMAJ | VF |
| periwinkle, greater | <i>Vinca</i> | <i>major</i> | VINMA | VIMA | VINMAJ | VF |
| pickerel-weed, sheathed | <i>Monochoria</i> | <i>vaginalis</i> | MOOVA | MOVA | MONVAG | VF |
| pigweed, prostrate | <i>Amaranthus</i> | <i>blitoides</i> | AMABL | AMBL | AMAGRA | VF |
| pigweed, prostrate | <i>Amaranthus</i> | <i>graecizans</i> | AMABL | AMGR | AMAGRA | VF |
| pigweed, redroot | <i>Amaranthus</i> | <i>retroflexus</i> | AMARE | AMRE | AMARET | VF |
| pigweed, Russian | <i>Axyris</i> | <i>amaranthoides</i> | AXYAM | AXAM | AXYAMA | VF |
| pigweed, smooth | <i>Amaranthus</i> | <i>hybridus</i> | AMACH | AMHY | AMAHYB | VF |
| pigweed, tumble | <i>Amaranthus</i> | <i>albus</i> | AMAAL | AMAL | AMAALB | VF |
| pigweed, winged | <i>Cycloloma</i> | <i>atriplicifolium</i> | CYMAT | CYAT | CYCATR | VF |
| pimpernel, false | <i>Lindernia</i> | <i>dubia</i> | LIDAE | LIDUA | LINDUB | VF |
| pimpernel, scarlet | <i>Anagallis</i> | <i>arvensis</i> | ANGAR | | ANAARV | VF |
| pineapple-weed | <i>Matricaria</i> | <i>matricarioides</i> | MATMT | MAMA11 | MATMAT | VF |
| pink, Deptford | <i>Dianthus</i> | <i>armeria</i> | DINAR | DIAR | DIAARM | VF |
| plant, manna | <i>Tamarix</i> | <i>gallica</i> | TAAGA | TAGA | TAMGAL | VS |
| plantain, blackseed | <i>Plantago</i> | <i>rugelii</i> | PLARU | PLRU | PLARUG | VF |
| plantain, bracted | <i>Plantago</i> | <i>aristata</i> | PLAAR | PLAR3 | PLAARI | VF |
| plantain, broadleaf | <i>Plantago</i> | <i>major</i> | PLAMA | PLMA2 | PLAMAJ | VF |
| plantain, buckhorn | <i>Plantago</i> | <i>lanceolata</i> | PLALA | PLLA | PLALAN | VF |
| plantain, slender | <i>Plantago</i> | <i>elongata</i> | PLAPU | PLEL | PLAELO | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|------------------------|---------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| plantain, woolly | <i>Plantago</i> | <i>patagonica</i> | PLAPR | PLPA2 | PLAPAT | VF |
| plantain, woolly | <i>Plantago</i> | <i>purshii</i> | PLAPR | PLPU80 | PLAPAT | VF |
| plum, American | <i>Prunus</i> | <i>americana</i> | PRNAM | PRAM | PRUAME | VS |
| plum, garden | <i>Prunus</i> | <i>domestica</i> | PRNDO | PRDO | PRUDOM | VS |
| plum, Indian | <i>Oemleria</i> | <i>cerasiformis</i> | OECE | | OEMCER | VS |
| plume moss, delicate | <i>Thuidium</i> | <i>delicatulum</i> | RHDER | | THUDEL | NM |
| poison-oak, Pacific | <i>Rhus</i> | <i>diversiloba</i> | RHUDI | RHDI6 | RHUDIV | VS |
| pokeweed, common | <i>Phytolacca</i> | <i>americana</i> | PHTAM | PHAM4 | PHYAME | VF |
| polemonium, annual | <i>Polemonium</i> | <i>micranthum</i> | PMNMI | POMI | POLMIC | VF |
| polypogon, rabbitfoot | <i>Polypogon</i> | <i>monspeliensis</i> | POHMO | POMO5 | POLMON | VG |
| pondweed, American | <i>Potamogeton</i> | <i>nodosus</i> | PTMNO | PONO2 | POTNOD | VF |
| pondweed, baby | <i>Potamogeton</i> | <i>pusillus</i> | PTMPU | POPU7 | POTPUS | VF |
| pondweed, curlyleaf | <i>Potamogeton</i> | <i>crispus</i> | PTMCR | POCR3 | POTCRI | VF |
| pondweed, fineleaf | <i>Potamogeton</i> | <i>filiformis</i> | PTMFI | POFI2 | POTFIL | VF |
| pondweed, flatstem | <i>Potamogeton</i> | <i>zosteriformis</i> | PTMZO | POZO | POTZOS | VF |
| pondweed, floatingleaf | <i>Potamogeton</i> | <i>natans</i> | PTMNA | PONA4 | POTNAT | VF |
| pondweed, Fries | <i>Potamogeton</i> | <i>friesii</i> | PTMFR | POFR3 | POTFRI | VF |
| pondweed, horned | <i>Zannichellia</i> | <i>palustris</i> | ZAIPA | ZAPA | ZANPAL | VF |
| pondweed, Illinois | <i>Potamogeton</i> | <i>illinoensis</i> | PTMIL | POIL | POTILL | VF |
| pondweed, largeleaf | <i>Potamogeton</i> | <i>amplifolius</i> | PTMAM | POAM5 | POTAMP | VF |
| pondweed, leafy | <i>Potamogeton</i> | <i>foliosus</i> | PTMFO | POFO3 | POTFOL | VF |
| pondweed, ribbonleaf | <i>Potamogeton</i> | <i>epihydus</i> | PTMEP | POEP2 | POTEPI | VF |
| pondweed, sago | <i>Potamogeton</i> | <i>pectinatus</i> | PTMPE | POPE6 | POTPEC | VF |
| pondweed, small | <i>Potamogeton</i> | <i>pusillus</i> | PTMPU | POPU7 | POTPUS | VF |
| pondweed, variable | <i>Potamogeton</i> | <i>gramineus</i> | PTMGR | POGR8 | POTGRM | VF |
| pondweed, waterthread | <i>Potamogeton</i> | <i>diversifolius</i> | PTMDF | PODI | POTDIE | VF |
| pondweed, whitestem | <i>Potamogeton</i> | <i>praelongus</i> | PTMPR | POPR5 | POTPRA | VF |
| poplar, balsam | <i>Populus</i> | <i>balsamifera</i> | POPBA | POBA2 | POPBAL | VT |
| poplar, white | <i>Populus</i> | <i>alba</i> | POPAL | POAL7 | POPALB | VT |
| poppy, corn | <i>Papaver</i> | <i>rhoeas</i> | PAPRH | PARH2 | PAPRHO | VF |
| poppy, doubting | <i>Papaver</i> | <i>dubium</i> | PAPDU | PADU | PAPDUB | VF |
| poppy, field | <i>Papaver</i> | <i>dubium</i> | PAPDU | PADU | PAPDUB | VF |
| poppy, pinnate | <i>Papaver</i> | <i>argemone</i> | PAPAR | PAAR3 | PAPARG | VF |
| poppymallow, purple | <i>Callirhoe</i> | <i>involucrata</i> | COEIN | CAIN2 | CALINV | VF |
| porcupinegrass | <i>Stipa</i> | <i>spartea</i> | STDSP | STSP2 | STISPA | VG |
| povertyweed, Nuttall | <i>Monolepis</i> | <i>nuttalliana</i> | MOPNU | MONU | MONNUT | VF |
| pricklepoppy, annual | <i>Argemone</i> | <i>intermedia</i> | ARGPL | ARIN7 | ARGPOL | VF |
| pricklepoppy, annual | <i>Argemone</i> | <i>polyanthemos</i> | ARGPL | ARPO2 | ARGPOL | VF |
| pricklypear, brittle | <i>Opuntia</i> | <i>fragilis</i> | OPUFR | OPFR | OPUFRA | VF |
| pricklypear, plains | <i>Opuntia</i> | <i>polyacantha</i> | OPUPO | OPPO | OPUPOL | VF |
| pricklypear, spreading | <i>Opuntia</i> | <i>humifusa</i> | OPUHU | OPHU | OPUHUM | VF |
| primrose, water | <i>Ludwigia</i> | <i>peploides</i> | LUDPE | LUPE5 | LUDPEP | VF |
| princess-feather | <i>Polygonum</i> | <i>orientale</i> | POLOR | POOR2 | POLORI | VF |
| prosopis, jointed | <i>Prosopis</i> | <i>velutina</i> | PRCJV | PRVE | PROVEL | VS |
| prosopis, stuffed | <i>Prosopis</i> | <i>farcta</i> | PRCST | PRFA2 | PROFAR | VS |
| puccoon, hoary | <i>Lithospermum</i> | <i>canescens</i> | LITCA | LICA12 | LITCAN | VF |
| puncturevine | <i>Tribulus</i> | <i>terrestris</i> | TRBTE | TRTE | TRITER | VF |
| purslane, common | <i>Portulaca</i> | <i>oleracea</i> | POROL | POOL | POROLE | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-------------------------|----------------------|------------------------|---------------------|-------------------------------|---------------------|-----------------|
| pussytoes, field | <i>Antennaria</i> | <i>neglecta</i> | ANXNE | | ANTNEG | VF |
| pussytoes, plantainleaf | <i>Antennaria</i> | <i>plantaginifolia</i> | ANXPL | GNPL | ANTPAL | VF |
| quackgrass | <i>Agropyron</i> | <i>repens</i> | AGRRE | AGRE2 | AGRREP | VG |
| quackgrass | <i>Elytrigia</i> | <i>repens</i> | AGRRE | ELRE3 | AGRREP | VG |
| queen-of-the-prairie | <i>Filipendula</i> | <i>rubra</i> | FIIRU | FIRU2 | FILRUB | VF |
| rabbitbrush, common | <i>Chrysothamnus</i> | <i>nauseosus</i> | CYTNG | CHNAG5 | CHRNAU | VS |
| rabbitbrush, Douglas | <i>Chrysothamnus</i> | <i>viscidiflorus</i> | CYTVI | CHV18 | CHRVIS | VS |
| rabbitbrush, gray | <i>Chrysothamnus</i> | <i>nauseosus</i> | CYTNA | CHNA2 | CHRNAU | VS |
| rabbitbrush, greenplume | <i>Chrysothamnus</i> | <i>graveolens</i> | CYTNG | CHGR12 | CHRNAU | VS |
| rabbitbrush, Parry | <i>Chrysothamnus</i> | <i>parryi</i> | CYTPA | CHPA13 | CHRPAR | VS |
| radish | <i>Raphanus</i> | <i>sativus</i> | RAPSN | RASA2 | RAPSAT | VF |
| radish, wild | <i>Raphanus</i> | <i>raphanistrum</i> | RAPRA | RARA2 | RAPRAP | VF |
| ragweed, common | <i>Ambrosia</i> | <i>artemisiifolia</i> | AMBEL | AMAR2 | AMBART | VF |
| ragweed, giant | <i>Ambrosia</i> | <i>trifida</i> | AMBTR | AMTR | AMBTRI | VF |
| ragweed, perennial | <i>Ambrosia</i> | <i>coronopifolia</i> | AMBPC | AMCO5 | AMBPSI | VF |
| ragweed, western | <i>Ambrosia</i> | <i>psilostachya</i> | AMBPS | AMPS | AMBPSI | VF |
| ragwort, tansy | <i>Senecio</i> | <i>jacobaea</i> | SENJA | SEJA | SENJAC | VF |
| ragwort, woodland | <i>Senecio</i> | <i>viscosus</i> | SENVJ | SEVI2 | SENVIS | VF |
| raspberry, European red | <i>Rubus</i> | <i>idaeus</i> | RUBID | RUID | RUBIDA | VS |
| rattle, yellow | <i>Rhinanthus</i> | <i>crista-galli</i> | RHIMI | RHCR2 | RHICRI | VF |
| rattle, yellow | <i>Rhinanthus</i> | <i>minor</i> | RHIMI | RHMI13 | RHICRI | VF |
| redcedar, eastern | <i>Juniperus</i> | <i>virginiana</i> | IUPVI | JUVI | JUNVIR | VT |
| redstem | <i>Ammannia</i> | <i>auriculata</i> | AMMAU | AMAU2 | AMMAUR | VF |
| redtop | <i>Agrostis</i> | <i>alba</i> | AGSGI | AGAL3 | AGRSTO | VG |
| redtop | <i>Agrostis</i> | <i>gigantea</i> | AGSGI | AGGI2 | AGRSTO | VG |
| reed, common | <i>Phragmites</i> | <i>australis</i> | PHRCO | PHAU7 | PHRAUS | VG |
| reed, common | <i>Phragmites</i> | <i>communis</i> | PHRCO | PHCO15 | PHRAUS | VG |
| rescuegrass | <i>Bromus</i> | <i>catharticus</i> | BROCA | BRCA6 | BROCAT | VG |
| rhododendron, Indian | <i>Melastoma</i> | <i>malabathricum</i> | MESMA | MEMA | MELMAL | VF |
| robert, herb | <i>Geranium</i> | <i>robertianum</i> | GERRO | GERO | GERROB | VF |
| rocket, garden | <i>Eruca</i> | <i>sativa</i> | ERUVE | ERSA7 | ERUSAT | VF |
| rocket, London | <i>Sisymbrium</i> | <i>irio</i> | SSYIR | SIIR | SISIRI | VF |
| rocket, sand | <i>Diploaxis</i> | <i>muralis</i> | DIPMU | DIMU2 | DIPMUR | VF |
| rocket, wall | <i>Diploaxis</i> | <i>tenuifolia</i> | DIPTI | DITE4 | DIPTEN | VF |
| rocket, yellow | <i>Barbarea</i> | <i>vulgaris</i> | BARVU | BAVU | BARVUL | VF |
| rose, dog | <i>Rosa</i> | <i>canina</i> | ROSCN | ROCA3 | ROSCAN | VS |
| rose, multiflora | <i>Rosa</i> | <i>multiflora</i> | ROSMU | ROMU | ROSMUL | VS |
| rose, prairie wild | <i>Rosa</i> | <i>arkansana</i> | ROSAK | ROAR3 | ROSARK | VS |
| rose, prickly | <i>Rosa</i> | <i>acicularis</i> | ROSAC | ROAC | ROSACI | VS |
| rose, sweetbriar | <i>Rosa</i> | <i>eglanteria</i> | ROSRB | ROEG | ROSEGL | VF |
| rose, sweetbriar | <i>Rosa</i> | <i>rubiginosa</i> | ROSRB | RORU82 | ROSEGL | VF |
| rose, Virginia | <i>Rosa</i> | <i>virginiana</i> | ROSVI | ROVI2 | ROSVIR | VS |
| rosinweed, cup | <i>Silphium</i> | <i>perfoliatum</i> | SIPPE | SIPE2 | SILPER | VF |
| rue, African | <i>Peganum</i> | <i>harmala</i> | PEGHA | PEHA | PEGHAR | VF |
| rush, Baltic | <i>Juncus</i> | <i>balticus</i> | IUNBA | JUBA | JUNBAL | VG |
| rush, flowering | <i>Butomus</i> | <i>umbellatus</i> | BUTUM | BUUM | BUTUMB | VF |
| rush, slender | <i>Juncus</i> | <i>tenuis</i> | IUNTE | JUTE | JUNTEN | VG |
| rush, soft | <i>Juncus</i> | <i>effusus</i> | IUNEF | JUEF | JUNEFF | VG |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-------------------------|--------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| rush, toad | <i>Juncus</i> | <i>bufonius</i> | IUNBU | JUBU | JUNBUF | VG |
| rush, tufted | <i>Juncus</i> | <i>acuminatus</i> | IUNAN | JUAC | JUNACU | VG |
| ryegrass, Italian | <i>Lolium</i> | <i>multiflorum</i> | LOLMU | LOMU | LOLMUL | VG |
| ryegrass, perennial | <i>Lolium</i> | <i>perenne</i> | LOLPE | LOPE | LOLPER | VG |
| ryegrass, poison | <i>Lolium</i> | <i>temulentum</i> | LOLTE | LOTE2 | LOLTEM | VG |
| sacaton, alkali | <i>Sporobolus</i> | <i>airoides</i> | SPZAI | SPAI | SPOAIR | VG |
| sage, lanceleaf | <i>Salvia</i> | <i>reflexa</i> | SALRE | SARE3 | SALREF | VF |
| sage, meadow | <i>Salvia</i> | <i>pratensis</i> | SALPR | SAPR2 | SALPRA | VS |
| sage, Mediterranean | <i>Salvia</i> | <i>aethiopsis</i> | SALAE | SAAE | SALAET | VF |
| sagebrush, big | <i>Artemisia</i> | <i>tridentata</i> | ARTTR | ARTR2 | ARTTRI | VS |
| sagebrush, fringed | <i>Artemisia</i> | <i>frigida</i> | ARTFR | ARFR4 | ARTFRI | VS |
| sagebrush, sand | <i>Artemisia</i> | <i>filifolia</i> | ARTFI | ARFI2 | ARTFIL | VS |
| sagewort, common | <i>Artemisia</i> | <i>campestris</i> | ARTCM | ARCA12 | ARTCAM | VF |
| sagewort, field | <i>Artemisia</i> | <i>campestris</i> | ARTCC | ARCAC | ARTCAM | VF |
| sagewort, field | <i>Artemisia</i> | <i>caudata</i> | ARTCC | ARCA24 | ARTCAM | VF |
| salsify, common | <i>Tragopogon</i> | <i>porrifolius</i> | TROPS | TRPO | TRAPOR | VF |
| salsify, meadow | <i>Tragopogon</i> | <i>pratensis</i> | TROPR | TRPR | TRAPRA | VF |
| salsify, western | <i>Tragopogon</i> | <i>dubius</i> | TRODM | TRDU | TRADUB | VF |
| saltbrush, Australian | <i>Atriplex</i> | <i>semibaccata</i> | ATXSE | ATSE | ATRSEM | VF |
| saltbush, fourwing | <i>Atriplex</i> | <i>canescens</i> | ATXCA | ATCA2 | ATRCAN | VS |
| saltbush, silverscale | <i>Atriplex</i> | <i>argentea</i> | ATXAR | ATAR2 | ATRARG | VF |
| saltcedar | <i>Tamarix</i> | <i>ramosissima</i> | TAARA | TARA | TAMRAM | VS |
| saltgrass | <i>Distichlis</i> | <i>spicata</i> | DISSP | DISP | DISSPI | VG |
| saltwort, spiny | <i>Salsola</i> | <i>kali</i> | SASKA | SAKA | SALIBE | VF |
| sandbur, longspine | <i>Cenchrus</i> | <i>longispinus</i> | CCHPA | CELO3 | CENLON | VG |
| sandspurry, red | <i>Spergularia</i> | <i>rubra</i> | SPBRU | SPRU | SPERUB | VF |
| sandwort, grove | <i>Arenaria</i> | <i>lateriflora</i> | MGJLA | ARLA15 | ARELAT | VF |
| sandwort, grove | <i>Moehringia</i> | <i>lateriflora</i> | MGJLA | MOLA6 | ARELAT | VF |
| sandwort, thymeleaf | <i>Arenaria</i> | <i>serpyllifolia</i> | ARISE | ARSE2 | ARESER | VF |
| scouringrush | <i>Equisetum</i> | <i>hyemale</i> | EQUHY | EQHY | EQUHYE | VE |
| scurfpea, lemon | <i>Psoralea</i> | <i>lanceolata</i> | PSRLA | PSLA | PSOLAN | VF |
| sea-rocket | <i>Cakile</i> | <i>maritima</i> | CAKMA | CAMA | CAKMAR | VF |
| sedge, beaked | <i>Carex</i> | <i>rostrata</i> | CRXRO | CARO6 | CARROT | VG |
| sedge, Nebraska | <i>Carex</i> | <i>nebraskensis</i> | CRXNB | CANE2 | CARNEB | VG |
| sedge, ripgut | <i>Carex</i> | <i>lacustris</i> | CRXLA | CALA16 | CARLAC | VG |
| sedge, sugargrass | <i>Carex</i> | <i>atherodes</i> | CRXAT | CAAT2 | CARATH | VG |
| sedge, water | <i>Carex</i> | <i>aquatilis</i> | CRXAQ | CAAQ | CARAQU | VG |
| sedge, widefruit | <i>Carex</i> | <i>eurycarpa</i> | CRXEU | CAEU2 | CAREUR | VG |
| sedge, woolfruit | <i>Carex</i> | <i>lasiocarpa</i> | CRXLC | CALA11 | CARLAS | VG |
| seepweed, alkali | <i>Suaeda</i> | <i>fruticosa</i> | SUEFR | SUFR2 | SUAMOQ | VF |
| seepweed, western | <i>Suaeda</i> | <i>occidentalis</i> | SUEOC | SUOC | SUAOCC | VF |
| sensitivebriar, catclaw | <i>Schrankia</i> | <i>nuttallii</i> | SCNNU | SCNU | SCHNUT | VF |
| shadscale | <i>Atriplex</i> | <i>confertifolia</i> | ATXCO | ATCO | ATRCON | VS |
| shattercane | <i>Sorghum</i> | <i>bicolor</i> | SORVU | SOBI2 | SORBIC | VG |
| shattercane | <i>Sorghum</i> | <i>vulgare</i> | SORVU | SOVU2 | SORBIC | VG |
| shepherd's-purse | <i>Capsella</i> | <i>bursa-pastoris</i> | CAPBP | CABU2 | CAPBUR | VF |
| shinleaf | <i>Pyrola</i> | <i>rotundifolia</i> | PYWRO | PYRO | PYRROT | VF |
| sicklegrass, curved | <i>Parapholis</i> | <i>incurva</i> | PHOIN | PAIN | PARINC | VG |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-----------------------------|-----------------------|---------------------------|---------------------|-------------------------------|---------------------|-----------------|
| sida, alkali | <i>Sida</i> | <i>hederacea</i> | SIDHE | SIHE8 | SIDHED | VF |
| skeletonweed | <i>Lygodesmia</i> | <i>juncea</i> | LYGJU | LYJU | LYGJUN | VF |
| skeletonweed, rush | <i>Chondrilla</i> | <i>juncea</i> | CHOJU | CHJU | CHOJUN | VF |
| skullcap, marsh | <i>Scutellaria</i> | <i>galericulata</i> | SCDGA | SCGA | SCUGAL | VF |
| smartweed, dotted | <i>Polygonum</i> | <i>punctatum</i> | POLPT | POPU5 | POLPUN | VF |
| smartweed, hedge | <i>Polygonum</i> | <i>scandens</i> | POLSD | POSC3 | POLSCA | VF |
| smartweed, marshpepper | <i>Polygonum</i> | <i>hydropiper</i> | POLHY | POHY | POLHYD | VF |
| smartweed, mild | <i>Polygonum</i> | <i>hydropiperoides</i> | POLHP | POHY2 | POLHYR | VF |
| smartweed, pale | <i>Polygonum</i> | <i>lapathifolium</i> | POLLA | POLA4 | POLLAP | VF |
| smartweed, Pennsylvania | <i>Polygonum</i> | <i>pensylvanicum</i> | POLPY | POPE2 | POLPEN | VF |
| smartweed, water | <i>Polygonum</i> | <i>amphibium</i> | POLAM | POAM8 | POLAMP | VF |
| smartweed, water | <i>Polygonum</i> | <i>natans</i> | POLAM | PONA3 | POLAMP | VF |
| smartweed, water | <i>Polygonum</i> | <i>coccineum</i> | POLCC | POCO8 | POLAMP | VF |
| snakeroot, swamp | <i>Eupatorium</i> | <i>rugosum</i> | EUPRU | EURU6 | EUPRUG | VF |
| snakeweed, broom | <i>Gutierrezia</i> | <i>sarothrae</i> | GUESA | GUSA2 | GUTSAR | VS |
| snapdragon, dwarf | <i>Chaenorrhinum</i> | <i>minus</i> | CHNMI | CHMI | CHAMIN | VF |
| sneezeweed | <i>Achillea</i> | <i>ptarmica</i> | ACHPT | ACPT | ACHPTA | VF |
| sneezeweed, common | <i>Helenium</i> | <i>autumnale</i> | HENAU | HEAU | HELAUT | VF |
| sneezeweed, orange | <i>Dugaldia</i> | <i>hoopesii</i> | HENHO | DUHO | HELHOP | VF |
| sneezeweed, orange | <i>Helenium</i> | <i>hoopesii</i> | HENHO | HEHO5 | HELHOP | VF |
| snowberry, common | <i>Symphoricarpos</i> | <i>albus</i> | SYPAL | SYAL | SYMALB | VS |
| snowberry, western | <i>Symphoricarpos</i> | <i>occidentalis</i> | SYPOC | SYOC | SYMOC | VS |
| snow-on-the-mountain | <i>Euphorbia</i> | <i>marginata</i> | EPHMG | EUMA8 | EUPMAR | VF |
| soldier, water | <i>Stratiotes</i> | <i>aloides</i> | STTAL | STAL6 | STRALO | VF |
| sorrel, green | <i>Rumex</i> | <i>acetosa</i> | RUMAC | RUAC2 | RUMACT | VF |
| sorrel, red | <i>Rumex</i> | <i>acetosella</i> | RUMAA | RUAC3 | RUMACE | VF |
| sowthistle, annual | <i>Sonchus</i> | <i>oleraceus</i> | SONOL | SOOL | SONOLE | VF |
| sowthistle, marsh | <i>Sonchus</i> | <i>arvensis</i> | SONAU | SOARU | SONARV | VF |
| sowthistle, marsh | <i>Sonchus</i> | <i>uliginosus</i> | SONAU | SOUL5 | SONARV | VF |
| sowthistle, perennial | <i>Sonchus</i> | <i>arvensis</i> | SONAR | SOAR2 | SONARV | VF |
| sowthistle, spiny | <i>Sonchus</i> | <i>asper</i> | SONAS | SOAS | SONASP | VF |
| spatterdock, Rocky Mountain | <i>Nuphar</i> | <i>luteum</i> | NUPLP | NULUP | NUPLUT | VF |
| spatterdock, Rocky Mountain | <i>Nuphar</i> | <i>polysepalum</i> | NUPLP | NUPO2 | NUPLUT | VF |
| spearmint | <i>Mentha</i> | <i>spicata</i> | MENSP | MESP3 | MENSPI | VF |
| speedwell, common | <i>Veronica</i> | <i>officinalis</i> | VEROF | VEOF2 | VEROFF | VF |
| speedwell, corn | <i>Veronica</i> | <i>arvensis</i> | VERAR | VEAR | VERARV | VF |
| speedwell, germander | <i>Veronica</i> | <i>chamaedrys</i> | VERCH | VECH | VERCHA | VF |
| speedwell, longleaf | <i>Veronica</i> | <i>longifolia</i> | VERLO | VELO2 | VERLON | VF |
| speedwell, Persian | <i>Veronica</i> | <i>persica</i> | VERPE | VEPE3 | VERPES | VF |
| speedwell, purslane | <i>Veronica</i> | <i>peregrina</i> | VERPG | VEPE2 | VERPER | VF |
| speedwell, purslane | <i>Veronica</i> | <i>peregrina</i> | VERPX | VEPEX | VERPER | VF |
| speedwell, slender | <i>Veronica</i> | <i>filiformis</i> | VERFI | VEFI | VERFIL | VF |
| speedwell, thread stalk | <i>Veronica</i> | <i>filiformis</i> | VERFI | VEFI | VERFIL | VF |
| speedwell, thymeleaf | <i>Veronica</i> | <i>serpyllifolia</i> | VERSE | VESE | VERSER | VF |
| speedwell, water | <i>Veronica</i> | <i>anagallis-aquatica</i> | VERAA | VEAN2 | VERANA | VF |
| spiderwort, tropical | <i>Commelina</i> | <i>benghalensis</i> | COMBE | COBE2 | COMBEN | VF |
| spikerush, beaked | <i>Eleocharis</i> | <i>rostelata</i> | ELORO | ELRO2 | ELEROS | VG |
| spikerush, blunt | <i>Eleocharis</i> | <i>obtusa</i> | ELOOB | ELOB2 | ELEOBT | VG |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|----------------------------|---------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| spikerush, creeping | <i>Eleocharis</i> | <i>palustris</i> | ELOPA | ELPA3 | ELEPAL | VG |
| spikerush, dwarf | <i>Eleocharis</i> | <i>parvula</i> | ELPA5 | | ELEPAR | VG |
| spikerush, needle | <i>Eleocharis</i> | <i>acicularis</i> | ELOAC | ELAC | ELEACI | VG |
| spikerush, ovoid | <i>Eleocharis</i> | <i>obtusa</i> | ELOOB | ELOB2 | ELEOBT | VG |
| spikeweed | <i>Hemizonia</i> | <i>pungens</i> | HEZPU | HEPU5 | HEMPUN | VF |
| spinach, water | <i>Ipomoea</i> | <i>aquatica</i> | IPOAQ | IPAQ | IPOAQU | VF |
| sprangletop, bearded | <i>Diplachne</i> | <i>fascicularis</i> | LEFFA | DIFA4 | LEPFAS | VG |
| sprangletop, bearded | <i>Leptochloa</i> | <i>fascicularis</i> | LEFFA | LEFA | LEPFAS | VG |
| sprangletop, Mexican | <i>Leptochloa</i> | <i>uninervia</i> | LEFUN | LEUN2 | LEPUNI | VG |
| sprangletop, red | <i>Leptochloa</i> | <i>chinensis</i> | LEFCH | LECH2 | LEPCHI | VG |
| spruce, white | <i>Picea</i> | <i>glauca</i> | PIEGA | PIGL | PICGLA | VT |
| spurge, creeping | <i>Chamaesyce</i> | <i>serpens</i> | EPHSN | CHSE4 | EUPSEP | VF |
| spurge, creeping | <i>Euphorbia</i> | <i>serpens</i> | EPHSN | EUSE4 | EUPSEP | VF |
| spurge, cypress | <i>Euphorbia</i> | <i>cyparissias</i> | EPHCY | EUCY2 | EUPCYP | VF |
| spurge, leafy | <i>Euphorbia</i> | <i>esula</i> | EPHES | EUES | EUPESU | VF |
| spurge, netseed | <i>Euphorbia</i> | <i>spathulata</i> | EPHSQ | EUSP | EUPSPA | VF |
| spurge, nodding | <i>Chamaesyce</i> | <i>nutans</i> | EPHNU | CHNU9 | EUPNUT | VF |
| spurge, nodding | <i>Euphorbia</i> | <i>nutans</i> | EPHNU | EUNU | EUPNUT | VF |
| spurge, petty | <i>Euphorbia</i> | <i>peplus</i> | EPHPE | EUPE6 | EUPPEP | VF |
| spurge, plum-leafed | <i>Euphorbia</i> | <i>prunifolia</i> | EPHPR | EUPR5 | EUPPRU | VF |
| spurge, ridgeseed | <i>Chamaesyce</i> | <i>glyptosperma</i> | EPHGL | CHGL13 | EUPGLY | VF |
| spurge, ridgeseed | <i>Euphorbia</i> | <i>glyptosperma</i> | EPHGL | EUGL3 | EUPGLY | VF |
| spurge, spotted | <i>Chamaesyce</i> | <i>maculata</i> | EPHMA | CHMA15 | EUPMAU | VF |
| spurge, spotted | <i>Euphorbia</i> | <i>maculata</i> | EPHMA | EUMA7 | EUPMAU | VF |
| spurge, spotted | <i>Euphorbia</i> | <i>supina</i> | EPHMA | EUSU | EUPMAU | VF |
| spurge, sun | <i>Euphorbia</i> | <i>helioscopia</i> | EPHHE | EUHE2 | EUPHEL | VF |
| spurge, toothed | <i>Euphorbia</i> | <i>dentata</i> | EPHDE | EUDE4 | EUPDEN | VF |
| spurry, corn | <i>Spergula</i> | <i>arvensis</i> | SPRAR | SPAR | SPEARV | VF |
| spurry, umbrella | <i>Holosteum</i> | <i>umbellatum</i> | HLOUM | HOUM | HOLUMB | VF |
| squirreltail | <i>Elymus</i> | <i>elymoides</i> | SITHY | ELEL5 | SITHYS | VG |
| squirreltail | <i>Sitanion</i> | <i>hystrix</i> | SITHY | SIHY | SITHYS | VG |
| St. Johnswort, common | <i>Hypericum</i> | <i>perforatum</i> | HYPPE | HYPE | HYPPER | VF |
| star-flower | <i>Trientalis</i> | <i>borealis</i> | TNTBO | TRBO2 | TRILAI | VF |
| Stark | <i>Arctoa</i> | <i>starkei</i> | ARST12 | | KIATA | KI |
| star-of-Bethlehem | <i>Ornithogalum</i> | <i>umbellatum</i> | OTGUM | ORUM | ORNUMB | VF |
| star-of-Bethlehem, nodding | <i>Ornithogalum</i> | <i>nutans</i> | OTGNU | ORNU | ORNNUT | VF |
| starthistle, Iberian | <i>Centaurea</i> | <i>iberica</i> | CENIB | CEIB | CENIBE | VF |
| starthistle, purple | <i>Centaurea</i> | <i>calcitrapa</i> | CENCA | CECA2 | CENCAL | VF |
| starthistle, yellow | <i>Centaurea</i> | <i>solstitialis</i> | CENSO | CESO3 | CENSOL | VF |
| starwort, little | <i>Stellaria</i> | <i>graminea</i> | STEGR | STGR | STEGRA | VF |
| stickleaf, tenpetal | <i>Mentzelia</i> | <i>decapetala</i> | MNZDE | MEDE2 | MENDEC | VF |
| stickleaf, whitestem | <i>Mentzelia</i> | <i>albicaulis</i> | MNZAL | MEAL6 | MENALB | VF |
| stickseed, western | <i>Hackelia</i> | <i>floribunda</i> | HACFL | HAFL2 | HACFLO | VF |
| sticktight, European | <i>Lappula</i> | <i>echinata</i> | LPLSQ | LAEC | LAPECH | VF |
| sticktight, western | <i>Lappula</i> | <i>redowskii</i> | LPLOC | LARE | LAPRED | VF |
| stinkgrass | <i>Eragrostis</i> | <i>cilianensis</i> | ERACN | ERCI | ERACIL | VG |
| stock, Malcolm | <i>Malcolmia</i> | <i>africana</i> | MAMAF | MAAF | MALAFR | VF |
| stonecrop, mossy | <i>Sedum</i> | <i>acre</i> | SEDAC | SEAC | SEDACR | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------------|---------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| strawberry, wild | <i>Fragaria</i> | <i>virginiana</i> | FRAVI | FRVI | FRAVIR | VF |
| sugarcane, wild | <i>Saccharum</i> | <i>spontaneum</i> | SACSP | SASP | SACSPO | VG |
| sumac, dwarf | <i>Rhus</i> | <i>copallina</i> | RHUCO | RHCO13 | RHUCOP | VF |
| sumac, smooth | <i>Rhus</i> | <i>glabra</i> | RHUGL | RHGL | RHUGLA | VS |
| sumac, staghorn | <i>Rhus</i> | <i>typhina</i> | RHUTY | RHTY | RHUTYP | VS |
| sumpweed, poverty | <i>Iva</i> | <i>axillaris</i> | IVAAX | IVAX | IVAAXI | VF |
| sumpweed, rough | <i>Iva</i> | <i>ciliata</i> | IVACI | IVCI2 | IVAANN | VF |
| sundrops, perennial | <i>Oenothera</i> | <i>perennis</i> | OEOPE | OEPE | OENPER | VF |
| sunflower, common | <i>Helianthus</i> | <i>annuus</i> | HELAN | HEAN3 | HELANN | VF |
| sunflower, Maximilian | <i>Helianthus</i> | <i>maximilianii</i> | HELMA | HEMA2 | HELMAX | VF |
| sunflower, prairie | <i>Helianthus</i> | <i>petiolaris</i> | HELPE | HEPE | HELPEP | VF |
| sunflower, stiff | <i>Helianthus</i> | <i>rigidus</i> | HELRI | HERI2 | HELRI2 | VF |
| swainsonpea | <i>Sphaerophysa</i> | <i>salsula</i> | SWASA | SPSA3 | SPHSAL | VF |
| swainsonpea | <i>Swainsona</i> | <i>salsula</i> | SWASA | SWSA2 | SPHSAL | VF |
| swampcandle | <i>Lysimachia</i> | <i>terrestris</i> | LYSTE | LYTE2 | LYSTER | VF |
| sweetclover, yellow | <i>Melilotus</i> | <i>officinalis</i> | MEUOF | MEOF | MELOFF | VF |
| sweetflag | <i>Acorus</i> | <i>calamus</i> | ACSCA | ACCA4 | ACOCAL | VF |
| sweetroot, spreading | <i>Osmorhiza</i> | <i>chilensis</i> | OMRCH | OSCH | OSMCHI | VF |
| switchgrass | <i>Panicum</i> | <i>virgatum</i> | PANVI | PAVI2 | PANVIR | VG |
| tabacco, tree | <i>Nicotiana</i> | <i>glauca</i> | NIUGL | NIGL | NICGLA | VS |
| tamarisk, Chinese | <i>Tamarix</i> | <i>chinensis</i> | TAACH | TACH2 | TAMCHI | VS |
| tamarisk, smallflower | <i>Tamarix</i> | <i>parviflora</i> | TAAPA | TAPA4 | TAMPAR | VS |
| tansy, common | <i>Tanacetum</i> | <i>vulgare</i> | CHYVU | TAVU | TANVUL | VF |
| tansymustard, pinnate | <i>Descurainia</i> | <i>pinnata</i> | DESPI | DEPI | DESPIN | VF |
| tansymustard, pinnate | <i>Descurainia</i> | <i>pinnata</i> | DESRB | DEPIB2 | DESPIN | VF |
| tansymustard, Richardson | <i>Descurainia</i> | <i>richardsonii</i> | DESRI | DERI2 | DESRIC | VF |
| tarragon | <i>Artemisia</i> | <i>dracunculoides</i> | ARTDR | ARDR4 | ARTDRA | VF |
| tarweed, cluster | <i>Madia</i> | <i>glomerata</i> | MADGL | MAGL2 | MADGLO | VF |
| tarweed, coast | <i>Madia</i> | <i>sativa</i> | MADSA | MASA | MADSAT | VF |
| tarweed, palouse | <i>Amsinckia</i> | <i>retrorsa</i> | AMSRE | AMRE2 | AMSRET | VF |
| tarweed, showy | <i>Madia</i> | <i>elegans</i> | MADEL | MAEL | MADELE | VF |
| tea, Labrador | <i>Ledum</i> | <i>groenlandicum</i> | LEDGR | LEGR | LEDGRO | VS |
| tea, Mexican | <i>Chenopodium</i> | <i>ambrosioides</i> | CHEAM | CHAM | CHEAMB | VF |
| teasel, common | <i>Dipsacus</i> | <i>fullonum</i> | DIWSI | DIFU2 | DIPFUL | VF |
| teasel, common | <i>Dipsacus</i> | <i>sylvestris</i> | DIWSI | DISY | DIPFUL | VF |
| thimbleberry, western | <i>Rubus</i> | <i>parviflorus</i> | RUBPA | RUPA | RUBPAR | VS |
| thistle, barbwire Russian | <i>Salsola</i> | <i>paulsenii</i> | SASPA | SAPA8 | SALPAU | VF |
| thistle, blessed | <i>Cnicus</i> | <i>benedictus</i> | CXDBE | CNBE | CNIBEN | VF |
| thistle, bull | <i>Cirsium</i> | <i>vulgare</i> | CIRVU | CIVU | CIRVUL | VF |
| thistle, Canada | <i>Cirsium</i> | <i>arvense</i> | CIRAR | CIAR4 | CIRARV | VF |
| thistle, distaff | <i>Carthamus</i> | <i>lanatus</i> | CAULA | CALA20 | CARLAN | VF |
| thistle, Flodman | <i>Cirsium</i> | <i>flodmanii</i> | CIRFL | CIFL | CIRFLO | VF |
| thistle, Indian | <i>Cirsium</i> | <i>edule</i> | CIREC | CIED | CIREDU | VF |
| thistle, Italian | <i>Carduus</i> | <i>pycnoccephalus</i> | CRUPY | CAPY2 | CARPYC | VF |
| thistle, leafy | <i>Cirsium</i> | <i>foliosum</i> | CIRFO | CIFO | CIRFOL | VF |
| thistle, musk | <i>Carduus</i> | <i>nutans</i> | CRUNU | CANU4 | CARNUT | VF |
| thistle, Napa | <i>Centaurea</i> | <i>melitensis</i> | CENME | CEME2 | CENMEL | VF |
| thistle, plumeless | <i>Carduus</i> | <i>acanthoides</i> | CRUAC | CAAC | CARACA | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|-----------------------------|----------------------|-----------------------|---------------------|-------------------------------|---------------------|-----------------|
| thistle, Russian | <i>Salsola</i> | <i>iberica</i> | SASKR | SAIB | SALIBE | VF |
| thistle, Scotch | <i>Onopordum</i> | <i>acanthium</i> | ONRAC | ONAC | ONOACA | VF |
| thistle, slenderflowered | <i>Carduus</i> | <i>tenuiflorus</i> | CRUTE | CATE2 | CARTEU | VF |
| thistle, tall | <i>Cirsium</i> | <i>altissimum</i> | CIRAL | CIAL2 | CIRALT | VF |
| thistle, wavyleaf | <i>Cirsium</i> | <i>undulatum</i> | CIRUN | CIUN | CIRUND | VF |
| thistle, welted | <i>Carduus</i> | <i>crispus</i> | CRUCR | CACR2 | CARCRS | VF |
| thistle, yellowspine | <i>Cirsium</i> | <i>ochrocentrum</i> | CIROH | CIOC2 | CIROCH | VF |
| thoroughwort, gland-bearing | <i>Ageratina</i> | <i>adenophora</i> | EUPAD | AGAD2 | AGEADE | VF |
| thoroughwort, gland-bearing | <i>Eupatorium</i> | <i>adenophorum</i> | EUPAD | EUAD2 | EUPADE | VF |
| threeawn, red | <i>Aristida</i> | <i>longiseta</i> | ARKLS | ARLO3 | ARILON | VG |
| threesquare, common | <i>Scirpus</i> | <i>americanus</i> | SCPAM | SCAM2 | SCIAME | VG |
| threesquare, Olney | <i>Scirpus</i> | <i>olneyi</i> | SCPOL | SCOL | SCIAME | VG |
| thyme, basil | <i>Satureja</i> | <i>acinos</i> | STIAC | SAAC | SATACI | VF |
| thyme, creeping | <i>Thymus</i> | <i>serpyllum</i> | THYSE | THSE | THYSER | VF |
| tickseed, hyssopleaf | <i>Corispermum</i> | <i>hyssopifolium</i> | CRQHY | COHY | CORHYS | VF |
| timothy | <i>Phleum</i> | <i>pratense</i> | PHLPR | PHPR3 | PHLPRA | VG |
| toadflax, Dalmatian | <i>Linaria</i> | <i>dalmatica</i> | LINDA | LIDA | LINDAL | VF |
| toadflax, Dalmatian | <i>Linaria</i> | <i>genistifolia</i> | LINDA | LIGE | LINDAL | VF |
| toadflax, oldfield | <i>Linaria</i> | <i>canadensis</i> | LINCA | LICA6 | LINCAN | VF |
| toadflax, Texas | <i>Linaria</i> | <i>texana</i> | LINTX | LITE5 | LINCAN | VF |
| toadflax, yellow | <i>Linaria</i> | <i>vulgaris</i> | LINVU | LIVU2 | LINVUL | VF |
| toothcup | <i>Rotala</i> | <i>ramosior</i> | ROTRA | RORA | ROTRAM | VF |
| trefoil, birdsfoot | <i>Lotus</i> | <i>corniculatus</i> | LOTCO | LOCO6 | LOTCOR | VF |
| trumpetcreeper | <i>Campsis</i> | <i>radicans</i> | CMIRA | CARA2 | CAMRAD | VS |
| tumblegrass | <i>Schedonnardus</i> | <i>paniculatus</i> | SCEPA | SCPA | SCHPAN | VG |
| tumbleweed | <i>Salsola</i> | <i>vermiculata</i> | SASVE | SAVE6 | SALVER | VF |
| turkeyberry | <i>Solanum</i> | <i>torvum</i> | SOLTO | SOTO4 | SOLTOR | VF |
| twitch, black | <i>Alopecurus</i> | <i>mysuroides</i> | ALOMY | ALMY | ALOMYS | VG |
| valerian, common | <i>Valeriana</i> | <i>officinalis</i> | VALOF | VAOF | VALOFF | VF |
| velvetgrass, common | <i>Holcus</i> | <i>lanatus</i> | HOLLA | HOLA | HOLLAN | VG |
| velvetgrass, German | <i>Holcus</i> | <i>mollis</i> | HOLMO | HOMO | HOLMOL | VG |
| velvetleaf | <i>Abutilon</i> | <i>theophrasti</i> | ABUTH | ABTH | ABUTHE | VF |
| ventenata | <i>Ventenata</i> | <i>dubia</i> | VETDU | VEDU | VENDUB | VG |
| venuslookingglass, common | <i>Triodanis</i> | <i>perfoliata</i> | TJDPE | TRPE4 | TRIPER | VF |
| vernalgrass, sweet | <i>Anthoxanthum</i> | <i>odoratum</i> | AOXOD | | ANTODO | VG |
| vervain, blue | <i>Verbena</i> | <i>hastata</i> | VEBHA | VEHA2 | VERHAS | VF |
| vervain, hoary | <i>Verbena</i> | <i>stricta</i> | VEBST | VEST | VERSTR | VF |
| vervain, prostrate | <i>Verbena</i> | <i>bracteata</i> | VEBBR | VEBR | VERBRA | VF |
| vervain, white | <i>Verbena</i> | <i>urticifolia</i> | VEBUR | VEUR | VERURT | VF |
| vetch, bird | <i>Vicia</i> | <i>cracca</i> | VICCR | VICR | VICCRA | VF |
| vetch, common | <i>Vicia</i> | <i>sativa</i> | VICSA | VISA | VICSAT | VF |
| vetch, hairy | <i>Vicia</i> | <i>villosa</i> | VICVI | VIVI | VICVIL | VF |
| vetch, sparrow | <i>Vicia</i> | <i>tetrasperma</i> | VICTE | VITE | VICTET | VF |
| vetch, tiny | <i>Vicia</i> | <i>hirsuta</i> | VICHI | VIHI | VICHIR | VF |
| violet, common blue | <i>Viola</i> | <i>papilionacea</i> | VIOPP | VIPA5 | VIOPRT | VF |
| violet, field | <i>Viola</i> | <i>arvensis</i> | VIOAR | VIAR | VIOARV | VF |
| violet, lanceleaf | <i>Viola</i> | <i>lanceolata</i> | VIOLA | VILA4 | VIOLAN | VF |
| violet, sweet | <i>Viola</i> | <i>odorata</i> | VIOOD | VIOD | VIODOO | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|---------------------------|-----------------------|-----------------------------|---------------------|-------------------------------|---------------------|-----------------|
| Virginia-creeper | <i>Parthenocissus</i> | <i>quinquefolia</i> | PRTQU | PAQU2 | PARQUI | VS |
| wahoo, eastern | <i>Euonymus</i> | <i>atropurpureus</i> | EUOAT | EUAT3 | EUOATR | VS |
| wallflower, bushy | <i>Erysimum</i> | <i>repandum</i> | ERYRE | ERRE4 | ERYREP | VF |
| wallflower, western | <i>Erysimum</i> | <i>asperum</i> | ERYAS | ERAS2 | ERYASP | VF |
| waterbuttercup, white | <i>Ranunculus</i> | <i>aquatilis</i> | RANTR | RAAQC2 | RANAQU | VF |
| waterbuttercup, yellow | <i>Ranunculus</i> | <i>flabellaris</i> | RANFB | RAFL | RANFLB | VF |
| watercress | <i>Nasturtium</i> | <i>officinale</i> | NAAOF | NAOF | NASOFF | VF |
| watercress | <i>Rorippa</i> | <i>nasturtium-aquaticum</i> | NAAOF | RONA2 | NASOFF | VF |
| waterfern, feathered | <i>Azolla</i> | <i>pinnata</i> | AZOPI | AZPI | AZOPIN | VE |
| waterhemlock, spotted | <i>Cicuta</i> | <i>maculata</i> | CIUMC | CIMA2 | CICMAC | VF |
| waterhemlock, western | <i>Cicuta</i> | <i>douglasii</i> | CIUDO | CIDO | CICDOU | VF |
| waterhemp, common | <i>Amaranthus</i> | <i>rudis</i> | AMATA | AMRU | AMARUD | VF |
| waterhemp, tall | <i>Amaranthus</i> | <i>tuberculatus</i> | AMATU | AMTU | AMATUB | VF |
| waterhyacinth | <i>Eichhornia</i> | <i>crassipes</i> | EICCR | EICR | EICCRA | VF |
| waterhyacinth, anchored | <i>Eichhornia</i> | <i>azurea</i> | EICAZ | EIAZ2 | EICAZU | VF |
| waterhyacinth, peacock | <i>Eichhornia</i> | <i>azurea</i> | EICAZ | EIAZ2 | EICAZU | VF |
| waterhyssop, disc | <i>Bacopa</i> | <i>rotundifolia</i> | BAORO | BARO | BACROT | VF |
| waterlily, fragrant | <i>Nymphaea</i> | <i>odorata</i> | NYMOR | NYOD | NYMODO | VF |
| waterlily, yellow | <i>Nuphar</i> | <i>luteum</i> | NUPLU | NULU | NUPLUT | VF |
| watermeal, common | <i>Wolffia</i> | <i>columbiana</i> | WOLCO | WOCO | WOLCOL | VF |
| watermeal, spotted | <i>Wolffia</i> | <i>punctata</i> | WOLPU | WOPU2 | WOLPUN | VF |
| watermilfoil, eastern | <i>Myriophyllum</i> | <i>pinnatum</i> | MYPPI | MYPI | MYRPIN | VF |
| watermilfoil, Eurasian | <i>Myriophyllum</i> | <i>spicatum</i> | MYPSP | MYSP2 | MYRSPI | VF |
| watermilfoil, northern | <i>Myriophyllum</i> | <i>exalbescens</i> | MYPSE | MYEX | MYRSPI | VF |
| watermilfoil, variable | <i>Myriophyllum</i> | <i>heterophyllum</i> | MYPHE | MYHE2 | MYRHET | VF |
| watermilfoil, whorled | <i>Myriophyllum</i> | <i>verticillatum</i> | MYPVE | MYVE3 | MYRSPI | VF |
| waterparsnip | <i>Sium</i> | <i>suave</i> | SIUSU | SISU2 | SIUSUA | VF |
| waterplantain, common | <i>Alisma</i> | <i>plantago-aquatica</i> | ALSPA | ALPL | ALIPLA | VF |
| waterplantain, common | <i>Alisma</i> | <i>triviale</i> | ALSPA | ALTR7 | ALIPLA | VF |
| waterplantain, narrowleaf | <i>Alisma</i> | <i>gramineum</i> | ALSGR | ALGR | ALIGRA | VF |
| waterpod | <i>Ellisia</i> | <i>nyctelea</i> | ELSNY | ELNY | ELLYNYC | VF |
| waterpurslane | <i>Ludwigia</i> | <i>palustris</i> | LUDPA | LUPA | LUDPAL | VF |
| watershield | <i>Brasenia</i> | <i>schreberi</i> | BRESC | BRSC | BRASCH | VF |
| waterstargrass | <i>Heteranthera</i> | <i>dubia</i> | HETDU | HEDU2 | ZOSDUB | VF |
| waterstargrass | <i>Zosterella</i> | <i>dubia</i> | HETDU | ZODU | ZOSDUB | VF |
| waterstarwort | <i>Callitriche</i> | <i>palustris</i> | CLTPA | CAPA52 | CALVER | VF |
| waterstarwort | <i>Callitriche</i> | <i>verna</i> | CLTPA | CAVE2 | CALVER | VF |
| waterstarwort, European | <i>Callitriche</i> | <i>stagnalis</i> | CLTST | CAST | CALSTA | VF |
| waterweed, longsheath | <i>Elodea</i> | <i>longivaginata</i> | ELDLO | ELLO2 | ELOBIF | VF |
| waterweed, western | <i>Anacharis</i> | <i>canadensis</i> | ELDCA | | ELOCAN | VF |
| waterwort | <i>Elatine</i> | <i>triandra</i> | ELTTR | ELTR | ELATRI | VF |
| wedgescale, prairie | <i>Sphenopholis</i> | <i>obtusata</i> | SFPOB | SPOB | SPHOBT | VG |
| wheatgrass | <i>Agropyron</i> | <i>pauciflorum</i> | AGRTR | AGPA15 | AGRPAU | VG |
| wheatgrass, slender | <i>Agropyron</i> | <i>trachycaulum</i> | AGRTR | AGTR | AGRCAN | VG |
| wheatgrass, slender | <i>Elymus</i> | <i>trachycaulus</i> | AGRTR | ELTR7 | AGRCAN | VG |
| wheatgrass, tall | <i>Agropyron</i> | <i>elongatum</i> | AGREL | AGEL3 | AGRELO | VG |
| whitewort, hairy | <i>Cardaria</i> | <i>pubescens</i> | CADPU | CAPU6 | CARPUB | VF |
| whitlowgrass, spring | <i>Draba</i> | <i>verna</i> | ERPVE | DRVE2 | DRAVER | VF |

V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|------------------------|----------------------|-------------------------|---------------------|-------------------------------|---------------------|-----------------|
| whitlowgrass, spring | <i>Erophila</i> | <i>verna</i> | ERPVE | ERVE8 | DRAVER | VF |
| whitlowgrass, wood | <i>Draba</i> | <i>nemorosa</i> | DRBNE | DRNE | DRANEM | VF |
| widgeongrass | <i>Ruppia</i> | <i>maritima</i> | RUPMA | RUMA5 | RUPMAR | VF |
| wildbean, smoothseed | <i>Strophostyles</i> | <i>leiosperma</i> | SRTLE | STLE6 | STRLEI | VF |
| wildrice, annual | <i>Zizania</i> | <i>aquatica</i> | ZIZAQ | ZIAQ | ZIZAQU | VG |
| wildrye, Virginia | <i>Elymus</i> | <i>virginicus</i> | ELYVI | ELVI3 | ELYVIR | VG |
| willow, coyote | <i>Salix</i> | <i>exigua</i> | SAXEX | SAEX | SALEXI | VS |
| willow, crack | <i>Salix</i> | <i>fragilis</i> | SAXFR | SAFR | SALFRA | VT |
| willow, laurel | <i>Salix</i> | <i>pentandra</i> | SAXPE | SAPE4 | SALPEN | VS |
| willow, prairie | <i>Salix</i> | <i>humilis</i> | SAXHM | SAHU2 | SALHUM | VS |
| willow, sandbar | <i>Salix</i> | <i>interior</i> | SAXIN | SAIN3 | SALEXI | VS |
| willow, weeping | <i>Salix</i> | <i>babylonica</i> | SAXBA | SABA2 | SALBAB | VT |
| willow, white | <i>Salix</i> | <i>alba</i> | SAXAL | SAAL2 | SALALB | VT |
| willowweed, American | <i>Epilobium</i> | <i>adenocaulon</i> | EPIAC | EPAD | EPIPAN | VF |
| willowweed, panicle | <i>Epilobium</i> | <i>paniculatum</i> | EPIP | EPPA2 | EPIPAN | VF |
| windmillgrass, tumble | <i>Chloris</i> | <i>verticillata</i> | CHRVE | CHVE2 | CHLVER | VG |
| wintercress, early | <i>Barbarea</i> | <i>verna</i> | BARVE | BAVE | BARVER | VF |
| wirelettuce, slender | <i>Stephanomeria</i> | <i>tenuifolia</i> | STOTE | STTE2 | STETEN | VF |
| witchgrass | <i>Panicum</i> | <i>capillare</i> | PANCA | PACA6 | PANCAP | VG |
| woad, dyer's | <i>Isatis</i> | <i>tinctoria</i> | ISATI | ISTI | ISATIN | VF |
| woodbine | <i>Lonicera</i> | <i>periclymenum</i> | LONPE | LOPE4 | LONPER | VS |
| woodrush, common | <i>Luzula</i> | <i>multiflora</i> | LUUMU | LUMU2 | LUZCAM | VG |
| woodsorrel, creeping | <i>Oxalis</i> | <i>corniculata</i> | OXACO | OXCO | OXACOR | VF |
| woodsorrel, European | <i>Oxalis</i> | <i>europaea</i> | OXAEU | OXEU2 | OXADIL | VF |
| woodsorrel, European | <i>Oxalis</i> | <i>stricta</i> | OXAEU | OXST | OXASTR | VF |
| woodsorrel, yellow | <i>Oxalis</i> | <i>dillenii</i> | OXAST | OXDI2 | OXADIL | VF |
| wormwood, absinth | <i>Artemisia</i> | <i>absinthium</i> | ARTAB | ARAB3 | ARTABS | VF |
| wormwood, annual | <i>Artemisia</i> | <i>annua</i> | ARTAN | ARAN3 | ARTANN | VF |
| wormwood, biennial | <i>Artemisia</i> | <i>biennis</i> | ARTBI | ARBI2 | ARTBIE | VF |
| wormwood, Louisiana | <i>Artemisia</i> | <i>ludoviciana</i> | ARTLU | ARLU | ARTLUD | VF |
| wormwood, southern | <i>Artemisia</i> | <i>abrotanum</i> | ARTAT | ARAB2 | ARTABR | VS |
| woundwort | <i>Stachys</i> | <i>palustris</i> | STAPA | STPA | STAPAL | VF |
| yarrow, common | <i>Achillea</i> | <i>millefolium</i> | ACHLA | ACMIL3 | ACHMIL | VF |
| yarrow, common | <i>Achillea</i> | <i>millefolium</i> | ACHMI | ACMI2 | ACHMIL | VF |
| yarrow, western | <i>Achillea</i> | <i>lanulosa</i> | ACHLA | ACLA5 | ACHMIL | VF |
| yellowcress, marsh | <i>Rorippa</i> | <i>islandica</i> | RORIS | ROIS2 | RORPAL | VF |
| yellowcress, spreading | <i>Rorippa</i> | <i>sinuata</i> | RORSN | ROSI2 | RORSIN | VF |
| yucca, Great Plains | <i>Yucca</i> | <i>glauca</i> | UCCGC | YUGL | YUCGLA | VS |
| | <i>Alliaria</i> | <i>officinalis</i> | ALAPE | ALOF3 | ALLPET | VF |
| | <i>Allium</i> | <i>columbianum</i> | ALCO2 | | ALLDOU | VF |
| | <i>Ambrosia</i> | <i>grayi</i> | AMBGR | AMGR5 | AMBGRA | VF |
| | <i>Anthriscus</i> | <i>caucalis</i> | ANRCA | | ANTCAU | VF |
| | <i>Anthriscus</i> | <i>scandicina</i> | ANRCA | | ANTCAU | VF |
| | <i>Armoracia</i> | <i>lapathifolia</i> | ARLA23 | | ARMRUS | VF |
| | <i>Botrychium</i> | <i>ascendens</i> | BOAS2 | | BOTASC | VE |
| | <i>Bryum</i> | <i>pseudotriquetrum</i> | BRPS70 | | BRYPSE | NM |
| | <i>Centaurea</i> | <i>trichocephala</i> | CENTC | CETR12 | CENTRC | VF |
| | <i>Hoffmanseggia</i> | <i>densiflora</i> | HOFDE | HODE | HEFDEN | VF |

V = Vascular

E = Fern

F = Forb

G = Graminoid

S = Shrub

T = Tree

Appendix 13

| Common Name | Genus | Species/ Authority | Bayer or WSSA ID | National Plants NRCS ID | Region 1 USFS ID | Plant Type * |
|--|---------------------|-----------------------|---|----------------------------------|---|-----------------|
| | <i>Hordeum</i> | <i>distichon</i> | HORDI | HODI2 | HORDIS | VG |
| | <i>Jussiaea</i> | <i>repens</i> | LUDPE | JUREP2 | JUSREP | VF |
| | <i>Kickxia</i> | <i>spuria</i> | KICSP | KISP | KICSPU | VF |
| | <i>Lepyrodiclis</i> | <i>holosteoides</i> | LDCHO | LEHO7 | LEPHOL | VF |
| | <i>Limnobiium</i> | <i>spongia</i> | LIMSP | LISP2 | LIMSPO | VF |
| | <i>Melilotus</i> | <i>indica</i> | MEUIN | MEIN14 | MELINI | VF |
| | <i>Physalis</i> | <i>pubescens</i> | PHYPU | PHPU7 | PHY PUB | VF |
| | <i>Pylaisiella</i> | <i>selwynii</i> | PYSE7 | | PYLSEL | NM |
| | <i>Sisymbrium</i> | <i>sophia</i> | DESSO | SISO4 | SISSOP | VF |
| | <i>Tamarix</i> | <i>odessana</i> | TAARA | | TAMRAM | VS |
| | <i>Tamarix</i> | <i>pentandra</i> | TAARA | TAPE | TAMRAM | VS |
| | | | Only weeds, approximately 3,000 species | All plants, 21,000 species | All plants, approximately 6,000 species | |
| | | | | | | |
| V = Vascular E = Fern F = Forb G = Graminoid S = Shrub T = Tree | | | | | | |